AVIATION

The Oldest American Aeronautical Magazine

TACOMA PUBLIC LIBRARY

JANUARY 26, 1929 Issued Weekly PRICE 20 CENTS



Pencil drawing by John MacGilchrist of the refueling of the "Question Mark"

VOLUME XXVI

NUMBER 4

Special Features

The Verville "Air Coach"

Seeding of Waste Lands by Airplane

The Overhead Expense of Direct Labor

TACOMA PUBLIC LIBRARY

AVIATION PUBLISHING CORPORATION
250 WEST 57TH STREET, NEW YORK

Entered as second class matter July 27, 1928, at the post office at New York, N. Y., under the act of March 5, 1879. Yearly subscription rates: Domestic, $4; Canada, $5. All other countries, $6.

There's No "Question Mark" about their Gasoline —it was RICHFIELD

BREAKING every known record for duration and distance, the *Question Mark*, famous tri-motored Fokker of the U. S. Army, landed at Metropolitan Field January 7 at 2:07:01 p.m.—150 hours 40 minutes and 14 seconds after her thrilling take-off from the same field at 7:26:47 a.m. New Year's day.

! ! !

RECORDS BROKEN

ENDURANCE FLIGHTS

Airplanes, Refueled, Crooy and Groenen of Belgium 60 hours, 7 minutes.

Airplanes, not Refueled, Ristics and Zimmerman of Germany—65 hours, 25 minutes.

Dirigibles, French Dixmude, 118 hours; Graf Zeppelin, 111 hours.

Spherical Balloon, Kaulen of Germany—87 hours.

DISTANCE FLIGHTS

Airplanes, Ferrarin and Del Prete of Italy, Italy to Brazil 4417 miles.

Dirigibles, Graf Zeppelin, Friedrichshafen, Germany, to New York 6000 miles (estimated).

! ! !

PERSONNEL

Major Carl Spatz, Commander; Chief Pilot, Capt. Ira Eaker; Relief Pilots, Lt. H. A. Halvorsen, Lt. Elwood R. Quesada, and Sergeant Roy W. Hooe.

! ! !

Richfield used in the "Question Mark" is the same famous aviation gasoline that captured four of the six major events in the National Air Derby, the fuel used by Capt. Wilkins on his record-breaking dash over the North Pole—the choice of Art Goebel for his transcontinental non-stop record —the fuel that has won more victories and world's records than all other gasolines combined. Use Richfield in your own car—easy starting—power, speed and mileage combined—the finest gasoline you can buy.



Scenic Airways, Inc.
"The Rainbow Route Across the Canyon"

Offices:
Grand Canyon, Arizona
3 Lohse Building
Phoenix, Ariz.
1001 Walker Bank Bldg.
Salt Lake City, Utah

Grand Canyon, Ariz.
Nov. 10, 1928

Grand Canyon of Arizona
Bryce Canyon
Rainbow Natural Bridge
West Coast of Mexico
91 Other Scenic Attractions

Texas Pacific Coal and Oil Co.,
Fort Worth, Texas.

Gentlemen:

Scenic Airways, Inc., as you may know, operates a passenger airplane service over the scenic attractions of the Canyon of the Colorado. In this service we use Ford tri-motor 12-passenger planes (Whirlwind), a Ryan brougham (Whirlwind), and a Hamilton all metal (Wasp). The latter craft are used only in air taxi work and for special charter flights.

Canyon and surrounding territory, where emergency landing fields are few, demands the utmost in safety, - the best in equipment and eternal vigilance in its maintenance. Among other exactions imposed upon us, therefore, is that of perfect lubrication. Because of the fact that we use high compression Whirlwinds, it is all the more incumbent upon us to use the best oil obtainable. We do not compromise on this, or any other matter in maintenance.

You will appreciate that operating over the Grand

In this connection it may interest you to know that we have used your -TP- AERO oil No. 870, under varying conditions during the past six months and have found it entirely satisfactory. After draining it, after fifteen hours, we have found it too good to discard. Thereafter we ran TP twenty hours and if still held its body and color. It not only meets the Wright specifications, but has given us splendid service under exacting conditions.

Whirlwind engines, both on push rods and rocker arm bearings. We are also using your rocker arm lubricant in our We have found this product also of high quality.

Very truly yours,
Lamar Nelson
LaMar Nelson
OPERATIONS MANAGER

Have you tried -TP- Aero Rocker Arm Lubricant, a low cold test pure paraffin base mineral oil product? Send 50c for 1lb. trial tin

FREE - Pilot's Log Book, 42 pages of blank forms with handsome durable cover. Free to you—send the coupon.

Please send me without obligation, your Pilot's Log Book.

Name_____
Address_____
City_____ State_____
Your Oil Dealer's Name_____

TEXAS PACIFIC COAL & OIL CO.

A2A

Fort Worth, Texas
New York Saint Louis Los Angeles

THANK YOU *for mentioning* AVIATION

3 Points supporting Pedrick supremacy

1-MADE TO SPECIFICATIONS. PEDRICK Heat-Shaped piston rings conform to the specifications of the engine designer. PEDRICKS are approved and used by many leading engine builders. We will send upon request a reprint of an article from the Journal of the Society of Automotive Engineers entitled "Important Factors in Piston Ring Design." It explains why conventional piston rings are best.

2-EVERYWHERE AVAILABLE. The PEDRICK distributing organization is world-wide in its scope. *Everywhere* adequate stocks of PEDRICKS are in the hands of reputable merchants ready to render service. Write now for the name of the nearest Distributor carrying a complete PEDRICK stock.

3-THE WELL KNOWN PEDRICK QUALITY never varies. All PEDRICKS are Heat-Shaped—set to tension by heat. In this process every ring is made round from the start by machining a circular casting. In the last step of the process the finished casting is split and spread open the correct distance to give it the proper tension. Held in this spread position it is set to that correct shape by heating it to 1200 degrees Fahrenheit. Because the setting to this shape under heat is the last operation of the process, the exact desired shape is *always* obtained. Furthermore, the shaping under 1200 degrees Fahrenheit removes all internal stresses which may have been set up by casting, cutting and machining—stresses which, if permitted to remain in the ring *as in all other processes*, would cause the ring to warp or to lose tension. But PEDRICKS cost no more, even in the oil-control type, than ordinary snap rings—25c each, and up.

Wilkening Manufacturing Co.
Philadelphia

—From a vast number of tests

NATURALINE
PROVES ITS SUPERIORITY

As a specific incident *five different planes with five different motors* were tested under all conceivable flying conditions . . . . .

As a result . . .

"NATURALINE"—The Super Aviation Fuel—is being favorably received in the aviation market on account of the following points of superiority over ordinary domestic aviation gasoline:

Lighter weight of approximately 46 lbs. per hundred gallons.

Reduced fuel consumption of from 5% to 15%, depending upon style of motor.

Increased horsepower resulting in increased R. P. M. of from 50 to 125, depending upon style of motor.

Easy starting in the very coldest weather.

Clean burning, reducing to a minimum the formation and deposit of carbon, which in turn reduces engine repairs very materially.

High anti-knock value, eliminating the necessity for blending with benzol, or other anti-knock agents, even for the highest compression motors on the market today.

Naturaline is not a blend. It is made from 100% natural gasoline.

NATURALINE
THE SUPER AVIATION MOTOR FUEL

NATURALINE COMPANY
OF AMERICA
Chestnut & Smith Bldg., Tulsa, Oklahoma

(Note)—Naturaline has been laboratory and flight tested with phenominal success in practically every known make of aviation motor, and it has been said by many recognized authorities that the introduction of this fuel is really a contribution to the science of aviation and that it will make possible the development of still more efficient motors

Hats off to the Question Mark!

The remarkable sustained flight accomplished by this plane and her skilled aviators establishes another unique world's aircraft record.

The three Wright motors which furnished the power for the Question Mark were equipped with Bohn Ring True Master Rod Bearings and Bohn Ring True Crankshaft Rear Bearings.

Bohn Aluminum & Brass Corporation
Detroit, Michigan

NEW YORK CHICAGO PHILADELPHIA CLEVELAND PITTSBURGH

Travel Air *smiles* and grows

Closing 1928 with a record volume of sales, we start 1929 (our 5th year) in a prosperous condition and in a happy frame of mind. ¶ Travel Air has been kept constantly in the public's eye through outstanding performance. Our Cabin Monoplane, "The Limousine of the Air," has met with enthusiastic approval everywhere. All Travel Air types have been improved and refined. Powerful New York financial interests have become associated with us. A third unit to our factory is being built. More than 116 Travel Air distributors and dealers have become firmly established. They have already signed contracts for their 1929 requirements far exceeding the 1928 total. ¶ Distribution through distributors and dealers is our firm sales policy. ¶ The rapidly increasing interest of business men in aviation affords an unlimited market in the building of airplanes adapted to business use with *performance, dependability* and *safety* as their outstanding features. ¶ That's the kind of airplanes we have built and will continue to build. ¶ We have a large, modern factory; long years of flying experience; skilled engineers; ample finance; and we've always stuck to proven and exacting standards of construction. *That's why we have never had a structural failure in the air.*

WALTER H. BEECH, President
TRAVEL AIR MANUFACTURING CO.

ON REQUEST—*Catalogue and story of Travel Air illustrating and describing eight open cockpit biplanes and the Cabin Monoplane.*



TRAVEL AIR MFG. CO.

The Standard of Aircraft Comparison
WICHITA, KANSAS

EQUIPMENT . . 3 Wright Whirlwind J-5 Engines of 200 H. P. each
FLIGHT STARTED . . . (Pacific Coast Time) 7:20 A. M., January 1st
FLIGHT ENDED . . . . . 2:07 P. M., January 7th
DURATION OF FLIGHT . . . . . 150 hours, 43 minutes
GASOLINE CONSUMED . . . . . About 5205 gallons, total
OIL CONSUMED . . . . . About 262 gallons, total

At the termination of the flight, it was only necessary to make minor adjustments to bring the engines again to perfect condition.

WITH the completion of the remarkable flight of the United States Army tri-motored Transport plane, "Question Mark", Wright Whirlwind Engines round out a record of achievement for 1928 and inaugurate a standard of performance for 1929 that will carry aviation on to still greater success.

Wright takes an honest pride in the performance of the three J-5 Whirlwinds that have completed this epochal test.

That they would worthily represent the engineering, design and production methods behind them was obvious. Added, as the latest achievement, to a long and impressive list of successes that are as milestones in the advancement of flying, the "Question Mark's" ability to parallel human endurance brings that profound satisfaction to this Organization that comes only when a job is well done.

WRIGHT AERONAUTICAL CORPORATION
Paterson, N. J., U. S. A.

Practically all of the record flights made by American aviators during 1927 and 1928 were accomplished with Wright Whirlwind Engines, including the following:

DATE	PILOT *and* CREW	POINT *of* DEPARTURE	DESTINATION *and* POINT *of* LANDING
May 9, 1926	Comdr. R. E. Byrd, Floyd Bennett	*Spitzbergen*	Over North Pole and back to Spitzbergen
May 1927	Charles A. Lindbergh	*San Diego*	St. Louis
		St. Louis	New York
		New York	Paris
June 5-6, 1927	Clarence Chamberlin, Charles A. Levine	*New York*	Eisleben, Germany.
June 29-30, 1927	Comdr. R. E. Byrd, Bert Acosta, Bernt Balchen, Lieut. G. O. Noville	*New York*	Ver-Sur-Mer, France
June 28-29, 1927	Lieut. Lester Maitland, Lieut. Albert Hegenberger	*Oakland*	Wheeler Field, Hawaii
Aug. 16-17, 1927	Art Goebel, Lieut. Davis	*Oakland*	Wheeler Field, Hawaii
Aug. 27-Sept. 14, 1927	William Brock, Edward F. Schlee	*Harbor Grace, N. F.*	Croyden, England, thence across Europe & Asia in series of flights to Tokio, Japan.
Dec. 13, 1927 to Feb. 8, 1928	Col. Chas. A. Lindbergh	*Washington, D. C.*	Mexico City (Pan American Tour)
Jan. 12-14, 1928-Feb. 1-3, 1928	Major Louis Bourne, Lieut. Geo. C. Towner	*Anacostia, D. C.*	Miami, Fla., thence non-stop to Managua, Nic.
Apr. 15-21, 1928	Capt. G. H. Wilkins, Carl Eielson	*Point Barrow, Alaska*	Over the North Pole & back to Spitzbergen.
May 31-June 9, 1928	Capt. Kingsford-Smith, C. T. P. Ulm, James W. Warner, Harry W. Lyon	*Oakland*	Wheeler Field, Hawaii, thence to Suva, Fiji, and Brisbane, Australia.
June 17-18, 1928	Amelia Earhart, Wilmer Stultz, Louis Gordon	*Trepassy, N. F.*	Burryport, Wales
Aug. 1928	Capt. Kingsford-Smith		First non-stop flight across Australia, 1950 miles.
December 1928	Capt. George Wilkins		First flight over Antarctic Sea to within few miles of South Pole & return to base.
January 1929	Major Spatz		151 hours continuous flight by "Question Mark."

WRIGHT

The first name in flying

CANADIAN WRIGHT LIMITED, Sole Licensees for Canada, Montreal

Authorized Parts Dealers—Air Associates, Inc., *Curtiss Field, Long Island, N. Y.* Pacific Aeromotive Corp., *Los Angeles, Cal.* Stout Air Services, Inc., *Dearborn, Mich.*

BUSINESS

The plane sketched is an eight-place, dual-control, Buhl Senior Air-sedan. It is powered with a Wright Cyclone engine, high-speed 140 m.p.h. The cabin is sound-proofed and exceptionally comfortable.

BUSINESS is now the basis of flying. Gone is the day of experimentation, of stunts, of fluttering flags and cheering crowds. The day of intelligent manufacture to approved design, of sound marketing plans, of administrative policy in accordance with the established rules of profitable enterprise—the day of *business in the air*—is here.

That is why the Buhl Aircraft Company, a unit of the far-reaching Buhl interests with their background of 95 years of leadership in America's industrial development, is an acknowledged leader. Airline operators, private owners and corporations alike find in the complete line of Buhl Air-sedans a plane to meet their every requirement. Those associated in a dealer capacity have a sound connection where factory co-operation and profit are assured. We shall be pleased to mail catalogs or details of our dealer plan.

DISTRIBUTORS

CALIFORNIA
Buhl Pacific Company
Los Angeles, California

• • •

IN THE NORTHWEST
Mamer Flying Service
Spokane, Washington

• • •

OHIO
Johnson Flying Service
Dayton, Ohio

• • •

MASSACHUSETTS
Wetmore-Savage Aircraft Corporation
Boston, Massachusetts

• • •

EASTERN CANADA
National Air Transportation, Ltd.
Toronto, Ontario

BUHL *Aircraft Company*

MARYSVILLE, MICHIGAN

Buhl
Air—Sedans
SENIOR·STANDARD·SPORT



HOW LONG SRB BALL BEARINGS LAST IN AVIATION "?" ENGINES IS STILL A ?

THE flight of the "Question Mark" still leaves the endurance of SRB Ball Bearings in doubt. Here was a plane that took off to try and wear out its component parts. Here was an endurance test that deliberately attempted to run parts to their death.

When the "Question Mark" landed after giving two SRB No. 214 Single Row Bearings in each engine a 150 hour beating on the main crankshafts of the Wright Whirlwinds, they were as fresh and ready for more as was the smiling crew.

The "Question Mark" has proven beyond question that the ball bearing inherently suited to take to the air, is labelled "SRB". Specify them. They are doing duty in such engines as Wright, Pratt & Whitney, Curtiss, Velie, Warner and others of famous names.

STANDARD STEEL AND BEARINGS INCORPORATED
Plainville DIVISION OF MARLIN-ROCKWELL CORPORATION *Connecticut*

Ball SRB Bearings

PACIFIC COAST DISTRIBUTORS—F. M. Cobbledick Co., *San Francisco, Cal.* E. D. Maltby Co., *Los Angeles, Cal.* Northwest Bearings Co., *Seattle, Wash.*

THANK YOU *for mentioning* AVIATION

Stearman SPEED MAIL

U.S. MAIL

PERFORMANCE DATA

Maximum speed, sea level	150 miles per hour
Cruising speed	120 miles per hour
Landing speed	55 miles per hour
Rate of climb, sea level	1400 feet per minute
Service Ceiling	18,000 feet

NOTE: The above performance is anticipated and conservative. Preliminary flight test made January 15th indicates its correctness with respect to conservative limits. Final flight test data will be furnished anyone interested upon written request.

WEIGHT DATA

Weight light	3360 pounds
Pay load	1000 pounds
Pilot	170 pounds
Fuel (140 gallons)	810 pounds
Oil (15 gallons)	120 pounds
Gross Weight	5460 pounds

Mail and express cargo space 91 cubic feet.

AERODYNAMIC DATA

Span, upper wing	46 feet
Span, lower wing	32 feet
Over all length	36 feet
Height	12 feet

Power Loading, ten point, four pound per horsepower;
Wing Loading, twelve point, five pound per square foot;
Power Plant, Wright Cyclone, five-twenty-five horsepower.

The Stearman Speedmail adds another beautiful and practical model to the Stearman line. Six contract mail operators in the United States and one in Canada have found the Whirlwind Powered (225 horsepower) C Three MB Model profitable and efficient. The Cyclone Powered (525 horsepower) Speed Mail bids well to take its place in the forefront of modern commercial designs. Write for further particulars.

The STEARMAN AIRCRAFT Co.

WICHITA, KANSAS

THANK YOU *for mentioning* AVIATION

"After 1,200 student landings . . . our sturdy WACO is going strong"



The WACO 10 owned and used by the Brooklyn Aero Club, which is campaigning for new members and, incidentally, for two more WACOS.

So writes

G. Ray Cullman, *instructor*

Brooklyn Aero Club

HERE'S further evidence of the durable construction, satisfactory service and long life of WACO airplanes as presented by G. Ray Cullman, Instructor of the Brooklyn Aero Club.

Read this letter. It gives the facts. Realize that student training, often with extreme abuse of the plane, is a stern test of its structural strength and airworthiness. And student *landings,* especially, often impose terrific strains on the ship. Yet after 1,200 of them, over a 300-hour period, Mr. Cullman writes, "Our sturdy WACO is still going strong . . . no replacements made . . . shows evidence of a long and useful life to come."

That's performance. Look where you will, you'll find no strictly commercial airplane offering comparable features of strength, speed, safety and economical maintenance . . . features typical of WACO and recognized as such by old-time pilots everywhere. Catalog AV21 on request.



BROOKLYN AERO CLUB

"Make Brooklyn America's Air Center"

Brooklyn, N. Y. December 11, 1928

The Advance Aircraft Co.,
Troy, Ohio

Gentlemen:

Since "actions speak louder than words," we thought you might like to hear about the service record to date of the WACO "10", operated by the Brooklyn Aero Club for instructing its members.

Between August 13th and December 7th 1928, the Ship's Log shows a record of over 300 hours, all instruction work, including approximately twelve hundred student landings. Many of these landings were the kind that are calculated to break the instructor's heart -- and the landing gear.

I am pleased to inform you that our sturdy WACO is still going strong. No replacements have been made and it shows evidence of a long and useful life to come. I personally have inspected all accessible weld joints, etc., and have never found any evidence of structural weakness such as one would naturally expect from the abuse this ship has had.

Naturally, we are strong for the WACO

Sincerely yours,

G Ray Cullman

Instructor

Powered with OX5, Siemens-Halske, Hispano-Suiza and "Whirlwind" motors, type certificates 9, 13, 26, 41 and 42.

WACO AIRPLANES

THE ADVANCE AIRCRAFT COMPANY . . . . TROY, OHIO

THANK YOU *for mentioning* AVIATION

Add to your Income

Take photographs from the air with the *new all-purpose mapping and oblique* FAIRCHILD AERIAL CAMERA

THE pioneer designers and builders of aerial cameras, the company that supplies the United States Air Service, the United States Navy, the Royal Canadian Air Force, the Japanese and other governments with aerial cameras, now has developed a model designed particularly for commercial use.

The new Model F 4 Fairchild all-purpose Aerial Camera offers unlimited possibilities to the airplane operator who wants to add another good source of revenue to his income. Photographs for advertising purposes, for newspapers, for real estate operators, town and city governments, for public utilities and for all sorts of aerial mapping are easy to obtain with this fine camera.

It was designed and built by the same men who built the cameras Commander Richard E. Byrd and his group of scientists are depending on in the South Polar regions. Captain Sir Hubert Wilkins also is using Fairchild cameras in his Antarctic work. And Fairchild Aerial Cameras hold all records for photography from high altitudes. The same qualities which enable experts to make photographs from more than seven miles in the air at temperatures of more than sixty degrees below zero assure dependable operation under the conditions ordinarily encountered in exacting commercial work.

This shows the way the F 4 is used for taking oblique photographs



Suspension mount in which the camera cradles when taking vertical photographs



The New Model F 4 in vertical position

The new Fairchild F 4 is easy to install for vertical work. The mount can be rotated 360 degrees. Accommodates a roll of film 75 feet long, enough for 110 exposures 7" x 10". Also accommodates standard 8" x 10" cut film, or plate holder.

The lens adjustment is automatic from eight feet to infinity. The focal plane shutter is of constant speed. Duplex dual control makes the F 4 easy to operate when taking either vertical or oblique photographs.

Write us for the whole story on this fine, new aerial camera, and an outline of the money-making possibilities with it. The low price, $1,597 complete with vertical suspension mount and cut film adapter, opens up the field of aerial photography to airplane operators everywhere. Also an ideal camera for photo section schools for every air force.

Let us tell you about the possibilities for adding to your income by aerial photography. This is a real opportunity for profit for every airplane operator. *Address* Fairchild Aerial Camera Corporation, 270 West Thirty-eighth Street, New York City.

AVIATION

The Oldest American Aeronautical Magazine

EARL D. OSBORN, *Publisher* — R. SIDNEY BOWEN, JR., *Editor*
GEORGE NEWBOLD, *Business Manager* — HERBERT F. POWELL, *News Editor*
ALBERT F. MULLADY, *Asst. Business Manager* — DAVID J. LEISK, *Art Editor*

Vol. XXVI January 26, 1929 No. 4

Index to Contents

EDITORIALS 237
THE NEW FAIRCHILD PLANES..... 238
SEEDING OF WASTE LANDS BY AIRPLANE 243
THE VERVILLE "AIR COACH"..... 246
THE OVERHEAD EXPENSE OF DIRECT LABOR 249
NEWS SECTIONS .....252 TO 263
BUYER'S LOG BOOK..... 264
SIDE SLIPS 264
INDEX TO ADVERTISERS..... 289

AVIATION PUBLISHING CORPORATION
Business and Editorial Offices
250 West 57th Street, New York City
Cable Address: AEROENG

Publication Office: New York, New York

Subscription price: Four dollars per year. Canada, five dollars. Foreign, six dollars. Single current copies twenty cents. Back numbers, 25 cents. Advertising rates on application. Issued every Saturday. Forms close eight days previously. Entered as second class matter July 27, 1928, at the post office at N. Y., under the act of March 3, 1879. *Copyright 1928 by Aviation Pub. Corp.*

For Your Convenience in Subscribing

Please send AVIATION to

.....

.....

.....

Enclosed find check ( ) money order ( ) for $..

Crankshafts

and

Other Vital Forgings

for the

Aeronautical

Industry

WYMAN GORDON

The Crankshaft Makers

WORCESTER, MASS.
DETROIT, MICH.
HARVEY, ILL.

POWER-POWER-POWER!

Whirlwind Power

150 H.P.—225 H.P.—300 H.P.

that combines SAFETY with SPEED



THE new Wright Production Programme is gauged to meet the needs of plane builders and commercial air line operators who want Whirlwind efficiency in a wider range of plane design than the original Whirlwind provided.

NOW, builders and operators will find the new Whirlwind Series in power sizes that cover every phase of commercial and private flying augmented by a nation-wide Service Organization that reaches into every aviation center.

The public knows and trusts
Wright Engines

WRIGHT AERONAUTICAL CORPORATION
Paterson, N. J., U. S. A.
CANADIAN WRIGHT LIMITED, Sole Licensees for Canada, Montreal

AUTHORIZED PARTS DEALERS
Air Associates, Inc., *Curtiss Field, Long Island, N. Y.*
Pacific Aeromotive Corp., *Los Angeles, Cal.*
Stout Air Services, Inc., *Dearborn, Mich.*

NOR WILL ANY AGE FORGET THE FIRST FRAIL CRAFT WHICH BLAZED THE TRAIL OF MAN'S CONQUEST OF THE UPPER BLUE!"



WRIGHT

The FIRST NAME *in* FLYING

AVIATION

The Oldest American Aeronautical Magazine

Vol. XXVI JANUARY 26, 1929 No. 4

A Well Earned Award

WITH the announcement of the award of the Collier Trophy for 1928 to the Aeronautics Branch, Department of Commerce, comes the sincere belief that a well earned award has been made. Since its inauguration the Aeronautics Branch has been hampered in the efficient performing of its work by the lack of adequate personnel and appropriations. However, under the able and diligent guidance of Assistant Secretary William P. MacCracken and Maj. Clarence M. Young, the Branch has functioned remarkably well.

If the amount of time "spent on duty" can be taken to count for anything, the Aeronautics Branch has most certainly more than justified its existence. Although few realize it, the personnel of the Branch has virtually worked day and night at the many tasks that call for immediate attention. When one considers that the Aeronautics Branch is, figuratively speaking, the American aeronautic industry's "Board of Appeals" one can to some extent visualize the almost unlimited scope of its work.

During the past year alone, thousands of applications for aircraft, pilots' and mechanics' licenses have been received and attended to; sections of the Regulation Division have been reorganized to the point where the Division now renders even better service to the industry; the Inspection Department has been placed upon a more efficient and workable basis, as have also the Engineering Section, the Medical Section, the Airways Division, the Air Information Division, the Communications Section, the Publications Section, and the Research Division, etc. All that, to say nothing of the effective handling of thousands of complaints and petty grievances that have been brought to the Branch's doorstep.

Funds for Research

THERE certainly is no lack of capital available for the aviation industry at the present time. In fact it seems to be far easier to obtain money than to know how to spend it wisely. The need for capital to increase production has been met for the time being at least. Airlines have been able to purchase up-to-date equipment, and aerial service operators have been reasonably supplied with capital. Yet, the sale of aeronautical securities continues and the public is still insistent upon buying into this great new industry. This condition has led to conditions which are far from healthy. Not only has speculation driven the price of many aeronautical securities up to a price which is not warranted, but money is being put into ventures which have not been sufficiently carefully worked out before the capital was raised. There is bound to be a reaction to the present enthusiasm for aeronautical securities.

It is obvious that the present enthusiasm and prosperity should be taken advantage of, but the method of doing so is difficult to outline. It would seem, though, as if it might be possible for private companies to formulate plans for research work which would extend over a period of years. The larger companies in fields such as chemistry, metallurgy and electricity, carry on pure research work which is not designed to lead to immediate commercial gains along paths which can be foreseen at the time when the experiments are begun. A good deal of work of this nature is being carried on in national laboratories especially in Germany, but it would seem as if with the amount of capital available that some of this work could also be carried on by private companies. Almost every imaginative engineer has certain problems into which he would like to delve, and some few of them have the rare ability to work out fundamental theories and underlying principles. The working out of abstract problems broadens the mental outlook. and a company which has engineers capable and allowed to do work outside of the strict routine of producing a commercial plane will have a very decided advantage.

Calcium Chloride

THE dust problem on flying fiields is a serious one and most of the remedies put forward so far have been very expensive. Several fields tried the use of calcium chloride last summer with some success. This chemical attracts water and has been widely used on driveways and other places where it was inadvisable to lay down a tarred surface or concrete. Its proper use lessens the dust evil though it cannot be said to completely eliminate it.

In our issue of Dec. 15, 1928, an article was printed on its use and application. Several letters of protest have been received stating that calcium chloride accelerated corrosion and that its use might be accompanied by a considerable amount of danger from this source.

To quote Admiral Moffet:

> "It is generally known that calcium chloride is an active corrosive agent, especially when in contact with aluminum alloys. We have had in the past considerable trouble from the use of calcium chloride as an anti-freeze agent. I would be fearful that if calcium chloride is used on aviation fields small particles might be carried back by the propellor blast and deposited on metal parts of the airplanes or engines and later cause serious difficulties."

With a plane whose structure was properly protected by good paints and varnishes there would probably be little danger of the calcium chlorides getting in to the metal surfaces. There is, however, no need of taking these extra chances and naturally, field operators will not wish to run the risk of possible extra corrosion in the planes operating from their fields.

TACOMA PUBLIC LIBRARY

The New Fairchild Planes

Low Wing Training Craft and Four Place Whirlwind Powered Cabin Monoplane Added to Line and "Wasp" Transport Improved

THREE airplanes designed to cover a wide range of requirements are now being produced by the Fairchild Airplane Manufacturing Corp., Farmingdale, L. I. All three of these are monoplanes, two being cabin craft of the high wing type and one a low wing open cockpit training plane. The largest, which is designated "The Fairchild 71," is similar to the FC2W2 Wasp powered cabin plane which has been in production for some time. The "71" embodies a number of improvements in streamlining and interior finish over the FC2W2 but is structurally and aerodynamically the same. The two more recent developments, the "21" two place training plane and the "41" four place cabin monoplane, are of conventional construction with the exception of the tail surface structures, which are built up of riveted "Alclad" channel members.

Designed for Instruction Needs

The Fairchild 21 has been designed specifically to fill the requirements for an instruction plane. It is of the semi-cantilever type with a tandem seating arrangement, and is powered by a Genet five cylinder radial air cooled engine developing 80 hp. at 2,200 r.p.m. The Fairchild 21 has a wing span of 28 ft. 3 in., and a length of 21 ft. 6 in. The weight empty is 755 lb., the disposable load 495 lb., and the gross weight 1,250 lb. In tests the plane attained a high speed of 105 m.p.h., a cruising speed (at 1,880 r.p.m.) of 90 m.p.h. and landed at 40 m.p.h. The initial climb is 700 ft. per min. and the service ceiling 9,440 ft.

Three color outside finishes in any one of a number of stock combinations or to any specification, are available. The finish is Berryloid and consists of nine coats sprayed on and sanded under controlled temperature and humidity conditions.

The wing is in two sections attached at the lower longerons and is of constant chord with the exception of the tips, which are elliptical in plan form. No departure from conventional practice is found in the construction, which consists of box spars and spruce ribs, the latter being placed closer together than necessary for structural purposes, in order to provide a smooth wing contour. Bearing surfaces of all drag bracing fittings on the wing are large so that the bracing will not become loose or be pulled into the wood. A Gottingen 387 airfoil section is employed. The wing is set at 0 deg. incidence and the dihedral angle is 2½ deg. Two streamline struts attached to the fuselage at the upper longeron are used in the external bracing of each wing panel. Ailerons, tapered in plan form, are hinged to the rear spar and balanced to compensate for yaw. Differential action, 30 deg. upward and 10 deg. downward is provided.

Fabric Covering on Fuselage and Wing

The fuselage is constructed entirely of welded chrome molybdenum steel tubing reinforced at the joints with plates of the same material. Hot linseed oil is sealed in the tubing to prevent corrosion. The entire fuselage is assembled on a master jig, resulting in interchangeability of wings and landing gear with any fuselage. Fabric covering is used on both fuselage and wing structure.

As previously mentioned, the tail surfaces are built up of Alclad channel members riveted together with ⅛ in. heat treated duralumin rivets. Heat treated steel bolts are used, however, where fittings are attached. The main members of the structure are of .035 in. material, while the inner bracing members are of .020 in. stock. The tail surface structure also is covered with fabric.

Elevators and rudder are unbalanced and so constructed as to be interchangeable. The stabilizer is built



Side view of the new "Genet" powered Fairchild "21" training plane.

in two interchangeable sections. Tail surfaces are externally braced by streamline steel wires. Rigid attachment of the stabilizer to the fuselage in any one of three positions makes it possible to anchor fin and stabilizer to the fuselage with streamlined steel wires, precluding the possibility of tail flutter.

Landing gear is of the divided axle type, having a tread of eight feet and wheels located considerably forward of the center of gravity of the plane to reduce the possibility of a tail high landing or of nosing over. Combination oil and spring type shock absorbers are used and have a total travel of 10½ in. The first six inches of this travel is cushioned on oil alone. The landing angle is 11 deg., and the stalling angle of the wing is 18 deg. These characteristics are highly desirable in a training plane as there is no tendency in a high landing for the nose to whip down. On the other hand, if a student tends to make a landing below the ground, the easy action of the oleo struts changes the angle of attack so slowly that there is no tendency to bounce. Wheel brakes are standard equipment.

Rubber Tired Wheel Used

Instead of the usual tail skid, a rubber tired wheel is employed, using the new 14x3 in. tire. This wheel is mounted in a fork which is free to travel the full 360 deg. in the horizontal plane. Swiveling, however, is restrained by rubber shock absorber cords of such size as to prevent oscillation of the wheel in taxiing, but to allow the wheel to deflect when striking ruts or when turning. The fork is mounted in a frame which is pivoted to the fuselage and is free to move upward and backward. The entire mounting assembly is placed within the fuselage and can be removed as a unit for inspection or repair. Oleo and spring shock absorbing mechanism is employed with a total travel of 8 in. in addition to the cushion of the tire.

All instruments, including Pioneer air speed indicator, altimeter, tachometer, oil pressure and oil temperature gauges, are located in the student's cockpit and instruments in the front cockpit are optional. A Hamilton wooden propeller also is standard equipment. Cowling includes a quickly removable magneto cover in front of the engine. An exhaust manifold of the collector ring type is carried in a deep recess and does not project beyond the surface of the cowling. The oil tank can be removed without disturbing the rest of the installation.

Fuel is carried in a 20 gal. tank in the fuselage and feeds by gravity to the carburetor. The gasoline line is so attached that no gasoline can be trapped in the tanks and no part of the line passes through the cockpit. All copper gasoline and oil lines are annealed. Gasoline flow is controlled by a valve on the fire wall and a strainer and water trap are included in the fuel system.

Leather upholstery and Marshall spring cushions are used in the cockpits. Heel operated brakes and dual stick and rudder pedal are provided.

The specifications of the Fairchild 21 as furnished by the manufacturer are as follows:

Wing span	28 ft. 3 in.
Length	21 ft. 6 in.
Wing area	139 sq. ft.
Aileron area	16.68 sq. ft.
Elevator area	9 sq. ft.
Rudder area	4.5 sq. ft.
Stabilizer area	13 sq. ft.
Airfoil section	Gottingen 387
Weight empty	755 lb.
Disposable load	495 lb.
Gross weight	1,250 lb.
Power plant	Genet (80 hp. at 2,200 r.p.m)
High speed	105 m.p.h.
Cruising speed (1,880 r.p.m.)	90 m.p.h.
Landing speed	40 m.p.h.
Initial climb	700 ft. per min.
Service ceiling	9,440 ft.
Cruising range	425 mi.

The Fairchild 41, cabin monoplane, which accommodates three passengers and pilot, has been designed to meet the demand for a fast and comfortable plane of small capacity. It is equipped with folding wings and therefore can be stored in a relatively small space. This feature makes it adaptable to private ownership. It is powered with the Wright Whirlwind J-5 engine.

This airplane has a wing span of 36 ft., a length of 25 ft. and a height of 8 ft. The width with wings folded is 12 ft. 6 in. The weight of the plane empty is 1,780 lb., the dosposable load 1,220 lb. and the gross weight 3,000 lb. The high speed is 130 m.p.h., cruising speed (at 1,650 r.p.m.) 108 m.p.h. and landing speed 49 m.p.h. In tests the plane attained an altitude of 5,350 ft. in 10 min. The initial climb is 720 ft. per min. and the service ceiling 12,400 ft. Color options and finish are the same as the Fairchild 21.

One of the outstanding characteristics of the Fairchild 41 is the combination of folding wings and a relatively wide landing gear tread. This is made possible by the use of wing stubs of triangular plan form, rigidly attached to the top of the fuselage and each braced to the

Front quarter view of the Wright powered Fairchild "41" monoplane.

lower longeron by a streamline strut. Gasoline tanks are contained in the wing stubs and the landing gear shock absorbing struts are attached at the outer apex of the triangles. The wing panels fold backward, hinged at the rear spar and, in order to fit them close to the fuselage, flaps are provided along the portions of the trailing edges not occupied by the ailerons. When extended the wing panels are braced by a single broad strut from the bottom of the fuselage and are locked securely to the front of the wing stubs by a hinge pin actuated by an operating handle. A padlock attached to the rear spar releases the operating handle and at the same time releases the locking handle on the wing flaps, which are swung upward and rest on the upper surfaces of the wing panels when the wing is folded. The mechanism is so designed that the visible padlock cannot be locked until the wing panels and flaps are in their proper positions and guides and catches are provided to assure perfect alignment before the hinge pin is placed in position. It is said that the wings can be folded by one man alone in 45 sec.

A Gottingen 387 Airfoil Section

The outer panels of the wing are of conventional wood construction with spars consisting of two solid planks of spruce laminated together, forming a solid beam 6 in. deep and 1⅛ in. thick. Ribs are of spruce with plywood gussets. Heavy wood compression ribs and double wire bracing produce a high degree of rigidity. The leading edge is reinforced by extra ribs and covered with sheet duralumin in the structure. The ailerons are balanced and differentially operated and extend through two-thirds of the semi-span at the trailing edge of the wing. The inner one-third of the trailing edges of the wing panels constitute the flaps. An aileron area of 29 sq. ft. is provided for a wing area of 200 sq. ft. Both flap and aileron structures are built up of riveted Alclad and covered with fabric as in the case of the wing structure. Ailerons and flaps on each panel are interchangeable. The angle of incidence of the wing is 0 deg. and the dihedral 1½ deg. A Gottingen 387 airfoil section is employed.

Another interesting feature in the Fairchild 41 is the construction of the wing struts. In most planes of this type two independent struts are used on each side, one being attached to each spar. In the new Fairchild plane a single built-up strut is employed and consists of two duralumin channels, 3 in. deep, braced to each other to form a truss. The main members of this strut meet at the lower end and are approximately 18 in. apart at the upper end. The entire unit is covered with fabric in streamline form. This strut is attached by a screw adjustment to a heavy duralumin cross truss between the wing spars. The point of attachment at the lower end is directly below the rear spar. This arrangement produces an unusually clean external bracing system and eliminates the drag caused by interference of one strut upon the other in cases where two are used. It also results in a saving of more than 50 lb. of weight over the usual type of bracing employing two steel struts.

Welded chrome molybdenum steel tubing with reinforcing plates of the same material at the joints constitutes the fuselage structure. Important fittings are alloy steel forgings and are bolted in place with taper



Three view drawing of the Fairchild "41."

Skeleton view of a "41" aileron and the method of Fairchild aileron attachment.



Three view drawing of the Fairchild "21."

bolts. Accurate location of fittings is obtained by the use of a master jig, making wings and landing gear interchangeable with any fuselage. The two wing strut fittings on either side of the bottom of the fuselage are connected together by a steel tie rod which passes through the fuselage tubing and has a tensile strength of 12 tons. The engine mounting is an integral part of the fuselage. The fuselage cross tube directly behind the instrument board is made of special non-magnetic steel so as not to affect the compass.

Wood fairing is used on the fuselage structure and windows and doors are a part of this fairing. The completed structure is covered with fabric and doped. Flooring, controls, seats and other units are made up as separate assemblies and bolted in place.

Construction of the tail surfaces is similar to that of the Fairchild 21 and elevators and rudder are unbalanced. The front edge of the fin is adjustable on the ground. The fin does not telescope into the tail post, but is bolted to the top of it. This construction has been adopted so that the fin will not rust tight in the fuselage.

The stabilizer may be set rigidly in any one of three positions and the screw adjustment in flight acts on the elevator instead of on the stabilizer. The screw adjustment operated by the elevator applies a load, by means of steel cross springs, to the elevator cross shaft and so takes the load off the control stick. The adjustment is controlled by an irreversible micrometer screw and the entire mechanism is independent of the normal elevator control and imposes no strain upon it. This device has the same effect on the balance of the plane as the usual stabilizer adjustment, the principal advantage being that its use permits rigid attachment of the stabilizer to eliminate tail flutter. The mechanism is actuated by a crank at the left of the pilot's position and a very accurate adjustment is possible because of the irreversible screw thread and the absence of catches or other devices to retain the adjustment.

No pulleys are used in the control system. The rudder cables run directly to the horns, passing under the cabin floor and are fitted with fiber guides where required. The aileron control is operated by a torque tube running from the base of the control stick to a point under the cabin floor where it is possible to run cables directly up the wing struts to the wing, where there are bell cranks and push pull rods to actuate the ailerons. Cables for the elevator control pass through the aileron torque tube and one of these is attached directly to the bottom of the stick. The other cable is attached to a small link which operates in the opposite direction from that of the operation of the stick. Elevators are operated by push pull rods from the cross shaft which is inside of the fuselage. Brakes are operated by tension cables running on bakelite pulleys.

The result of this unusual control system is that there are no exposed wires or levers in the cabin eliminating the danger of objects accidently jamming the controls. Dual flying controls are standard equipment and dual throttle and brakes also may be furnished. The control stick, which is made of duralumin so as not to affect the compass, is located between the two front seats and somewhat forward of them. An extension makes it possible for the occupant of either seat to fly the airplane. The extension reaches above the pilot's knee and terminates at the usual position. Brakes are operated by the pilot's



The tail assembly and fuselage structure of the Fairchild "21" training plane.

heels and it is not necessary to remove the toes from the rudder stirrups when applying the brakes.

The instrument board is compact and all instruments are mounted in a small metal panel finished in crackle lacquer to match the upholstery and occupying the central one third of the board. The space on either side of the panel and directly in front of the two seats is upholstered in leather, with a five inch thickness of soft padding behind the upholstery. Arrangement of the instruments has been especially developed through cooperation with the Pioneer Instrument Co. and compass, air speed indicator, altimeter, tachometer, oil thermometer and oil



Showing method of strut attachment on the Fairchild "41" cabin monoplane.

pressure gauge are included as standard equipment. Provision has also been made to add a clock, turn and bank indicator and other instruments if desired. All of these units are of the small dial type and are flush mounted including the compass. On the pilot's left are the usual engine controls in an aluminum casing together with ignition switch, gasoline valve and primer.

The cabin, which is 4 ft. 1 in. high, 3 ft. 2 in. wide and 7 ft. 11 in. long, is entered through doors on either side. These doors are strong and are fitted with triple locks. Upholstery is in two tone leather and broadcloth and behind this is a thick layer of kapoc sound proofing material. Grained walnut is used for interior trim. The rear seat, which is continuous across the back of the cabin, is equipped with deep Marshall spring cushions and upholstered in leather. Behind this seat is a baggage compartment large enough for four suit cases and under the seat is a locker for tools and other equipment. The individual front seats are of metal and also are fitted with Marshall spring cushions and have storage space beneath them. Fore and aft adjustment is provided for the pilot's seat and the other front seat can be reversed so that its occupant faces aft.

Non shatterable glass is used in the windshield and forward windows and the window beside the pilot's seat is fitted with an automobile type regulator by which it may be raised and lowered. A ventilator and floor heater are standard equipment. The floor is carpeted and safety belts to match the upholstery are provided for all seats.

The general design of the cowling is somewhat similar to that of the Fairchild 21, which was previously described, and includes a recess for the exhaust manifold which is of the collector ring type. The exhaust is carried off in a tail pipe under the fuselage and all of this piping is recessed in the fuselage fairing although separated from it by an air space and a metal wall. Incorporated in this tail pipe is the new silencer recently developed after long research by the Fairchild company.

A Hamilton wood propeller with spinner is standard equipment but a metal propeller also can be furnished as extra equipment. An Eclipse hand-inertia starter is also standard equipment together with a primer and carburetor heater. Fuel is carried in two 25 gal. tanks built into the fixed triangular wing stubs on either side of the fuselage and feeds by gravity to the carburetor. None of the gasoline is carred over the occupants' heads or in the folding portion of the wings. The fuel capacity can be nearly doubled however by adding two tanks in the folding portion of the wings.

Gasoline lines are attached at both the front and rear of each tank so that no gasoline can be trapped in the tanks. A selective valve of the Air Service type located on the fire wall permits drawing of fuel from either tank. From this valve it passes through a strainer and water trap before reaching the carburetor. One gauge is fitted to each tank and is located inside the cabin above the window. Each gauge consists of a bakelite tube containing a cork ball floating on the surface of the gasoline. This device is simple, dependable and in complete view of the pilot.

Landing gear is of the split axle type having a tread of 10 ft. and shock absorbers are of the oil and spring type having a total travel of 10 in., the first 6 in. of which is cushioned on oil alone. The remaining 4 in. is on oil and spring and is used for taxiing. As in the case of the Fairchild 21, the plane is equipped with a tail wheel mounted in the same way as that of the smaller plane. The shock absorption is accomplished by means of rubber cords installed without initial tension and the entire mounting unit is placed in a separate water tight compartment in the fuselage which prevents mud from collecting in other parts of the fuselage. The tail wheel is fitted with a 14 x 3 in. tire and the deflection in landing is 5 in. in addition to the cushioning of the tire.

Floats Can Be Installed on the "41."

Standardized floats can be installed to replace the landing gear of the Fairchild 41 when the plane is to be used as a seaplane. These floats are so designed that they can be attached to the same fittings on fuselage and wing stubs as the regular landing gear. The time required to replace the landing gear with floats is said to be approximately 3 hr. For winter flying, skis may be installed in place of the Bendix disc wheel and brake units which are standard equipment. The tire size is 30x5 in.

The specifications of the Fairchild 41 as furnished by the manufacturer are as follows:

Wing span	36 ft.
Span (wings folded)	12 ft. 6 in.
Length	25 ft
Height	8 ft.
Wing area	200 sq. ft.
Airfoil Section, Gottingen	387
Aileron area	29 sq. ft.
Elevator area	11.6 sq. ft.
Stabilizer area	16.7 sq. ft.
Fin area	4 sq. ft.
Rudder area	7.2 sq. ft.
Weight empty	1,780 lb.
Disposable load	1,220 lb.
Gross weight	3,000 lb.
Power plant, Wright J-5	(200 hp. at 1,800 r.p.m.)
High speed	130 m.p.h.
Cruising speed	(1,650 r.p.m.) 108 m.p.h.
Landing speed	49 m.p.h.
Initial climb	720 ft. per min.
Climb in 10 min.	5,350 ft.
Service ceiling	12,400 ft.
Cruising range	(1,650 r.p.m) 500 mi.

Seeding *of* Waste Lands *by* Airplane

By CHARLES V. STANTON

RECLAMATION of thousands of acres of now idle and useless land in the Pacific northwest, and the development of a new and profitable field for the commercial use of the airplane is promised by a series of experiments being conducted in Southern Oregon where "logged-over" lands are being seeded and converted into stock ranges through the use of planes. By cutting the cost of seeding to nearly one-half that of the older methods, airplanes promise to open up a field that has almost unlimited possibilities in the logging districts of the country and in the grain-producing areas.

The recent tests made in Southern Oregon have proved beyond all question that the airplane may be used very satisfactorily and efficiently in sowing grass seed over land that otherwise would be absolutely valueless. The experiments are being closely watched by the U. S. Forest Service, the Oregon State Agricultural College and by stockmen, who are becoming very enthusiastic over the possibilities of this new use for the airplane. Future experimentation will undoubtedly lead to the extension of airplane seeding methods, giving an additional source of revenue to plane operators.

While all work attempted so far has been in the way of handling range grass seed, it is not at all improbable that methods will soon be devised for distributing wheat from the air to seed the great wheat fields of the northwest and Canada, and, if this can be done on a basis proportionate with the saving that has been effected in sowing logged over lands, the use of the airplane in seeding operations in future years is definitely assured.

Thousands upon thousands of acres of logged over lands in Oregon, Washington and parts of California may be restored to usefulness by this new method, affording not only profit to airplane operators, but giving room for the expansion of the sheep industry, through availability of additional ranges.

Barren Wastes Remain

In logging operations, it has been the practice to remove the merchantable timber from the land, leaving undesirable trees upon the ground. After the timber wanted for lumber is removed, the tracts are left covered with logs, snags, limbs and other debris which is allowed to dry and is then burned. These slashings, often covering thousands of acres, burn with an intense heat, destroying all of the vegetable matter in the soil, and leaving the land barren and useless, a hideous waste of charred logs and half-burned stumps.

Most of this land, being in rough, mountainous country, does not have sufficient agricultural value to warrant the expense of clearing. It is usually on steep hillsides, isolated, and with shallow soil, incapable of supporting agricultural crops.



Part of the Clark Wilson Co. original timber stand near Globe, Ore

It does, however, have a very potential value as range land for sheep or cattle, but must first be seeded with the type of grass best adapted to it. Seeding by hand has been too slow and too costly for general use and has been employed only where conditions were ideal. Stockmen have long been seeking some method whereby this land, which they can buy, or lease at a very low price, can be economically converted into suitable ranges, and it has remained, apparently for the airplane to furnish the satisfactory solution to this problem.

The first experiments in seeding logged-over land from an airplane were made by Harold R. Adams, Southern Oregon Travel Air distributor, who maintains headquarters at Roseburg, Oregon. Lieutenant Adams, who, following his wartime service took up aviation commercially, spent several months conducting a series of tests before accepting the first contract, which called for the seeding of 1,200 acres of land in the Coos Bay district for a newly organized corporation that planned to develop a range for 5,000 head of sheep.

The most difficult part of the experimentation was the development of a hopper suitable for distributing

the seed. Mr. Adams used a Travel Air biplane of the open cockpit type for this work, placing the hopper in the front cockpit, with a spout equipped with a spreader device built through the bottom of the fuselage. The spout was equipped with a shut-off valve operated from the pilot's seat. It required a good deal of test flying to determine the size of the opening, as it was necessary to take into consideration the amount of ground to be covered, the width of distribution and the speed of the plane. The whole plan was worked out along original lines, following a preliminary survey by the pilot, who flew over the tract after the boundaries had been marked out, so that they would be visible from the air.

A temporary field was established about five miles from the tract to be seeded and the work was started. On most of the area seeded the ground was gone over twice, the second time at right angles to the first. A man on the ground checked the distribution of the seed and

Loading seed into the hopper of the OX-5 powered Travel Air biplane.

signalled the operator where it was necessary to go over ground that had not been reached on the first flights. A rather unique method was used in checking the distribution of the seed. Rolls of sticky paper, 10 ft. in length, were spread out upon the ground at various points of the tract, catching the seed as it fell and giving a general idea regarding the thoroughness with which the ground was covered. Smudges were built at intervals to show the drift of the wind and were also used for signals between the ground observer and the pilot.

The first experiment resulted in securing a great deal of very valuable information, and led to the success met with in later tests made on much smaller tracts, some being only from 100 to 200 acres in size.

The seeding flights have been found quite hazardous. In the first place, the territory covered, as has been stated, is rough and mountainous in character. It is covered with debris of all kinds so that a forced landing is almost sure to mean disaster. Usually it is at considerable distance from the temporary landing field established as a base for operations. Flying must be done at low altitude in order to avoid the effect of the wind in carrying the seed. The gulches, draws and ravines create numerous cross currents that keep a pilot constantly upon the alert.

Altogether the work requires a great deal of flying skill, for in addition to meeting the flying hazards, the operator must fly his plane in such a manner that the bands of seed as he distributes them are parallel, without too much gap or overlap. Flying across a field at an elevation of from 250 to 500 ft. and at a speed of from 75 to 80 m. h. p., cutting off the flow of seed at the boundaries and keeping the distribution uniform, is a task that requires much skill and experience.

Heat of Fire Loosens Soil

Several important facts have already been learned from the experiments made. One of the most important is that the seeding is most effective if it follows immediately after the fire that burns through the slashing. The heat causes the soil to become loose and porous, and it is covered with ashes, so that the seed finds a much better bed than is the case after rains have beaten down the surface. It has also been learned that the work can best be done on damp, cloudy days as there is usually less air movement. There is still much to be learned and to be worked out by future tests. The style of hopper to be used is one of the most essential factors. The seed falling through a small opening is scattered by the propeller blast, so that it falls over a wide strip below the plane. In handling heavier seeds, however, such as wheat, or other grain, the rate of fall is much more rapid



Left—Immediately after the slash burn, Booth Kelly logging area. Right—A few years after logging.

Left—Wind River logging area in 1924. Right—After slash burn near Globe, Ore.

and the distribution is not so wide. This will require a hopper that will scatter the seed over a wider area by some mechanical means.

While some tests have been made with grain seeds, the bulk of the experimentation has been with the lighter grass seeds. The English Rye, Alsace and White Clover form the favorite combination for range use. Clover, because of its widely different characteristics, is usually sown separately from the grass seeds.

Plane Seeds 150-200 Acres Daily

The comparison of costs between hand and airplane methods of sowing, easily shows why the airplane method is certain to be adopted in the future. In the first place, hand seeding on many of the tracts is almost prohibitive because of the nature of the terrain. Seed must be carried in by pack train, and must then be taken out in bags by the sowers, who must pick their way over fallen logs, stumps, rocks and numerous obstacles, making it practically impossible for them to cast the seed evenly over the entire tract. Then, too, they can carry only a comparatively few pounds of seed, so that they spend the greater part of their time walking to and from the source of supply. However, the time involved is the chief factor in favor of the airplane seeding method. An expert seeder, under the most favorable conditions, cannot seed more than 5 to 8 acres of logged over land in a day's time, and it may easily be seen that the task of seeding several thousand acres by this method is very slow. The airplane seeds from 150 to 200 acres daily. The labor costs, not including the materials used, in the hand method vary from 75¢ to $1.25 per acre, depending upon the conditions. The costs involved in seeding by airplane, including gasoline, oil, pilot's time and other operating costs, are from 40¢ to 60¢ an acre, depending largely upon the distance of the landing field from the tract. The amount of seed carried depends, of course, upon the capacity of the plane.

The saving in materials is also very considerable. A hand seeder uses from 10 to 12 lb. of seed per acre, while the airplane uses from 6 to 8 lb. As the seed used has a wholesale cost of from 30 to 35¢ per pound, it is evident that the airplane method of seeding is by far the more economical.

The U. S. Forest Service has been making a very careful check of the results of these experiments, as the grazing program is one of the important parts of forest management. In checking the results of the work done in Oregon, the Forest Service learned that the stand of grass over the entire tract is heavier than is usually obtained by hand sowing, despite the fact that there was less seed used. It was found that the seed had been distributed in a far more uniform manner than would have been possible under the former methods and that places were reached where hand cast seed would never have fallen.

How far the airplane method of seeding can be expanded is a matter largely of experiment to determine its effectiveness. It has been proved that the plane can sow the seed more evenly, and in far less time than existing methods, and at a lower cost. Its use in converting

Section of Clark Wilson area near Globe that has been successfully seeded.

logged-over lands into profitable ranges has been amply proved, but it is not known whether it can supplant the methods now used in sowing the great grain fields. If some such plan can be worked out in the future, the owners of the ranches will be saved many thousands of dollars that they now have invested in expensive machinery and equipment, for any ordinary commercial plane can quickly be equipped for seeding purposes and can then be restored to its usual commercial pursuits.

The Verville "Air Coach"

New Warner "Scarab" Powered, Four Place, Semi-Cantilever, Cabin Monoplane is the First of a Line of Small Craft

By JOHN T. NEVILL

IN the "Air Coach," a four-place, semi-cantilever, cabin monoplane, recently built and flight tested by the Verville Aircraft Co., of Detroit, Mich., the company has a plane that promises to be well worthy of the reputation of Alfred V. Verville, its designer. Mr. Verville, an aeronautical engineer of many years' international standing, is secretary of the company. B. F. Everitt is president and general manager. The Air Coach, according to Mr. Verville, is the first of a line of small planes and flying boats the company expects to produce.

Generally speaking, the Air Coach is similar in appearance to other semi-cantilever, cabin monoplanes of its size, although its construction embodies a number of very worth-while and highly original features. Chief of these, probably, is an entirely new type of fuselage structure, eliminating fuselage truss tubes intersecting the side windows, and making possible a visibility found in few other cabin planes of its type. A patent on the system has been applied for, according to Mr. Verville.

Another feature, somewhat original, is two short, streamlined sponsons, or stubs, semi-elliptical in plan-form and 16 in. in length, projecting horizontally from the lower longerons. To these the forward wing struts are attached. The principal function of the stubs, however, is to serve as an attachment unit for the Aerol shock absorbing struts on the landing chassis. By attaching the wing struts in this manner it is claimed that parasite resistance is reduced, as compared with the conventional type of strut bracing now in vogue. The landing gear shock struts are attached at the outmost point of the stubs, allowing a seven-foot tread in the carriage. The stubs, or "fins," as they might be called, also serve as small compartments, 8 in. deep, with hinged doors on their upper surfaces. One of the compartments will be used for the plane's battery; the other for tools, thereby making possible more room in the already spacious cabin.

Other distinctive features in the Verville Air Coach include a rudder streamlined into the fuselage, an especially designed hand-brake control, allowing for easy braking of either wheel alone, and a tail-wheel, equipped with full caster Aerol shocks, and built "into the fuselage," to decrease drag. These features will be discussed in more detail later.

Mr. Verville, with a wide experience in designing racing aircraft, has succeeded in combining many of the speed producing characteristics of the racer, with the convenience and comfort of modern cabin planes. Furthermore, he has emphasized the trim lines of the plane with a color scheme of red, silver, and black, enhancing the appearance to a considerable degree.

William S. Brock, who test flew the Air Coach at Fordd Airport, said it developed a high speed of 110 m. p. h. and had a landing speed of 45 m. p. h. with the 110 hp., seven-cylinder, Warner engine with which the present plane is powered. It will attain 125 m. p. h. with a five-cylinder, 150 hp. Wright "New Whirlwind," or 140 m. p. h. with a seven-cylinder, 225 hp. "New Whirlwind," Mr. Verville estimated. The Air Coach will be offered with any of the three engines mentioned. Mr. Brock was enthusiastic over the craft's stability and control.

Wings of the Air Coach are 40 ft. in span, and of conventional wood construction employing a Clark Y airfoil section. They are attached to the fuselage at the cabin



A side view of the Verville "Air Coach," a four-passenger, semi-cantilever wing cabin monoplane.

with fittings of the Trunnion type. The two panels have a uniform chord of 6 ft. 6 in., giving the wings an area of 250 sq. ft. The wing has no incidence, and, at present, is rigged at 1 deg. dihedral. Wing strut adjustment screw terminals, at the top of the struts, will allow a dihedral angle of from zero to 3 deg. Tips of the wings are slightly curved and equipped with navigation lights. The total aileron area is 26 sq. ft.

Double drag bracing is employed in the wing structure, internal drag struts being of steel tubing. Aileron hinges are attached to triangular tubular frames, which, in turn, are attached to the rear spar at four drag stations, making a total of four aileron hinge supports. The leading edge of the wing is covered with Alclad. Gasoline tanks are of welded aluminum, elliptical in section, making for maximum strength and reduction in possible leakage hazard. The tanks, each of 25 gal. capacity, are cradled with two steel straps, insulated from the tank proper by felt strips.

Ailerons are of the Frise type, and are operated by push and pull control tubes. All control hinges throughout the plane are fitted either with bronze or Boundbrook oil-less bearings. Wing struts are of streamlined duraluminum tubing, the after struts being attached to the lower longerons, well forward of the two side doors, and in line with the fuselage cross member to which the fuselage drag struts of the split type landing chassis are also attached. Viewed from the side this arrangement contributes much of the simplicity of construction that is characteristic of the entire plane.

An interior view of the cabin of the Verville "Air Coach."

The wings are covered with Flightex and surface treated with Berry Brothers pigmented dope, the upper side being black and the under side red. Struts are painted silver.

The overall length of the Air Coach is 28 ft. Aside from the wings, the structure is built entirely of chrome molybdenum steel tubing of various sizes, trussing of the fuselage aft of the cabin being of rigid diagonal tubes. The tail surfaces, like the ailerons, are framed with metal tubing. Tubing throughout is oiled inside and lacquered outside.

From the point where the top of the cabin is almost flush with the wing's upper surface, the "back" of the plane slopes gracefully aft, its height above the wing at the trailing edge being about 5 in. From a point near the after wing strut the bottom of the fuselage graduates upward in a similar curve, the two curves being carried across the streamlined lower portion of the rudder and meeting at the outboard end of that member. By streamlining the rudder with the fuselage, Mr. Verville has employed a feature in modern commercial craft that he utilized to advantage years ago in racing designs.

From a point directly over the control wheels and flush with the wing's leading edge, two truss members slant forward at an angle of 45 deg. and slope inward to where they meet the framework leading to the nose of the plane. The nose is lean and bullet-shaped, the Warner engine being set well forward and nicely streamlined into the cowling. A spinner is employed, which intensifies this bulletlike effect.

A detachable engine mounting of the ring type and a cowling similar to an automobile hood is used. The cowling is stoutly clamped with Verville fasteners, and is easily removable. Including the cowling, all covering of the fuselage forward of the doors, is aluminum.

The engine is fed by gravity and lubricated from a 5 gal. oil tank, located in the fuselage, forward of the cabin. Gasoline feed lines, of ½ in. copper tubing, are equipped with Air Service three-way valves. Gas capacity gauges, of the magnetic type, are suspended from the wing tanks on each side. A firewall is provided to reduce fire hazard.

On the initial and experimental plane no exhaust collector ring has been installed, although this, a silencer, heater, and cabin ventilator will be standard equipment on the production models. Exhaust will be carried off under the plane, according to the common practice.

Similarly, a Heywood starter is installed on the present model, but this, it is understood, will be interchangeable with the Eclipse type on later, or higher-powered products. A Standard steel propeller, 8 ft. in diameter, completes the power plant.

The landing chassis, as previously stated, is of the split axle type. Disc wheels, with faired hub caps, and fitted with 28 in. by 4 in. Goodrich tires, are used. The disc tail wheel, also employing an Oleo shock absorber, carries a 14 in. by 3 in. tire of the same make. The main wheels are fitted with Bendix brakes. Landing stress is distributed through tubular pyramid trussing between the two wing stubs.

The balanced rudder has an area of 9 sq. ft. It is fastened to the vertical fin by two hinges equipped with oil-less bearings. Elevators and stabilizers are built in two parts, both front and rear spars of the stabilizer being fastened on two fuselage stub spars by means of two bolts. The elevators have a total area of 14 sq. ft., that of the stabilizer being 20 sq. ft., while that of the fin is 4 sq. ft. Right and left elevators and right and left stabilizers units are interchangeable.

The stabilizer is equipped with an adjustment device, having a range of from 0 to 3 deg., plus and minus. This device may be operated from the cabin. A 24 in. by 10 in. handhole is provided in the fuselage for inspection and adjustment of the tail wheel assembly and the stabilizing adjustment assembly. The cover of the handhold is fitted with four cinch fasteners. The entire tail wheel assembly may be removed through the bottom of the ing adjustment assembly. The cover of the handhole is all control cables are concealed.

The cabin of the Air Coach has a minimum length of 8 ft. and a maximum length of 10 ft., the after 2 ft.

being used for storage purposes. The height of the cabin is 4 ft., or the same as the average sedan automobile. Also there is an average width of 39 in. Displacement capacity in the cabin is figured at 126 cu. ft. Control wheels are mounted on upright columns, designed to make easily possible either dual or single control. The control columns are of the torque drive shaft type, with a spline connection at their base. For purposes of safety and convenience either column may be disengaged by unscrewing a knurled nut. Either column may be removed without disturbing the functioning of the controls.

Brake Lever is Conveniently Placed

Between the two forward seats is the braking lever. To brake the left wheel the lever is pulled to the left, exactly like the operation of a control stick. The reverse, of course, is true when the opposite brake is to be applied. To apply both brakes simultaneously, and for locking the wheels, it is only necessary to press on the ball and pull the lever straight back.

Standard equipment on the dash includes a turn and bank indicator, climb indicator, compass, air speed indicator, oil pressure gauge, oil temperature gauge, altimeter, clock, instrument lights and all light switches, and a Scintilla magneto switch. Except for the magneto switch, all of the plane's instruments are Pioneer, and nicely centered on a 27 in. by 9 in. crackle varnished duralumin board. The throttle is of the push and pull type.

As previously stated, the cabin has a large expanse of unobstructed vision, both on the front and sides. Pittsburgh shatter-proof "Duplate" glass is seated into the windows by a method similar to that used in automobile body construction. The side windows slide back and forth, easily converting the plane into an open type. Two doors, also fashioned after those of the automobile, are located abreast of each other aft of the two rear seats, allowing easy ingress and egress. Two large skylights, fitted with green pyralin, are set in tandem in the cabin roof, between which is the cabin's electric light. On the back wall of the cabin is a door, 18 in. by 12 in. in dimensions, and equipped with cinch fasteners for inspection of the tail section.

The four seats in the cabin are bolted to the tubular structure of the fuselage. All upholstering is of Laidlaw's broadcloth, red below the belt-line and gray above it, except for the seats, which are entirely red. A mat of woven automobile type is laid over the floor. There are four pockets, one on each door, and one on each side wall forward of the doors. Ternstedt hardware is used throughout the cabin.

The plane is colored entirely in three shades, red, silver and black. The shades on the wings and wing struts have been described. An aluminum moulding extends along the "belt-line," from the engine cowling to the beginning of the rudder. All of the fuselage, from the propeller to the door handles, both above and below the belt, is red, except, of course, the engine. From the door handles aft the ship is red below the moulding and

A view of the tail group of the Verville "Air Coach" showing position of the tail wheel.

silver above it, excepting for a conical shaped portion pointing back between the belt-line and the trailing edge of the wing, which is red.

The horizontal tail surfaces, like the wings, are black above and red below. All that portion of the vertical members above a point in line with the moulding, is silver. The spinner, also, is silver, as are the landing gear braces and struts. Hub caps are red.

Complete specifiications of the Air Coach, as furnished by the manufacturer, follow:

Wing span	40 ft.
Length overall	28 ft.
Height overall	7 ft.
Wing area	250 sq. ft.
Aileron area	26 sq. ft.
Elevator area	14 sq. ft.
Stabilizer area	20 sq. ft.
Rudder area	9 sq. ft.
Fin area	4 sq. ft.
Incidence	0 deg.
Weight empty	1,525 lb.
Normal gross weight (loaded)	2,400 lb.
Disposable load	875 lb.
High speed (with Warner)	110 m. p. h.
Landing speed	45 m. p. h.
Fuel capacity	50 gal.
Cruising range	600 mi.
Sale price	$7,500



A front view of the Verville "Air Coach" showing the me thod of attachment of the shock struts.

The Overhead Expense *of* Direct Labor

By EDWIN R. DOUGLAS
Consulting Engineer

OVERHEAD expense is made up of general items which cannot be allocated directly to the cost of any individual pieces, or products. Nevertheless, each item does represent some service necessary to production, administration, or sale. These services are of many varieties, and the different products often require them in widely varying amounts. When these are thrown into a common overhead and apportioned at a uniform rate over all products, the resulting distribution may be quite different from what it would be if each overhead item were seperately distributed on the basis of service rendered. By the latter plan, if it were practicable, the resulting costs would be in accord with the facts and, therefore, strictly correct, which, in general, by any other method they cannot be. Since a separate distribution is not practicable, it has been necessary, in the interest of better costs, to find methods that will approximate to the same results. These have been found in "departmental burdens" and in "machine tool rates."

Manufacturing organizations of any size are always divided up into departments. This division may be on the basis either of function, such as the press department, drilling department, etc., or of product, such as engine department, fuselage department, etc. The first type is more usual in shops making a variety of products, the routing of which may differ; the second, in shops making but a few fixed lines, although if the latter be large, they may be further departmentalized according to function. In addition to those departments which work directly on the products, there will be others which furnish different kinds of service, such as the power department, maintenance department, purchasing department, cost department, etc.

All these departments should be—and easily may be—arranged so that every item of overhead expense may be allocated to some definite department. There will, of course, be many items of expense that can be taken directly to one, or another, of the productive departments. Such items would be the departmental supervision, supplies, and many items of maintenance. The other and more general items will all be charged to one, or another, of the indirect, or service departments, and these should be planned with that in view. There should be no item that has to be classed as "general" or "miscellaneous." If such appear necessary, it means that there must be a general, or miscellaneous department—more usually called "administrative," or "executive." It is usually necessary to have also a "buildings department," and often a "grounds department," to which certain otherwise general items may be charged.

It is the purpose of these "indirect" departmental divisions to collect the expense of each kind of service under one head, for re-distribution to the "productive" departments in proportion to the service rendered to each. Different kinds of services, such as those rendered by the administration and by the grounds, are rendered to different productive departments in very different proportions, and no just division can be made if they are all classed together as "general."

When the departments of the organization have been laid out in the manner described, then all items of indirect expense coming through from that time on must be allocated to them—each item, as it occurs, to its proper department. The proper item to make this allocation is when the expense item is being authorized—when the purchase order for it is being approved, or the shop order for it is being issued—not some weeks, or months later when the original intention is more or less forgoten and somebody has to spend valuable time in an often vain effort to find what it was "all about." This is an exceedingly important rule, for it lies at the foundation of correct overhead distribution and that is, that every expense item should be authorized, every authorization should show what department is to be charged with the expense, and that these charges should be put on the order initially, when it is being authorized.

Arbitrary Division Possible

We now have our expense items all charged to departments—some directly to productive departments and the rest to "non-productive," or service departments. Before these latter can be re-distributed to the former, we must determine in what proportions each kind of service is made use of by the former departments. In some cases, this is simple, as where the service is the furnishing of space in a building and its expense is divided in proportion to floor space used and easily measured. In other cases, is less simple, as in the use of steam distributed through pipes. The amounts of steam actually used may not be at all in proportion to the sizes of the pipes or outlets; the only close determination, where good steam flow meters are not installed, is by catching and weighing, or measuring, the condensate over a period of itme. In still other cases, there is no practicable way to measure the service, or it would not pay to make a determination. In these cases, an arbitrary division may be made.

In some cases, as that of floor space, the apportionment may remain unchanged month after month. In others, like the distribution of maintenance department expense, it may vary continually as the labor of that department is spent in repair work, for various departments.

For each service department, the basis for re-distribution of its expense must be found, either according to the way its labor has been spread, or on some measurable values, or by an arbitrary division. In practice, this is not so difficult, or laborious, as it may seem.

Now, having these bases, we are ready and may begin

TACOMA PUBLIC LIBRARY

to make distribution of our service departments' expenses. Before going far, however, we seem to strike a snag. The service departments serve not only the productive departments, but some of them serve each other. The power department supplies power to the maintenance department; the maintenance department makes repairs for the power department, and some of them even supply service to themselves. After we think we have cleanly distributed all the month's expenses of some such department, we find another item being charged against it from some other distribution. This has often proved a stickler for unskilled cost accountants. There are three ways to get over, or around it. The first is to make all the distributions once through, and then go over it again and redistribute these secondary amounts, and then a third time and a fourth time, and so on until finally the amounts become so small, less than one cent each, that they may be neglected. This is an extremely laborious proposition, even where "millionaires," or other computing machines are available.

Second Way More Simple

The second way appears to be more simple. It is to make no re-distributions of expense against the service departments, to leave them out of the calculations and redistribute all of their expense against the productive departments only. This is sometimes justified on the supposed principle that "no overhead should be charged against an overhead." There is no such principle, in fact, and this method is really based on ignorance and leads to error. If the maintenance department uses power it should be charged with the cost of it, and if it does repair work for the power department, the latter should be charged with a share of the maintenance department's expense, and so in all such cases.

The way around these difficulties is really very simple. It is found by remembering that a distribution of departmental expense is really a credit to the original department and a series of debits to the departments receiving the distributions. We are running a charge account with each department. If one has a charge account at a store, he may pay his account, fully at the end of every month; but if the storekeeper makes up his bills before closing time on the last day of the month, the customer might make a small purchase after his bill was made out. It would not appear on his bill, and would not be paid at that time. It would be charged to his account and be carried over to the next month, and paid then. So in these distributions, these secondary expense items, coming in after the expense of a department has been distributed, are simply allowed to stand as unpaid, or undistributed balances, and are carried over to the next month, when they are picked up with later items and are distributed. No accounting error occurs, the books are always in balance, and no appreciable difference will appear in any month's costs. The amounts carried over will always be small, and, while the amount will be omitted from this month's distributions, there were similar small amounts picked up at the beginning of the month, from the month preceding, to make up for it. The "bugaboo" of expense re-distributions thus disappears.

Where a department furnishes service to itself, the case is a little different. If a department charges itself, it must also credit itself, and there is no net result. That is, though a department may furnish some service for its own use, this must be disregarded in making the initial distribution of its expense, and all of that expense must be distributed to other departments. If, then, having done this, we wish to show a charge and an equal credit to the department to itself at the prevailing rate for the self-service rendered, we may do so, but this is no part of the original distribution.

Now, except for the small net amount of the undistributed balances at the end of the month, less those which were brought forward at its beginning, we have distributed to the productive departments, on a reasonably equitable basis, all the expense of the service departments, and the expense of each productive department has been augmented by these additions. In what way are we nearer to a solution of our problem, which is to carry the expense of the different services, in just proportions, into the costs of the different products? We are quite a bit nearer. All that remains is to distribute the augmented expenses of the productive departments into the costs of the productive work they do. This is done most simply on the basis of their productive wages, or productive hours. If, in a certain month, the augmented expense of a given department were $750, and its productive wages were $600, then to each dollar of productive wage might be added $1.25 to cover the expense. The burden rate of that department during that month would have been 125 per cent. If during that month they spent $80 in wages on one job, then the burden to be added to cover their overhead expense on that job would be $100. The total departmental cost of the job, exclusive of raw material, would be $180, and this would have absorbed not only their productive labor and their direct expense for supplies, supervision, maintenance, etc., but their share of the indirect expense for all the services of other departments used by that department. True, this makes all the products of the department share the costs of those services in like proportions and this may not be the case in fact; but it is much nearer the fact than was a general distribution which took no note of departments and their special requirements. In many cases, this is a very good plan.

Of course, to get these figures for any month we must wait until all the costs and distributions and accounting for that month are finished, and this may be a week, or two or three, after the end of the month. We cannot always wait so long. We may need to bill a customer on cost basis before the end of the month, and we always require a basis for distributing overhead in our estimates. Here, the answer is that we have to take a chance. If the burden rate for a department has held steadily to about one figure for sometime, and no change in conditions is anticipated, we may use that rate in estimates and costs. If, due to varying conditions, the burden rate has fluctuated considerably, then we may judge what the conditions are likely to be and use a rate accordingly. After the month is over and the figures are in we can see how close we came.

In most cases, there are so many costs that need to be known currently, or before the end of the month, that it is simpler to figure all costs on that basis. We shall then, by this plan be charging the total costs of work in process with the actual costs of raw material and direct labor, and with departmental burdens to cover overhead expense at assumed rates. By any plan of accounting, if work in process is charged, something must be credited, and this will be as follows:

Raw material . . . credited to . . . stores, or purchases.
Direct labor . . . credited to . . . payrolls accrued.
Burdens . . . credited to . . . departmental burden accounts.

After the end of the month the actual departmental expenses when known, may be charged to these same accounts. Since exact agreement is not to be expected, there will always be differences between the burdens (credits) and the expenses (debits). These differences are amounts by which costs have been over-charged or under-charged. If our judgment has been good, the differences will not be great. Some will be positive and

others will be negative. The net amount will be small, and may itself be largely balanced by contrary amounts in other months. This would be an ideal condition, seldom reached until the plan has been in operation for some time.

It is very desirable to have these differences tabulated month by month, in comparison with the total payrolls, hours, burdens, and expenses for each department, so that tendencies may be watched and large or growing differences corrected through the burden rates.

It will be interesting to make some comparisons between costs and prices computed by the use of departmental burdens and those under similar conditions by a general burden rate. By way of illustration, we will figure these burdens at rates per hour instead of the percentages on wages.

Assume two factories, "A" and "B," each having two departments, No. 1 and No. 2. The products, departments and costs in these factories are identical. In both factories, the rate of wages is the same, say 40¢ an hour. Department No. 1 in each factory operates a total of 500 hr. a week and department No. 2, 200 hr. a week. The actual overhead expense in these departments is the same in both factories, and as shown in the table.

Department	Weekly Hours	Overhead Expense	Hourly Expense Rate	
No. 1	500	$ 25.00	$0.05	Used in Factory "A"
No. 2	200	100.00	.50	Used in Factory "A"
Total	700	$125.00	$0.179	Used in Factory "B"

These rates, one ten times the other, would not be uncommon, and would apply, respectively, to hand work and machine work departments. Plant "A" is departmentalized and uses departmental burdens of five cents and 50¢ per hr. Plant "B" uses one general averaged rate of $0.179 per hr.

Assume for this illustration that a product is being made that takes four hours in Department No. 1 and four in department No. 2. Then the costs in these two plants will be as follows:

		Factory "A"			Factory "B"		
Department	Hours	Rate	Wages	Burden	Hours	Rate	Wages	Burden
No. 1 Wages	4	.40	$1.60		4	.40	$1.60	
No. 1 Burden	4	.05		$0.20	4	.179		$0.716
No. 2 Wages	4	.40	1.60		4	.40	1.60	
No. 2 Burden	4	.50		2.00	4	.179		.716
Total Wages			$3.20				$3.20	
Total Burden			2.20	2.20			1.43	1.432
			$5.40				$4.63	
Raw Material			3.00				3.00	
Factory Cost			$8.40				$7.63	
Selling Expense at 15 per cent.			1.26				1.15	
Admin. Expense at 10 per cent.			.84				.76	
Cost as Sold			$10.50				$9.54	
Profit at 10 per cent.			1.05				.96	
Selling Price			$11.55				$10.50	

Although the costs in these two factories are actually the same, we have a selling price of $11.55 in the first factory and of $10.50 in the second. The apparent difference is just a matter of figures on the books. Nevertheless, "B," with estimated factory cost of $7.63 and selling cost of $9.45 will sell for $10.50, which is really his cost, and will have no real profit, although he thinks he is making 96¢.

We will now modify this case a little and assume that, instead of taking four hours in each department, the goods take only three hours in No. 1 in both plants, but take five hours in No. 2. The total hours being the same, the costs will be as follows:

		Factory "A"			Factory "B"		
Department	Hours	Rate	Wages	Burden	Hours	Rate	Wages	Burden
No. 1 Wages	3	.40	$1.20		3	.40	$1.20	
No. 1 Burden	3	.05		$0.15	3	.179		$0.537
No. 2 Wages	5	.40	2.00		5	.40	2.00	
No. 2 Burden	5	.50		2.50	5	.179		.895
Total Wages			$3.20				$3.20	
Total Burden			2.65	2.65			1.43	1.432
			$5.85				$4.63	
Raw Material			3.00				3.00	
Factory Cost			$8.85				$7.63	
Selling Expense at 15 per cent.			1.33				1.15	
Admin. Expense at 10 per cent.			.88				.76	
Cost as Sold			$11.06				$9.54	
Profit at 10 per cent.			1.11				.96	
Selling Price			$12.17				$10.50	

The selling price for factory "A" has increased to $12.17, but in factory "B," it remains the same, because they are using a general or average burden rate and, since the total hours are the same, it makes no difference how it is distributed, for the same figure results. "B" would sell at $10.50 and suppose he was making a profit of 96¢. As a matter of fact, his cost is $11.06, the same as "A," and he is losing 56¢.

As a third example, assume that the goods take eight hours in department No. 1 and do not go through No. 2 at all. The costs will then be as follows:

		Factory "A"			Factory "B"		
Department	Hours	Rate	Wages	Burden	Hours	Rate	Wages	Burden
No. 1 Wages	8	.40	$3.20		8	.40	$3.20	
No. 1 Burden	8	.05		$0.40	8	.179		$1.432
No. 2 Wages	0		0		0		0	
No. 2 Burden	0			0	0			0
Total Wages			$3.20				$3.20	
Total Burden			.40	.40			1.43	1.43
			$3.60				$4.63	
Raw Material			3.00				3.00	
Factory Cost			$6.60				$7.63	
Selling Expense at 15 per cent.			.99				1.15	
Admin. Expense at 10 per cent.			.66				.76	
Cost as Sold			$8.25				$9.24	
Profit at 10 per cent.			.83				.96	
Selling Price			$9.08				$10.50	

"A" can sell at $9.08 and make a profit, but "B" still shows a price of $10.50. If he does cut and get down to $9.08 he has to go below his apparent cost. He has, supposedly, to lose money in order to get the business, and yet, as a matter of fact, his costs are no higher than "A's," and he would actually make the same profit of 83¢ by selling at $9.08.

It may be said that these examples are "fixed up" to fit the argument, and, of course, that is a fact, but there is nothing about them out of the ordinary, or which might not be found in almost any factory. They show the sort of error that may be made through the use of a flat, uniform burden rate, and the confusion that may result in an industry when some of the members cling to incorrect methods of cost figuring. The uniform burden rate on labor is a great advance on the old "blanket" rate on bare cost, as was shown in the preceding article, but it is not good enough for figuring costs in competition. Nothing less than departmentalized burdens can meet this situation.

In his next article, which will appear in an early issue, Mr. Douglas considers modern refinements on even the department burden rate, as expressed in the machine-hour rate. After an examination of the changes in expense and burden rates caused by fluctuations in volume of business, he takes up the matter of fixed and variable overheads and their bearing on prices and profits under certain business conditions.

Law Makers Face Aviation Bills of Benefit to Industry

Congress and Many State Legislatures Consider Wide Variety of Measures

Now the legislative halls of the country, federal and state, are echoing the hum of aeronautical affairs. Numerous bills affecting the industry have been sponsored in many parts of the country, ranging from federal rating of flying schools to boosting the construction of airports.

Sen. Hiram Bingham, president of the National Aeronautic Association, has introduced a bill in Congress seeking to amend the Air Commerce Act of 1926 with provision for annual official examination and rating of aeronautical schools in the same manner the Aeronautics Branch now rates airports and licenses planes and pilots. The plan is to distinguish between the schools as to adequacy and competency of equipment, methods and teaching staff.

The bill appears to be in line with the efforts of a committee of the Aeronautical Chamber of Commerce to raise and better define the standards of flying schools throughout the country. Another federal bill would provide $1,000 to cover expenses of 3 delegates to the First International Congress on Sanitary Aviation to be held at Paris May 15 to May 20.

Demonstrations Planned

The congress will discuss: 1, Sanitary aviation in the colonies; 2, sanitary aviation, a means of evacuation in time of war; 3 sanitary hydro-aviation; 4, the Red Cross and aviation; 5, medicine and aviation; 6, aerial physiology; and, 7, sanitary aviation in peace. The delegates will be given a demonstration at the Bouget-Dugny airdrome of the sanitary planes in use or projected and on the coast will be shown the sanitary planes of the national marine.

Another bill has been introduced authorizing the postmaster general to contract for air mail service on routes between the United States and possessions of the United States, between possessions of the United States, between the United States or possessions of the United States and foreign countries and in and between foreign countries.

To Speed Spare Parts

A bill proposing an amendment to the aircraft procurement bill of 1926 would enable the Army and Navy to speed up purchase of spare parts to replace broken or worn out parts of aircraft by eliminating requirement to advertise and receive bids.

Representative James, of Michigan, has offered a bill in the House to appropriate federal funds for aviation fields and other purposes, the whole amount being $347,536, as follows: Selfridge Field, Mich., improvement of landing field, $125,000; Shreveport, La., improvement of landing field, $50,000; Maxwell Field, Ala., school building, $100,000; Boston Airport, East Boston, Mass., moving and re-erecting technical buildings, $15,000; Fort Crockett, Tex., night flying lighting system, $3,775; runways, $10,775; Hawaiian Department, air bases, $22,000; Chicago Municipal Airport, Chicago, Ill., completion of hangar, $20,986.

The Michigan state supervisor of industrial education is preparing regulations to govern the operations of flying schools in that state. The state police will cooperate in the enforcement when adopted, it is said.

Minnesota law-makers face three bills. One seeks uniform aviation laws for the state, a second calls for a code conforming to that of the federal aeronautics branch, the third would remove from the larger cities existing restrictions relative to airport costs and the number allowed in any one city.

Park Land for Airports

Wisconsin and Colorado bills would adopt codes conforming to the federal regulations, also. Wisconsin in addition seeks its own standards for pilots carrying passengers or property for hire, while in Colorado the bill would give communities the right to build and operate airports within the city limits, allowing land acquired for park purposes to be diverted to airport use.

A New York bill seeks to relieve cities within the state from liability for damages to planes cracked up in landing. This is to meet the interpretation of the law to the effect that cities marking their airports to guide pilots issue an invitation to land and consequently are held liable for any damage that might result. Several airports are unmarked on account of this interpretation.

The Illinois legislature is to consider a bill which would authorise a city to levy a tax of one mill on each dollar of taxable property within the city to pay for an airport, authorized to take over a site by right of eminent domain, and exempt the airport financing from certain state restrictions.

Legislation to permit city bonds for municipal airports will be asked of the North Dakota legislature, now in session, by the North Dakota League of Municipalities.

Approvals Given By Government

Approved type certificates 13, 14 and 15 for engines have been granted the Wright Aeronautical Corp., and Pratt & Whitney Aircraft Co., the Department of Commerce announces.

Engines approved for license without approved type certificates include the De Haviland Gypsy, four cylinder vertical air cooled; Siemens-Halske, 5, 7 and 9 cylinder radial types, and the Walter N. Z., 9 cylinder radial.

Approved type aircraft certificate 96 has been assigned to the Fokker Aircraft Corp. F-10A 14 place closed land monoplane, powered with three Wasps.

Approved propellers 3, 4 and 5 have been assigned to the Hamilton H-1207, H-1407 and H-1909 types.

Curtiss and Caproni To Build Transports

NEW YORK, N. Y.—Curtiss Caproni, Inc., a new company organized by the Curtiss interests and the Societa Aeroplani Caproni of Milan, Italy, for the manufacture in this country of aircraft of the Caproni type under Curtiss supervision, has been announced here by C. M. Keyes.

The plan will enable the Curtiss company to break into the large transport aircraft field almost immediately, saving about two years which might have been required in an attempt to blaze its own way. Caproni has specialized on large planes for more than 20 yr.

The board of directors and plan of financing which is reported to involve issuing 400,000 shares of stock, a large proportion of which will be held by the two companies, are among further details to be announced within a few days. The location of the factory has not been determined, it is said.

Universal Receives Fokkers

CHICAGO, ILL.—Universal Aviation Corp. announces acceptance of delivery at the Chicago Municipal Airport on two of its new fleet of Fokker F-10 planes. Ten new Fokkers are to be placed in service both east and west out of Chicago immediately, according to P. G. Kemp, in charge of traffic for the Universal lines.

Army Orders 15 Wasps

HARTFORD, CONN.—Orders for 15 450 hp. Wasp engines and spare parts have been received by the Pratt & Whitney Aircraft Co. from the U. S. Army, a total value of approximately $100,000 being represented in the deal. The power plants, it is reported, are to be used in Ford and Fokker tri-engined transports.

Trella Aircraft Completes Plane

Two Place Open Cockpit Biplane Tested at Detroit

DETROIT, MICH.—A two place, open cockpit biplane known as the "Speedster" has been completed by Trella Aircraft, recently organized here. The initial product, an experimental model, is powered by an Anzani 60, although, it was said, all standard models will utilize either the LeBlond 60, or the Velie M-5 engine.

Following conventional practice, the Speedster has a wooden wing structure, and a fuselage and empennage of steel tubing, with wire bracing. The fuselage construction is of the truss type, well streamlined, with ample room in both cockpits. The cockpits are set in tandem. Wings on the first plane are of modified U. S. A. 5 section, but this will be changed to a Clark Y section on the second product.

Dual Control Provided

Dual control, of the push and pull type, is provided. The landing chassis is of the split axle type, the wheels having a tread of six feet. Conventional rubber shock cords are used as shock absorbers.

Standard equipment includes tachometer, altimeter, oil gauge, oil thermometer, magneto switch, and choke. The plane is fitted with a 20 gal. gravity feed gasoline tank. All cowling can easily be removed. It is planned to place the first plane on exhibit in the second annual All-American Aircraft Show.

The Speedster was test flown by Rowland Thomas, test pilot for the firm. Associated in the company are George A. Trella, F. Jay Trella, and D. M. Trella.

Specifications furnished by the manufacturer are:

Span, upper wing	27 ft. 6 in.
Span, lower wing	23 ft. 6 in.
Overall length	19 ft. 2 in.
Height	7 ft. 6 in.
Chord, both wings	4 ft.
Stagger	7¾ in.
Dihedral, lower wing only	1½ in.
Incidence, both wings	2 deg.
Wing area	192 sq. ft.
Stabilizer area	14 sq. ft.
Elevator area	10 sq. ft.
Rudder area	5½ sq. ft.
Fin area	2½ sq. ft.
Aileron area	20 sq. ft.
Weight, empty	600 lb.
Weight, loaded	1,050 lb.
High speed (estimated)	110 m.p.h.
Cruising speed (estimated)	98 m.p.h.
Landing speed (estimated)	36 m.p.h.

Starter Rights Sold to Eclipse

ELMIRA, N. Y.—That patent properties of the Aeromarine interests of Keyport, N. J., relating to engine starters have been sold to the Eclipse Machine Co. of this city is announced by William L. McGrath, vice-president of the latter concern. The Eclipse firm, maker of Eclipse Aircraft power plant starters, will hereafter service the engine starters heretofore manufactured by Aeromarine Starter Co., Inc.

New Series Keystone Panther Goes to Army

BRISTOL, PA.—The Air Corps has taken delivery on the first of a new series of 35 Keystone Panther bombers, powered by two Wright Cyclone engines. This first machine is to undergo official Air Corps tests at McCook Field, Dayton, O. Others are to be delivered at the rate of one or more a week, and are to be assigned to various posts throughout the country and Panama.

The Panther carries a bomb load of 2,200 lb., has five machine guns, radio receiving and sending sets, night flying equipment and latest navigating instruments. It weighs 13,000 lb. and is declared to have a high speed of 125 m.p.h.

A front quarter view of the "Speedster" built by Trella Aircraft.

Kreutzer Starts Line Production

Takes Over Former Bach Factory To Meet Demands; Will Build Plant Soon

LOS ANGELES, CALIF.—In order to meet the demand for immediate production of the Kreutzer "Air Coach," the Kreutzer Corporation has taken over the factory at Santa Monica which was formerly occupied by the Bach Aircraft Corp., and has started line production, with an initial unit of five planes now under way. Bach activities have been moved to the new factory at the Los Angeles Metropolitan Airport.

According to the announcement made by Joseph Kreutzer, president of the Kreutzer Corporation, his company will soon let contracts for the construction of a modern tile and steel factory building on one of the municipal air fields in Southern California. The new factory will measure 200 by 300 ft., and with a balcony floor will have a total floor space of 68,500 sq. ft. Acquisition of the Bach plant, he stated, was an emergency move to meet the demand for immediate production. In addition to the five planes under way at the newly acquired Bach plant, the third "Air Coach" is nearing completion in the Los Angeles plant. It is said that minimum requirements of the Kreutzer dealer organization call for a production of 266 "Air Coach" models during 1929. Plans have been definitely laid to surpass this minimum figure and company officials plan to be building an "Air Coach" per day by April 15.

"Air Coach" First to Be Tested

The "Air Coach" is the first Kreutzer product to be tested. It is a four place, high wing, cabin monoplane powered by three Velie or LeBlond five cylinder aircraft engines. Remarkable performance has been shown by rigid flight tests and during a 2,000 mi. tour made by Lieut. Henry H. Ogden, Around-the-World flier and now chief pilot for the Kreutzer Corporation.

The second Kreutzer product, a 32 place, tri-engined, transport monoplane, is now under construction. This plane will carry 28 passengers and 2,350 lb. of mail or express, in addition to the crew and fuel load. Crew will consist of two pilots, radio operator and navigator. A directional reception radio set will be installed on the plane in addition to a short wave transmitting set. Every travel convenience will be provided passengers, including a buffet lunch to be served in flight. Top speed for this plane is promised at 135 m.p.h., with a cruising speed of 115 m.p.h.

This plane is being developed to the requirements of one of the largest transport companies oin America, it is said, and a large number of this type are to be ordered.

Stearman Tests New Mail Plane

Performance of Cyclone Powered Craft Exceeds Predictions

WICHITA, KAN.—Preliminary test flights of the Wright Cyclone powered "Speed Mail" plane developed by the Stearman Aircraft Co., were conducted here recently. This model is somewhat similar in design and construction to the present Stearman mail plane but embodies a number of improvements and is specially intended for use with the Cyclone engine. The plane was designed at the instance of Walter T. Varney and plans are underway to use this type on the Salt Lake City-Pasco, Wash., route operated by Varney Air Lines after night flying is inaugurated over that route in the Spring.

Results of the preliminary tests indicate that the predicted performance of the new plane will be surpassed. The estimated high speed is 150 m.p.h., cruising speed, 120 m.p.h., and landing speed, 55 m.p.h. A rate of climb at sea level of 1,400 ft. per min. and a service ceiling of 18,000 ft. is also expected. The plane has a weight light of 3,360 lb., a pay load of 1,000 lb. and a gross weight of 5,460 lb. The upper wing span is 46 ft., lower wing span is 32 ft., the overall length 36 ft. and the height 12 ft. Ninety-one cubic feet of mail and express cargo space is provided.

Higher Speed Expected

In the tests an indicated speed of 150 m.p.h. was attained at 1,800 r.p.m., but it is expected that a slight change in propeller setting will permit a higher engine speed. The landing speed is said to be considerably below the predicted figure.

The "Speed Mail" plane, which might be called a sesquiplane, is of conventional construction with wood wing and welded chrome molybdenum steel tube fuselage structure. The trussing is so designed as to provide a mail compartment free of all obstructions and the mail pit is so located that it can be loaded or unloaded from the front or back. Fabric covering is used for the entire plane except for that portion of the fuselage immediately forward of the pilot's cockpit, which is paneled sheet aluminum and removable to permit ease of inspection. The plane is well streamlined, resulting in a good combination of pleasing appearance and aerodynamic efficiency.

Lighting System is Complete

Among the outstanding features of this plane are the indirectly lighted instrument panel and the convenient grouping of instruments. Instrument illumination is controlled by rheostats so that the intensity may be suited to the particular needs of the pilot. Five hundred feet of wire is used in the electric system and all wiring is shielded and in conduit. Inspection of wiring and fuel lines is easily made by removing the side cowling. A heater and adjustable seat and controls are provided in the pilot's cockpit. The Bendix brakes are operated by pressure on the top of the rudder pedal.

Included in the equipment is a Phister Ace Pressure fire extinguisher located in the cockpit and having nozzles located at convenient points around the engine. An ice warning indicator is also provided.

Report Record Of B. G. Plugs

NEW YORK, N. Y.—That the stock B.G. spark plugs used in the record-breaking plane "Question Mark" functioned perfectly throughout the long flight with no changes of plugs necessary and with no evidence of failure, is reported by the field representative of the B.G. Corporation, maker of the plugs. This statement is issued by August Goldsmith, president of the company, to correct an erroneous impression that the continued use of the plugs for more than 150 hr. without inspection or adjustment contributed to the final descent of the Fokker plane.

Scenic Airways Has 19 Aircraft Ordered

PHOENIX, ARIZ.—Nineteen additional planes, seven four-passenger cabins, seven six-passenger cabins, and five training craft are scheduled for 1929 delivery to Scenic Airways, to be used in the Southwestern states with Phoenix as base, according to an authorized interview given out by the officials of the company.

Three of these, two Consolidated Husky Junior training planes with Warner engines, and one Fairchild 21 powered with a Genet, are already being ferried from the factories to the Phoenix airport of Scenic Airways. The Arizona Company, it is said, will act as distributors of Fairchild planes throughout the Southwest.

Meantime work is proceeding rapidly on the company's new airport here. The building being erected for passenger terminal and administration purposes is near completion. Construction of a 100 by 120 ft. all-steel hangar is scheduled to begin soon.

Will Build More Gliders

SAN LEANDRO, CALIF.—Further production of engineless craft is planned by Aircraft Industries, Inc., according to A. R. Wild, a firm official, following the successful test flight here of its German training-type monoplane glider, in which Vance Breese, former mail pilot, took the craft a distance of 590 ft. in a 51 sec. flight.

New Flying Boat Gets Try-Out at Anacostia

ANACOSTIA, D. C.—Tests and acceptance trials of the XYP-1, an experimental type of flying boat developed by the Consolidated Aircraft Corp. of Buffalo, N. Y., are now under way here. The craft follows the winning design of the flying boat competition held by the Navy early in 1928.

This seaplane is of a monoplane type with metal hull, has two 430 hp. Pratt & Whitney Wasp engines and emplacement for a third engine. Its wing span is 100 ft. and it has two Richardson type wing tip pontoons.

The contract for this plane was awarded on Feb. 28, 1928, and the plane was flown for the first time at the Naval Air Station, Anacostia, on January 10, with Lieut. A. W. Gorton, U. S N., pilot, and M. J. M. Laddon, chief engineer, Consolidated Aircraft Corp., observer. The plane was flown again on Friday, January 11, and is now being tried out by the Navy's Test Board at Anacostia.

This flying boat is directly convertible into a commercial type transport and has a compartment 60 ft. long designed to hold 32 passengers.

Lieut. Uzal G. Ent to Receive Cheney Medal

WASHINGTON, D. C.—Lieut. Uzal G. Ent, Air Corps, stationed at Langley Field, Va., has been designated to receive the Cheney Medal for 1928 for valor and self-sacrifice. The award of $500 and a bronze plaque bearing his name was the result of heroism displayed on May 30 when the balloon in which Lieut. Ent was serving as aide to Lieut. Paul Evert, Air Corps, in the National Elimination Balloon Race caught fire over Youngwood, Pa.

Instead of jumping from the disabled craft and leaving Lieut. Evert, who had been rendered unconscious by the electric shock, to his fate, Ent managed to maneuver the burning balloon to the ground and attempted unsuccessfully to resuscitate his companion.

Douglas to Add 200

SANTA MONICA, CALIF.—With 700 employees of the Douglas Airplane Co. payroll it will be necessary to increase this number to 900 at once in order to take care of unfilled orders, according to the recent announcement of Donald Douglas. It is said that the Douglas company enters 1929 with $2,900,000 in unfilled orders on the books, $615,000 of this amount representing orders taken since Dec. 1, 1928.

Prest-O-Lite Has New Plant

MEMPHIS, TENN.—A new Prest-O-Lite acetylene plant has been opened here at 1241 North McLean Boulevard, the thirty-sixth of this firm's chain. J. Brown is superintendent of the plant.

Mexico Waco Sales Agency Announced

LOS ANGELES, CALIF.—Appointment of the American Aircraft Corp., Los Angeles, as distributors of Waco aircraft for the entire Republic of Mexico has been made by Theodore T. Hull. The American Aircraft Corp. sold 106 Wacos and 5 Fairchilds during 1928 in the western territory, which includes California, Arizona, New Mexico, Nevada, Utah, Wyoming and the Territory of Hawaii. Addition of the entire Mexican Republic to this territory gives the American Aircraft Corp. one of the largest sales areas of any distributor of commercial aircraft in the world.

Mr. Hull has just returned from a flying tour of Mexico which included stops at Mexicali, Guadalajara, Mazatlan, Tampico and Mexico City. A very great demand for flying instruction was found everywhere and the American Aircraft Corp. plans to establish agencies and flying schools in all important centers with Mexico City as the center of distribution.

The first Mexican dealership awarded was to the Club Aero Mexicali, located at the town of Mexicali, on the Border. Nelson Brittingham, organizer of the club, has taken delivery on his first Waco 10 and will start instruction and promotion of sales in the territory surrounding the Border city of Mexicali.

Army Appoints 195 Cadets

WASHINGTON, D. C.—The War Department has designated 195 cadets to start training at the Army primary flying schools at March and Brooks fields, March 1. Ninety will go to Brooks Field and 105 to March Field. Sixteen are non-commissioned officers and privates of the Regular Army and 74 are from the National Guard.

New Gliding Society Organized at Detroit

DETROIT, MICH.—J. C. Penney, Jr., of New York, and W. J. Scripps, of Detroit, glider enthusiasts, recently announced here the formation of Pioneer Gliding and Soaring Society, an organization whose purpose it will be to popularize the art of engineless flight.

The society now has a membership of 50, it was said, and plans to begin operation at once in Orion, Mich., home of Gliders, Inc., glider manufacturing firm, of which Mr. Scripps is president. Later the society plans to operate at Cape Cod, Mass., with Capt. Paul F. Roehre, German gliding expert, as chief instructor.

Mr. Penney is president of the society and Mr. Scripps is treasurer. Other officers are Mark A. Kearney, vice-president; E. W. Sawyer, secretary, and F. M. Blunk, chief of operations.

An Error—Please Note

On page 162 of last week's issue of AVIATION *there appeared a list of vendors to the Wright Whirlwind engines used on the refueling flight of the "Question Mark." Unfortunately the list was erroneous in part, and therefore the corrected list is printed below:*

Parts	Vendors	Address
Valves	Thompson Products Co.	Cleveland, O.
Piston Rings	American Hammered Piston Ring Co.	Baltimore, Md.
Ignition Wire "Airtite"	The Acme Wire Co.	New Haven, Conn.
Outer Ball Bearings, S.R.D.	Standard Steel & Bearing Co.	Plainville, Conn.
Rear Ball Bearings	Standard Steel & Bearing Co.	Plainville, Conn.
Thrust Bearings S.K.F.	S. K. F. Industries, Inc.	2004 Broadway, N. Y. C.
Accessory Ball Bearings (Normal)	Norma Hoffman Bearings Corp.	Stamford, Conn.
Magnetos (Scintilla)	Scintilla Magneto Co., Inc.	Sidney, N. Y.
Carbureter NAT—4-B	Stromberg Motor Devices Co.	58 E. 25th St., Chicago
Valve Springs	Miller and Van Winkle	18 Bridge St., Bklyn, N. Y.
Spark Plugs RG	B. G. Corporation	136 W. 52nd St., N. Y. C.
Crankshaft	Union Switch & Signal Co.	Swissvale, Pa.
Articulated Rods	Bethlehem Steel Corp.	Bethlehem, Pa.
Master Rods	Bethlehem Steel Corp.	Bethlehem, Pa.
Master Rod Bearings	Bohn Aluminum & Brass Corp.	Detroit, Mich.
Cam Drive Gear Rough Forging	Bethlehem Steel Corp.	Bethlehem, Pa.
Cylinder Barrell Rough Forging	Bethlehem Steel Corp.	Bethlehem, Pa.
Cam and Gear Rough Forging	Tioga Steel & Iron Co.	Easton, Pa.
Cam Driving Gear Rough Forging	Bethlehem Steel Corp.	Bethlehem, Pa.
Cam Driving Pinion Rough Forging	Bethlehem Steel Corp.	Bethlehem, Pa.
Ex. Valve Rocker Rough Forging	Bethlehem Steel Corp.	Bethlehem, Pa.
Int. Valve Rocker Rough Forging	Bethlehem Steel Corp.	Bethlehem, Pa.
Valve Tappet Guide Rough Forging	Endicott Forging & Mfg. Co.	Endicott, N. Y.
Ex. Pipe Flange Rough Forging	Endicott Forging & Mfg. Co.	Endicott, N. Y.
Intake Pipe	American Tube & Bending Co.	New Haven, Conn.
Crankshaft Bearing Rear	Bohn Aluminum & Brass Co.	Detroit, Mich.
Aluminum Alloy	Aluminum Company of America	Pittsburgh, Pa.
Gaskets	The Vellumoid Co.	Worcester, Mass.
Counterweights	Tioga Steel & Iron Co.	Easton, Pa.
Alemite	Bassick Manufacturing Co.	2650 N. Crawford Ave., Chicago

Buffalo's Aero Show Approved

Aeronautical Chamber Sanctions Exposition for March; 17 Planes Entered

BUFFALO, N. Y.—The Buffalo Aviation Show, to be held March 23 to 30, has received the official sanction of the Aeronautical Chamber of Commerce. To date, 17 airplanes have been entered. These include Consolidated Husky Junior, Curtiss Falcon-Knight, Curtiss Robin, General Airplanes Aristocrat, General Airplanes Surveyor, Waco, Ryan, Fairchild, American Eaglerock, Stearman, Stinson-Detroiter, Travel Air, Command-Aire, Ford-Stout, Taylor Chummy, Cunningham-Hall, and Keystone.

The Buffalo Show will be held in the 174th Regiment armory, which has approximately 64,000 sq. ft. of usable floor space and is free from pillars, posts and other such obstructions. It is situated near the heart of the city.

The general committee in charge of the Show is headed by Maj. John M. Satterfield, known as the "father of aviation in Buffalo." Members of the committee include 70 of the leading bankers and business men. The Buffalo Chamber of Commerce also is taking an active interest. George B. Bodenhoff is manager.

Twenty Chamber Acceptances

Letters were sent to 150 chambers of commerce inviting them to visit the Buffalo Show and to date acceptances have been received from 20. This means 20 other cities already have signified their intention of sending official representatives to the Show.

Planes flown to the Buffalo airport for the show will be hauled to the armory under direction of the transportation committee at the expense of the show. It has been arranged also with the Michigan Central Railroad to make overnight shipments of planes from Buffalo to Detroit for the show in the latter city, which opens a week after the local one closes.

March 22 has been designated as trade day and only holders of special tickets will be admitted. Detailed information may be obtained from Buffalo Aviation Show, 303 Mutual Building, Buffalo, N. Y.

Seek Alaskan Flier

WASHINGTON, D. C.—Efforts by the War Department to locate James D. Long, formerly sergeant in the Air Service, have thus far been futile, it is stated here. The Distinguished Flying Cross was awarded the airman last August in recognition of his participation as assistant chief mechanic on the Alaskan Flying Expedition, July 15-Oct. 20, 1920, but the Department has been unable to find him to present him with the decoration. Sergeant Long was discharged from service in August, 1922.

Operators Plan Radio Network

Will Develop Chain Independently of Government; Committee Chosen

WASHINGTON, D. C.—The first statement of policy respecting the use of radio by air transport operators came out of a conference here recently at which representatives took the initial step toward organizing for the establishment of a co-operative network of stations for communications with airplanes in flight.

Insistence upon priority for aircraft along with planes in the short wave radio band and an intention to set up and operate their own radio systems in the 64 channels assigned, rather than to work through commercial radio communication companies, marked the discussions. Called by the Aeronautical Chamber of Commerce, the meetings at the Carlton Hotel attracted about 25 representatives and radio experts from the air transport companies, the radio industry and the Government.

Commercial Use Banned

Thorpe Hiscock of Boeing Air Transport Co., chairman of the committee, declared that the aviation world regards its assignment of radio frequencies as not having a commercial feature. Commercial radio will be kept out of the networks which the private operators propose to work mutually, and the industry intends to oppose any plan to make its radio system a public utility.

The operators also propose to obtain more and different frequencies from those assigned by the Federal Radio Commission. Lieut. Comdr. T. A. M. Craven, detailed by the Navy to the Radio Commission as engineer in charge of the short waves, was urged to seek a mutual basis of organization and operation with Canadian operators at the forthcoming short wave conferences at Ottawa.

To Exchange Data

The trend of the discussion was that radiotelephony is the primary consideration of the commercial operators in their plans to utilize radio more extensively on their planes. According to Capt. F. C. Hingsburg, chief engineer of the Airways Division of the Department of Commerce, the radio communications service on the civil airways is intended for an exchange of weather data, the broadcast of weather information and forecasts, orders to pilots in flight, the dispatch of planes and radio direction for the guidance of planes.

These services are being made available as fast as the network, which will have 30 stations in operation by June 30, can be extended, said Captain Hingburg. Private facilities are needed, however, to supplement these services, he added. The privately operated system, he said, would make provision for safety communications similar to Government aids on routes other than civil airways, radiotelephone of landing directions at airports, marker beacons and field localizers at airports and other radiotelephone communications to and from airplanes for the convenience, comfort and safety of passengers.

A technical sub-committee, consisting of the following, is appointed to confer with the federal radio authorities to make recommendations as to the allocation of specific bands and the reallocation of various interfering bands in coastal regions: Thorpe Hiscock, Boeing Air Transport Co., chairman; Herbert Hoover, Jr., Western Air Express; Paul Goldsborough, Universal Aviation Corp.; H. C. Lenteritz, Pan American Airways, and E. W. Proctor, National Air Transport. W. J. Walls, Department of Commerce, is invited to sit with the technical sub-committee.

More Business For Sign Plane

NEW YORK, N. Y.—Successful utilization of the Keystone Sign Carrier I in advertising automobiles during the New York Auto Show with its flashing neon words "Cadillac-La Salle"—"Hit of Auto Show," has brought the Cadillac Motor Car Co. to schedule the use of the Aerial Advertising Corp.'s plane for flights over Newark, Philadelphia, Brooklyn, Cleveland, Detroit, and Chicago during auto shows at those cities. Capt. Eddie Rickenbacker, American war ace and Cadillac assistant sales manager, was largely responsible for the contract. Roland Rohlfs, one-time altitude record holder, will again pilot the converted bomber.

Husky Firm Has New Plant

KENOSHA, WIS.—The Husky Corporation, formerly known as the Husky Wrench Co., has moved into its new plant here. The factory, offering 40,000 ft. of floor space, is laid out on an 11-acre tract. It is well equipped with modern machinery for making Husky socket wrenches and the various other products for which the firm is known.

A.I.E.E. to Discuss Aviation

NEW YORK, N. Y.—Aviation will be of primary importance as subject matter in the annual convention of the American Institute of Electrical Engineers, scheduled to be held here January 28 to February 1. Directional radio devices and various other electrical aids to flying will be dealt with chiefly in the discussions.

Modern Engine Shop Planned by Thompson

CLEVELAND, O.—One of the most modern aircraft engine overhaul shops in the Middle West will be in operation at the Cleveland hangar of the Thompson Aeronautical Corp. by February 15, it is announced by Edwin G. Thompson, president. The announcement followed the granting of a franchise for the exclusive sale of Wright engine parts in Cleveland and northern Ohio to the Thompson company by the Wright Aeronautical Corp. of Paterson, N. J.

The Thompson corporation thus becomes one of four concerns in the country authorized to repair and rebuild Wright engines under supervision of the Wright factory. With the nearest similar repair hangars in Detroit and New York, the new shop, at an intermediate point, can render a needed service, Thompson believes.

Herbert E. Smith, manager of the Ohio Division of the Thompson company will superintend the repair service. Four mechanics, trained by experts from the Wright factory, will be used at the start. Every power plant overhauled will receive a 10 hr. block test to check horsepower, gas and oil consumption, etc., before being remounted and released.

Mill Basin Aircraft Buys Brooklyn Site

BROOKLYN, N. Y.—The first step in the development of airplane industry along the Jamaica Bay waterfront, close to the new municipal airport at Barren Island, recently, took place when Mill Basin Aircraft, Inc, purchased a 100 ft. waterfront on Mill Basin.

According to Edward Wengenroth, president of the company, work will be started at once on the erection of a modern plant where the new "Supergull" will be manufactured.

The new Whirlwind-powered flying boat has been given its official tests.

The announcement was made also that Brooklyn Air Transport, a subsidiary of the Mill Basin Aircraft, Inc., will inaugurate Florida-New York passenger service in the spring. The Barren Island field will be used as a base.

Plan New "Skylark" Factory

COLUMBUS, O.—Location of a modern factory on a site near the new municipal airport has been announced by the Columbus Aircraft Co., manufacturers of "The Skylark," a three-place cabin monoplane.

The first plane to be made by the concern recently was brought back from the East, where it was fitted with a Curtiss Challenger engine. Ten of these power plants were purchased for other craft to be constructed. The factory will in all probability employ 200 men at first, according to A. J. Frame, president of the company, who aided in the design of The Skylark.

Scintilla Magneto Has New Plant Equipment

SIDNEY, N. Y.—Manufacturing and office facilities of the Scintilla Magneto Co., Inc., will total 80,000 sq. ft. with the addition of the new brick and steel factory unit, availing 40,000 sq. ft., now nearing completion. Constantly increasing demand for its aircraft magnetos has necessitated expansion.

The most modern automatic machinery is being transferred from the old building to the new, augmented by specially designed machine tools that promise much toward the reduction of manufacturing costs.

Production of Scintilla aircraft magnetos at the factory has reached 1,200 units per month, and the production schedule for 1929 has been set at 2,000 per month, with the new building and its machinery available. In addition to these magnetos, the delivery schedule calls for 1,000 units per month, of the three, four, five, six and seven cylinder types, which are imported and in all instances carefully inspected and tested.

There are 450 employees on the payroll. The factory is running night and day in an endeavor to maintain delivery schedules.

Fowler Wing Tested On Pitcairn Fuselage

NEW BRUNSWICK, N. J.—A series of test flights were made recently with a Pitcairn PA-3 biplane to determine the relative performance of the plane with ordinary equipment and with the variable area wing invented by Harlan D. Fowler of New Brunswick. The table of compartive performance is as follows:

	Fowler Variable Area Extended	Fowler Variable Area Normal	Original PA-3
Total load, lb.	1990	1990	1936
Wing area, sq. ft.	166	136	338
Climb from rest to 1,000 ft.	3'55"	3'33"	2'3"
Climb ft. per min. at 1,000 ft.	250	415	520
High speed m.p.h.	78.75	98.75	89.3
Cruising speed, m.p.h.	69.25	79.85	76.6
Low speed, m.p.h.	44.55	58.25	46.2
Stick, sec.	11	....	10
Unstick, sec.	11	....	9
Speed range	1.77	2.22	1.93
Weight per hp. at 100 hp.	19.90	19.90	19.36
Weight per sq. ft.	12.00	14.65	5.72
Design load factor of wing	8.00	8.00	5.50
Weight of wings, complete, lb.	395	395	377

A rear quarter view of the Pitcairn PA-3 biplane showing the installation of the Fowler variable area wing.

Swallow Plans Cabin Plane

WICHITA, KAN.—The Swallow Airplane Manufacturing Co., here, is working on a new cabin biplane to be powered with the new Wright 225 hp. engine. Along with the new cabin plane, the Swallow company during 1929 will give major consideration to the new two-place training craft and to the Whirlwind powered three-place open cockpit plane. It is planned to exhibit all three types at the Detroit show.

Warner to Expand Present Production

DETROIT, MICH.—An expansion program, approximately doubling the present output, was announced recently by W. O. Warner, president of the Warner Aircraft Corp., builders of the Warner Scarab seven cylinder radial air cooled engine.

In commenting upon 1929 schedules and plans, Mr. Warner stated: "Our original production program for the 1929 fiscal year called for 500 engines. However, the reception accorded our product during the past year by various aircraft manufacturing concerns has been so far in excess of our anticipations that we have unfilled orders far beyond our capacity for the coming year. Although an expansion program is under way and new buildings are being contracted for to increase our capacity, this space will not be available for some time, our original schedule will be approximately doubled for the year.

Rename Flying Circus New Standard Service

PATERSON, N. J.—Operation of the New Standard Flying Service, Inc., formerly known as the Gates Flying Circus, has been placed in charge of Maj. William C. Brooks, former chief of the Nicaraguan Air Service. Major Brooks opened the New Year by starting a tour of the Southern States with a fleet of four planes. He will return shortly to enlarge the flying school and passenger service at Teterboro Airport, Hasbrouck Heights, N. J. John Ashcraft, Ive McKinney, Homer Fackler, and Warren B. Smith are numbered among the Service's personnel.

Aeronautics Branch Wins Collier Trophy

WASHINGTON, D. C.—The Collier Trophy, awarded annually to the person or organization which has made the most outstanding contribution to aviation over a period of one year, goes to the Aeronautics Branch, Department of Commerce, for its record during 1928. The award was made by the special committee of the N. A. A. under the deed of gift provided by the donor, Robert J. Collier, when the trophy was established in 1910.

"America now leads the world in the use of aircraft for commercial purposes," says the statement of the committee which "feels that the efficient, unselfish and untiring efforts of the entire personnel of the Aeronautics Branch has contributed more to this advancement than any other one thing." The committee included Dr. G. W. Lewis; Capt. E. J. King, U. S. N.; Brig.-Gen. B. D. Foulois; Rear Admiral H. I. Cone; Porter Adams; Carl F. Schory; Col. C. deF. Chandler and Charles J. Bell.

The trophy has been awarded nine times to individuals. Glenn H. Curtiss and Elmer A. Sperry receiving it twice, and three times heretofore to groups of individuals. The latter were the personnel of the air mail service in 1922 and 1923, for flying an entire year without a single fatal accident in 1922 and for demonstration of the practicability of night flying in 1923, and the Army Air Corps in 1924 for having completed the World Flight.

To Hold Competition For Airport Designs

NEW YORK, N. Y.—A national airports design competition with prizes totaling $10,000 has been announced here following a meeting of a committee of architects sponsored by the Lehigh Portland Cement Co. The contest, which closes about November 1, is expected to develop a set of designs of practical and inspirational importance to American cities.

Harvey Wiley Corbett, architect, will head the committee drawing up the specifications of the competition and will act as foreman of the jury of awards. The committee includes Francis Keally, who recently made an architectural study of European airports. The Civics Committee of the contest will be headed by George B. Ford, designer of airports, and the Aeronautical Committee, by Porter Adams.

Altitude Records Approved

The Federation Aeronautique Internationale has recognized as world records two altitude performances on September 14, 1928, by a Junkers W-34 fitted with a Bristol Jupiter series VIII supercharged engine. With a useful load of 1,100 lb. a record height of 30,143 ft. was reached. With a useful load of 2,200 lb. a record height of 25,935 ft. was reached.

Standard Tests Plan Completed

Scheme for Commercial Planes Reported to Be Ready For Application

NEW YORK, N. Y.—The plan for the standardization of performance tests on commercial airplanes, devised by a joint committee of the Aeronautical Chamber of Commerce and other organizations, is reported ready for application. It is called the first step toward a common basis upon which all claims for speed, ceiling, climb, etc., may be measured.

A pamphlet describing the Standardization Performance Testing Plan will be isued soon. The plan provides for tests by universities and technical schools cooperating with the Chamber. Only those characteristics of an airplane which can be obtained by exact measurement for the time being, will be recorded.

A graduated scale of fees will be worked out to cover any or all of the following tests: 1, high speed; 2, climb to 10,000 ft.; 3, ceiling; 4, angle of initial climb; 5, length of take-off; 6, time to unstick; 7, length of landing run; 8, landing speed, power off; 9, minimum speed, power on; 10, minimum speed, power off. Pilots for tests may be selected and paid by the manufacturers. The tests may be conducted at a field conveniently located for the manufacturer and the testing institution.

The plan has been under discussion for more than a year and is the result of careful study. It was approved at the Commercial Airplane Manufacturers Section of the Chamber at Chicago in December. Eductional institutions interested in cooperating in the testing and others interested in the plan are requested to communicate with the Chamber at 300 Madison Ave., this city.

May Admit Planes in Parks

WASHINGTON, D. C.—Roy O. West, Department of the interior, has sent out invitations to interested parties to attend the conference in his office on February 20 for the discussion of the possible admission of airplanes into the National Parks and the conditions under which they should be admitted. The invitations went to presidents of the interested railroads, to park transportation concessionaires, airplane companies and to heads of various outdoor and mountaineering organizations.

Ofenstein Opens Offices

WASHINGTON, D. C.—Announcement of the opening of offices in the Moran Building, 1716 H Street, N.W., this city, is made by C. L. Ofenstein, formerly chief of the engineering section, Aeronautics Branch, Department of Commerce.

Call Standards Conference

PHILADELPHIA, PA.—Through the manager of the Naval Aircraft Factory, Navy Yard, this city, the Fifth Annual Army-Navy Conference on Aircraft Standards is announced as scheduled for February 11 at the Factory. On behalf of the conference, the manager requests that those interested communicate with him at once in order that he may adequately prepare for the meeting.

Ireland Opens Branch Handling N-B Supplies

CURTISS FIELD, L. I.—The Nicholas-Beazley Airplane Co., Marshall, Mo., announces the establishment of its fourth aeronautical supply depot by the Ireland Aircraft Co., located at this airport. The depot will be separately maintained and operated by the Ireland firm, which has been named eastern representative of the Missouri company.

A complete and representative stock of all aeronautical supplies, parts and accessories will be found at the hangars and warehouses at Curtiss Field. The stock already has been placed on the shelves ready for sale. All parts for the popular aircraft engines, aircraft parts and supplies, instruments and aeronautical accessories will be carried. It is planned to have a complete service operated in connection.

American Eagle Adds Dealers

KANSAS CITY, MO.—Thirteen new contact dealers have been added to the sales staff of the American Eagle Aircraft Corp. of this city in the last week, D. H. Hollowell, sales manager, reports. They are T. D. Condon, Fortville, Ind.; George Auckney, Pontiac, Mich.; Richard G. Jones, Chicago; H. L. Wood, Chicago; O. J. McCarthy, Chicago; Sidney P. Lowe, Chicago; G. E. Christopher, Chicago; S. B. Benjamin, Davenport, Ia.; J. E. Cross, Garnett, Kan.; Pacific Aero Industries, San Francisco; C. P. Goldberg, St. Ansgar, Ia.; W. J. Archer, Rock Island, Ill., and Marengo Airway Co. of Marengo, Ia.

Bonforte Engineering Company Announced

NEW YORK, N. Y.—The Bonforte Airport Engineering Corp. has been organized here as a firm of consulting engineers for airport and airway planning and development.

John Bonforte, president, recently resigned as acting chief engineer of Transcontinental Air Transport, Inc. He is a graduate of the Daniel Guggenheim School of Aeronautics, New York, N. Y. Mr. Bonforte has worked as field man and draftsman in the U. S. Air Mail Service and McCook Field as aeronautical engineer, flight-testing instruments. Upon the establishment of the Airways Division of the Department of Commerce he joined it as airway extension superintendent.

Mr. Bonforte has traveled extensively throughout the country selecting airports and landing fields, laying out airways and supervising the construction of the lighting equipment for airways and landing fields. Ralph M. Rice, secretary and treasurer, is an architect of 20 years' experience in the design and supervision of all classes of architectural and engineering work. Associates of this organization include a civil engineer, a structural designer and a lighting and mechanical engineer.

Continental Exhibiting Seven Cylinder Engine

DETROIT, MICH.—The first of a series of aircraft engines by the Continental Motor Corp. of this city is being exhibited at automobile shows. It is the seven cylinder, air-cooled, radial type of a series which also includes engines of five and nine cylinders.

The brake horsepower is placed at 150 at 1850 r.p.m., with a fuel consumption of 13 gal. per hour and oil consumption of three gal. per hour at full throttle. The weight is 400 lb. with carbureter and magnetos. Development of this engine follows considerable experiment by the Continental engineers over a lengthy period.

Railroad Man Aids Thompson Pilot Snowbound Aloft on Michigan Run

NILES, MICH.—A night railroad yardmaster here, armed with railway flares, made an air rescue recently when he saved George A. Hill, mail pilot of the Thompson Aeronautical Corp., from a threating crash in a snow storm.

Pilot Hill had taken off at Kalamazoo, Mich., for Chicago on the regular night air mail run. He left the Michigan city with the cheer of favorable weather reports, but it was not long before a blizzard was encountered which was so thick that he was unable to pick up the Penn, Mich., beacon for nearly an hour. Arriving at Penn, he dared not land on the emergency field because of a number of large trees yet unremoved from the field.

Flying to Niles, 10 mi. distant, where he knew of fields near a lighted railway yard, Hill hovered over the town waiting for a break in the storm enabling him to land. As he circled the community, G. A. Ream, the yardmaster, heard the drone of his engine, and sensing his difficulty, seized two track flares, ran to a nearby field, and placed one at each end of the tract. Hill made a safe landing by the aid of these flares in spite of storm conditions which made his own useless.

Editor's Note—The Penn, Mich., Government beacon is the only one of four new lights on this route that has thus far been completed.

Personnel

LIEUT. RICHARD ALDWORTH, on leave from Langley Field, Va., has been appointed managing manager of the Newark Airport at an annual salary of $10,000.

J. A. F. WRIGHT has been elected president of the Wichita Blue Streak Motor Co. to succeed CLYDE M. SMYSER, one of the organizers, who has resigned. STEWART M. YOUNG is secretary-treasurer. A. J. COMBS, vice-president; ROBERT C. FOULSON, general counsel.

MAJ. HOWARD WEHRLE, war flier and air racing promotor, has resigned his position as sales manager of a hangar concern to join the Cessna Aircraft Co. as an executive.

HUGH T. GRATZ, Louisville, Ky., has appointed colonel on the staff of the governor of the state in recognition of his part in the early days of aviation. He was one of the organizers of the Gray Eagle Aviation Co., Mattoon, Ill., an exhibition concern, in 1911.

L. C. WILSON, supervising inspector of of the Department of Commerce for Georgia, Florida, North Carolina, South Carolina, Alabama, Tennessee, Mississippi and Louisiana, will move his headquarters from Miami, Fla., to Candler Field, Atlanta, around the 1st of February. CHARLES A. ROWE of New Orleans will be one of two assistants to Wilson.

DEAN BLAKE, Government meteorologist at San Diego, and ARCHIE ATHERTON, demonstrator of the Russell Parachute Co., have joined the staff of the San Diego Air Service Corp. Blake will teach aeronautical meteorology and Atherton will teach parachute construction, repair and operation.

LIEUT. CAMERON T. ROBERTSON, who has been flying for Canadian Colonial Airways on the New York-Albany-Montreal route, has resigned to join the piloting staff of the National Air Transport. Robertson is a former member of the First Pursuit Group, Selfridge Field.

J. E. DAVIDSON and AMOS THOMAS have been selected to serve six years on the Lincoln, Neb., municipal air commission. DR. J. A. TAMISIEA and A. H. FETTERS will serve four years and GOULD DIETZ and J. S. MCGURK will serve two years. Bond issue funds for the airport will not be available until March.

CAPT. J. B. THOMPSON has been named manager of the downtown St. Paul office of Air Service, Inc., of Wichita, Kan.; C. W. YOUNG has been named manager of the Minneapolis office and JOE GOODALL has been named instructor in the mechanics course.

GORDON K. HOOD, manager of the Syracuse Municipal Airport, has been named general manager of the Central New York District for Curtiss Flying Service, Inc. Assumption of his new duties does not mean discontinuance of his work at the Syracuse Field, it is stated.

MASON PETERS, it has been announced by the Universal Aviation Corp. board, has been appointed director of publicity with headquarters in Chicago. Mr. Peters was formerly publisher of the *New York Journal of Commerce* and the Havana *Post*.

PROF. WILLIAM BROWN of Massachusetts Institute of Technology is to assist in the fog flying experiments being conducted at Mitchel Field, by Lieut. James H. Doolittle for the Guggenheim Fund.

JACK EULER, former mail pilot, has become chief instructor at the Dycer Airport flying school, Los Angeles. A total of 135 students are taking time.

D. B. COLYER has been named vice president in charge of operations for Boeing Air Transport, according to an announcement by P. G. Johnson, president of the firm. Mr. Colyer, a veteran in air mail work, succeeds the late Edward Hubbard.

HUGH C. WHITE, former aviation editor of the Detroit *Free Press*, has been appointed manager of the aeronautical division of the Truscon Steel Co., Youngstown, Pa.

CAPT. EDDIE V. RICKENBACKER, war ace, has been named vice chairman of the National Defense Committee, Michigan Department of the American Legion. Mr. Rickenbacker will direct aeronautical affairs.

Rankin Offering Installment Plan

PORTLAND, ORE.—A plan similar to that used in selling automobiles has been inaugurated by the Rankin Flying Service, according to an announcement by Tex Rankin, head of the company. Arrangements have been made with two Portland finance companies to handle the deferred paper and insurance costs under the plan. Down payments will be from 30 to 50 per cent. of the total cost of the plane, Rankin said. The remainder of the purchase price will be paid in 10 or 12 monthly installments.

Black & Bigelow Expands

NEW YORK, N. Y.—Creation of an airports division is announced by Black & Bigelow, Inc., air transport engineers of this city. Increasing volume of airports work, the firm reports, necessitates the move. Black & Bigelow was recently awarded the contract for the Central Airport to serve Philadelphia and Camden, N. J., and is also handling site selection and field design work for Aviation Country Clubs, the national flying club organization.

Trade Tips

It Has Been Reported That—

—The Southern Aeronautical Service, Inc., New Orleans, La., will let the contract about March 1 for one $80,000 hangar and several additional individual ones. Robert H. Polk, 601-9 Audubon Building, is an officer of the firm.

—Oscar Johnson is about to erect a 55 by 57 hangar, to cost about $17,000, at Anglum, Mo.

—A hangar, repair shop, office, and sleeping quarters are to be constructed at the airport near Laredo, Tex. M. W. Brenham is chairman of the city airport committee, which is now arranging the plans.

—The Commercial Aircraft Corp. is planning the erection of a factory at the Metropolitan Airport, near Burbank, Calif., on a five acre site which has been secured. M. W. Griffith of Altadena, Calif., is president of the company, while Arthur B. Green is general manager.

—Bids will be taken early in spring for the first unit of airport improvements to be made at the field near Bridgetown, Mo., by the Board of Public Service, City Hall. St. Louis. Besides betterment of the ground and installation of floodlights, an administration building and 120 by 180 ft. hangar will be constructed. Total improvements are expected to cost $2,000,000.

—Expenditure of $200,000 in improvements at Edwards Field, Main Street near Bray's Bridge, Houston, Tex., is planned by the newly-organized Houston Aerial Transportation Corp. W. L. Edwards, 1811 Binz Street, is an officer of the new firm, which is reported to be capitalized at $1,000,000.

—W. Wallace McKaig, of McKaig's Cumberland, Md., states that the firm wishes to purchase a airplane, the outstanding characteristics of which are "fool-proofness, stability and low landing speed." A two place plane is desired.

To Study China Air Situation

NEW YORK, N. Y.—E. P. Goodrich, architect of this city, will leave February 2 for China for a survey of the aviation situation in that country. He is interested in airways and airports development and airplane sales. The results of his study will be announced in July following his return here.

U. of V. Opens Aero Course

BURLINGTON, VT.—A course in aerodynamics is now offered here at the University of Vermont under the department of mechanical engineering. Vollie R. Yates, assistant professor of mechanical engineering, is in charge.

AIRPORTS AND AIRLINES

Winnipeg-Omaha Service to Open

International Airways of Seattle Will Operate Over Route Tri-Weekly

SIOUX CITY, IA.—Operation of an air mail, passenger and express line from Winnipeg, Canada, to Omaha, that will make regular stops at Sioux City, will be started before the end of February.

The line will be operated by the International Airways, Inc., of Seattle, Chris. Larsen, Jr., secretary of the Chamber of Commerce, announced. The information was contained in a letter received by R. W. Tackaberry, general secretary of the Chamber, from Ben Lawshe, secretary of the Sioux Falls Chamber of Commerce, who has been working with civic organizations here and in other cities along the line, in obtaining the service.

It is probable that it will be started as a tri-weekly service, and increased to daily, if the business warrants. Stops will be made at Sioux City, Sioux Falls, Watertown and Fargo. A branch line will be started from either Watertown or Fargo, to connect with the Twin Cities. Schedule of the line has not been arranged as yet.

At Winnipeg the line will connect with the Western Canada Airways, Inc., line at Omaha, with the regular transcontinental air mail planes. Inauguration of this service is the direct result of the work accomplished by an organization formed several months ago at Omaha, in which Sioux City business interests were included.

Gets Option at Green Bay

GREEN BAY, WIS.—The Brown County Park Commission has secured an option on the Blesch property, now operated as an airport under the name of the Brown County Airport, Inc., which gives the county the privilege of using it on a rental basis for a period of time, with a right to purchase it later, it was announced recently by Wenzel Wiesner, chairman of the commission.

National System Leases Tract

CANTON, ILL.—S. F. Tannus, president of National Airwys System, Inc., has signed a lease for 50 acres of land owned by W. W. Young, lying two miles west of here. Mr. Tannus plans to establish a school of instruction on the site.

Record Mail Load Claimed

TOLEDO, O.—Air mail load records in the United States were reported broken on January 19 when 28 planes carried away 700,000 air mail letters addressed by the Willys-Overland Co., automobile manufacturer, to persons in 6,000 cities and villages in all of the 48 states. Each letter was to reach its destination even in the most remote cross-road hamlet within 48 hr. The airplanes covered 11,000 mi. of charted air routes of the United States, landing at 108 different airports.

Pickwick Tests Bach For Passenger Line

LOS ANGELES, CALIF.—Following recent test flights conducted by Capt. William Frye, flying a tri-engined Bach Transport, the Pickwick Airways, Inc., has announced the early inauguration of a passenger service over the San Francisco-Los Angeles-San Diego route. This line will be extended to El Paso, Tex., and on to Chicago, it is said, as soon as sufficient equipment can be obtained.

On the recent flight Captain Frye flew the plane to San Francisco and back to Los Angeles with an average cruising speed of 125 m. p. h., nine passengers and two pilots being carried.

The Bach Transport is a 10 place plane powered with a Pratt & Whitney Hornet in the nose and with a 150 hp. Comet engine in each outboard nacelle. Passenger accommodations include a smoking compartment, lavatory and hot and cold running water.

Williston, N. D., Plans Hangar

WILLISTON, N. D.—Material is on the ground for the immediate construction of a double hangar on the municipal airport here. The Murphy Construction Co. has the contract and expects to finish the work shortly. E. M. Canfield, who operates a flying school and air taxi here, will lease the building and make it his permanent headquarters. He will have a licensed pilot on the field to service visiting planes and will carry a stock of airplane parts.

Permit for Fisk Hangar

SPRINGFIELD, MASS.—A building permit to construct a hangar at Fisk Park Airport here has been granted the Springfield Airport Corp. The structure, to be 126 by 138 ft. and of steel construction, will cost about $10,000, it is estimated. Burton Edward Geckler is the architect.

Gulf Airlines Extends Service to Houston

NEW ORLEANS, LA.—Gulf Airlines, Inc., formerly known as the St. Tammany Gulf Coast Airways, Inc., has extended its Atlanta-New Orleans mail and passenger service to Houston, Tex., by way of Beaumont. Extension of this line further to connect with the Mexico City air mail planes at Brownsville is contemplated if the present route of the Mexican planes to Laredo over high mountains proves impracticable.

Gulf Airlines planes, Fokker Super-Universals, operate six days of the week. They leave Houston at 8.45 A. M., Beaumont at 9.40 A. M., New Orleans at 1 P. M., Mobile at 2.35 P. M., Birmingham at 7.10 P. M., and arrive at Atlanta at 6.30 P. M. The return trip leaves Atlanta at 5.30 A. M., Birmingham at 7.10 A. M., Mobile at 9.30 A. M., New Orleans at 11.30 A. M., Beaumont at 2.25 P. M. and arrives at Houston at 3.15 P. M.

The officers are: President, George Williams; vice-president, Leslie L. Watson; secretary-treasurer, Esmond Phelps; general manager, W. N. DeWald; traffic manager, V. F. Grima. The company uses the following fields: New Orleans, Alvin Callender Field; Mobile, municipal airport; Birmingham, Roberts Field; Atlanta, Candler Field; Beaumont, municipal airport; Houston, Houston Airport.

Ford Airport Assigned As Aerological Station

DETROIT, MICH.—A weather Bureau aerological station, one of 42 such stations established by the United States Department of Agriculture, has been placed at Ford Airport. Observations of the upper air will be taken daily at 7 A. M. and at 1 P. M.

The station has been erected atop one of the airport hangers, and is in charge of D. S. Post, a graduate of the U. S. Naval Aerological School at Anacostia, D. C. Mr. Post is assisted by H. B. Duckworth, a transport pilot, employed by the Ford Motor Co.

The new Government station offers a decided advantage to the Stout Air Services, Inc., operators of the Detroit-Chicago and Detroit-Cleveland air passenger line.

Buckeye Airways Plans Field

COLUMBUS, O.—An additional airport has been promised for Columbus by Buckeye Airways, Inc., operator of a student training school. Buckeye Airways has secured a long term lease for Clickenger Field, a 118 acre tract southeast of the city, where the firm will erect a hangar and install equipment.

Big Universal Hangar Started at Cleveland

CLEVELAND, O.—Construction has started on the new hangar of the Universal Air Lines system at Brookpark Airport here, which will be one of the largest in the country. The building is to be 140 ft. by 110 ft. and the walls will be gray face brick inside and out, trimmed with stone. The roof will be an innovation for the Cleveland field, being made of aluminum, which will give it a high visibility from the air.

Special attention has been paid to the comfort of passengers and visitors at the field. On the first floor a room 40 by 30 ft. will be equipped with easy chairs, a huge fireplace and plate glass windows overlooking the field. At each end of the building on the second floor there will be observation porches.

A. R. Bone, division traffic manager, announced that the contract for the construction of the hangar had been let to the Matheny Construction Co. The architects are Calsch & Hefler. The Spohn Heating and Ventilating Co., Ward & Talbot, plumbers, and the Parker Electric Co. are sub-contractors.

Butte, Mont., Chosen For Operating Base

MISSOULA, MONT.—The National Parks Airway, Inc., operator of mail and passenger planes between Great Falls and Salt Lake City, has announced that Butte will be made the central base of operations. Capt. Herbert Marsh, operating superintendent for the company at Great Falls, states the construction of a large hangar and terminal shops in Butte and moving of the terminal point there from Salt Lake will be accomplished soon.

The reason for change in terminals, according to Captain Marsh, is that it will give service to all parts of Montana and will facilitate the establishment of branches. The ultimate object of the company is to make Montana the center of its operation headquarters. It is believed that this will put Missoula in line for air passenger service in the near future.

Forty Attend Two-Day Flying School in Texas

FORT WORTH, TEX.—The two-day flying school conducted by the T. A. T. Flying School in Fort Worth January 14-15 attracted an attendance of approximately 40. The school was for Chamber of Commerce secretaries and newspaper reporters of Texas.

Object of the school was to familiarize the men with aeronautical nomenclature. Lectures were given by Jerry Marshall, manager of the flying school; Tom Hardin, general manager of Texas Air Transport, Inc., and D. S. Landis, federal weather observer in Fort Worth.

Short hops were made the opening day with each of the students.

To Spend Year On Flying Tour

LOS ANGELES, CALIF.—One of the longest air tours ever conducted within the United States by a private individual is scheduled to start from Los Angeles when Harry H. Culver, president elect of the National Association of Real Estate Boards, takes off in his own cabin plane on a tour of 650 American cities, the trip to require the entire year of 1929. The plane will be piloted by Lieut. E. R. Dickson.

Airvia to Provide Air Passengers Service

WICHITA, KAN.—Airvia, Inc., just granted a charter to do business as a concern offering air passenger service over the principal airlines of this country, is opening national headquarters in Wichita. B. E. Moses, secretary-treasurer and general manager, says he has completed arrangements with 23 of the leading operators of air passenger lines whereby his organization can sell through passenger tickets to practically every city in America.

J. M. Dunn of Kansas City is president of the concern, George H. Bruce, Wichita oil man, is vice-president, and C. V. Snyder, Henry Rosenthal and George L. Bennett of Kansas City, are directors. At the outset the company will be represented at the airports and leading hotels of New York City, Los Angeles, Philadelphia, Washington, St. Louis, Kansas City, Milwaukee, an Cincinnati.

Greenwood Aero Club Promotes New Airport

GREENWOOD, MISS.—A new field is being provided here through the efforts of the local aviation club, a chapter of the N.A.A. The county supervisors bought the tract for $40,000 and extensive improvements, including marking, tile drains and hangars are to be installed.

The Aero Club has 40 members, 35 of whom have been taking instruction at the old field and 19 have received Private Pilot licenses. It has been using a field 1,000 ft. long and 250 ft. wide as compared with the new field, which includes 164 acres with two runways, each 3100 ft. long and 500 ft. wide.

Continental Service Opened

LOUISVILLE, KY.—Air express service between Cleveland and this city has just been inaugurated for daily service each way by Continental Air Lines, Inc., which holds this contract with the American Express Co. Stops between the two cities include Akron, Columbus, Dayton, and Cincinnati.

Ten Holmes Airport Directors Announced

NEW YORK, N. Y.—Ten of the board of 15 directors being organized to head the Holmes Airport project in Queens County have been announced by E. H. Holmes, originator of the project. Five other names will be announced soon, it is said.

The board at present includes, besides Mr. Holmes, Robert Adamson, vice-president of the Bank of the United States; Stuard Hirshman, real estate owner; Alexander Klemin, Guggenheim School of Aeronautics of New York University; Robert W. Higbie, president of the Long Island Finance Corp.; Edward F. Glacken, president of the Rugby National Bank; W. B. Harrison, president of the Union National Bank of Wichita, Kan., and director in the Cessna and Swallow companies; former Senator Clarence Wolfe of Philadelphia, vice-president and director of the Hercules Cement Co.; W. J. Zucker of Chicago, vice-president and director of the Stewart Speedometer Corp.; and Ray Palmer, director North American Water Works Corp.

Seek Mail Connections

The Holmes tract includes 220 acres between Northern Boulevard and Astoria Ave. west of Jackson Heights in Queens. The promoters have been negotiating with the Post Office Department relative to air mail connections with no decision announced as yet. An addition of about 80 acres more is expected soon.

Unique Beacon

This novel beacon, in use at the Cleveland Airport, was designed by the National Lamp Works of the General Electric Co. Fliers are guided by its rotating fan of light, while a red beam opposite each white one identifies the Cleveland Municipal Airport.

Planning Texas Passenger Line

Texas Air Transport, Carrying Mail Now, to Expand as Equipment Arrives

FORT WORTH, TEX.—Plans for inaugurating air passenger service over eight different routes in Texas have been announced by Tom Hardin, general manager of Texas Air Transport, Inc., operator of two South Texas air mail routes. Service on the new lines will be instituted as soon and as fast as equipment can be received, Mr. Hardin stated. Travel Air cabin planes powered with Wright J-6 engines are to be used.

E. G. "Swede" Rhenstrom has been named manager of operations for the passenger lines. Rhenstorm was formerly with the Fairchild company.

Service Along Mail Points

Two of the lines will follow the regular air mail routes, although different passenger and mail schedules will be worked out. One of these routes is from Fort Worth and Dallas to Waco, Austin, San Antonio and Laredo. The other is from Fort Worth and Dallas to Waco, Houston and Galveston.

The other six lines will be between Fort Worth, Dallas and El Paso; Fort Worth, Dallas, Wichita Falls and Amarillo; Fort Worth and Dallas to Texarkana; Amarilla to San Antonio; San Antonio to Houston; and San Antonio to Brownsville, Tex. Intermediate stops, to be designated on several routes, have not been worked out. First of the lines probably will start operations within from 30 to 60 days depending on delivery of equipment. Headquarters of the firm is located in Fort Worth. Plans are being formed for establishing parts depots, air taxi service, and eventually training schools at the largest termini on the passenger lines.

Orders 15 Travel Airs

The largest single fly-away order for airplanes ever received in Wichita went on the books of Travel Air Manufacturing Company January 18 when Mr. Hardin bought 15 cabin monoplanes of a value of $13,500 each and ordered immediate delivery of 10 biplanes. The transports will be used on the mail line that hooks National Air Transport with the Mexican national air mail system, between Fort Worth and Laredo.

Texas Air Transport, operating at Fort Worth, was merged the first of the year with Travel Airways of Dallas, the latter Texas sales agent for the Wichita company. The 10 biplanes go to the Dallas sales rooms, the monoplanes directly into service, carrying mail.

Mr. Hardin, vice president of the Texas company, left Wichita January 19 in the first monoplane of the 15 ordered.

Plane Stewards Universal Plan

MINNEAPOLIS, MINN.—Establishment of steward service on planes operating over the Twin Cities-Chicago division of Universal Air Lines, was announced recently by Paul Goldsborough, vice-president of Universal Aviation Corp., in charge of the division. E. A. Monteron, Filipino member of the Army air service during the war, will act as steward.

Wichita Has $104,000 To Start Field Work

WICHITA, KAN.—A total of $104,000 already has been made available by the city commission of Wichita for initial work on the new 640-acre airport here. More than $250,000 is to be spent on improvements.

A $65,000 hangar is to be erected first, to be followed by a two-story administration building to cost $70,000. The hangar, of cantilever roof construction, will accommodate four tri-engined planes of 90 ft. wing spread and 15 smaller planes. It will be 270 by 102 ft. The administration building will house all offices and laboratories.

More than $20,000 will be spent in lighting the field. This work will be completed by May when Transcontinental Air Transport, National Air Transport and Western Air Express, will require use of the field. Lanscaping will cost $20,000.

There will be five runways, the shortest to be 3,600 ft. and the longest 4,800 ft. Landings and take-offs will be possible in all directions. All of the Wichita factories, it is said, will have space on the airport, with many private hangars and sales buildings.

U.S.-Mexico Mail Rate Cut

WASHINGTON, D. C.—The domestic air mail rate of five cents for the first ounce and 10 cents for each ounce thereafter has been made applicable for air mail exchanged between this country and Mexico, the Post Office Department recently announced. The rate has been 20 cents an ounce. The Mexican domestic rate is to apply, also, for air mail posted in that country and addressed to points in the United States.

Yuma to Vote on Air Bonds

YUMA, ARIZ.—The Yuma County Board of Supervisors has called a bond election for February 26, to vote on a $25,000 issue for the improvement of Fly Field here. Hangars, oiled runways, and a deep well are part of the contemplated additions to the equipment. The Government has undertaken to install radio and meteorological apparatus.

Medford, Ore., Plans To Complete Airport

MEDFORD, Ore.—With the state supreme court upholding the validity of municipal bonds for airports, Medford is going ahead with its plans for a $110,000 airport three miles from the business district, which must be completed by June 1 when coastwise night air mail flying is inaugurated. Standards set by the Government for illuminated fields will be met.

The field will be a mile long and a half mile wide with main runways hard-surfaced and planes able to land in any direction. One hangar will be erected by the city and another by private parties with other equipment to be installed by Pacific Air Transport.

An administration building will house Department of Commerce officials and the weather bureau. Radio towers 128 ft. high will be installed by the Department one-half mile from the field. Plans include a building for a restaurant, comfort stations, fire station, and possibly a supply store. The airport is in charge of a committee from the local Chamber of Commerce, which has studied airports at Portland, Oakland, San Francisco and Los Angeles.

To Dedicate Glendale Airport February 17

GLENDALE, CALIF.—Formal dedication of the Grand Central Air Terminal, now under development at Glendale by C. C. Spicer, has been set for February 17, according to a recent announcement.

Two concrete runways will be placed in service at that time and the public will be permitted to inspect the Maddux hangars, which measure 130 by 400 ft., and the administration building for the new airport and for Maddux airlines, a building approximately 100 by 200 ft. in size.

A program of exhibition flying will include Army and Navy squadrons, flights by the California National Guard squadron, and a formation flight of 15 three-engined Ford cabin planes, among which will be at least three of the latest Wasp engined, 16 passenger Fords.

Needles, Calif., Gets Field

NEEDLES, CALIF.—A privately owned airport for Needles has been established by four local airminded business men. The landing field has a total of 320 acres, but only 60 have been cleared and levelled. It is located one mile south of Needles on the National Old Trails road. Prevailing wind is northeast-southwest. "Needles," in 20 ft. black letters, is marked on the white roof of the Standard Oil warehouse, east of town. A wind sock is the only permanent equipment at the field as yet. As soon as the plane "sits down," however, a gas and oil service car speeds to the field. If a pilot circles over Needles at night, flares will be placed.

FOREIGN ACTIVITIES

New German Dirigible Plans Given Approval

BERLIN, GERMANY.—The plans for the new German dirigible, which have been under consideration some time, have been approved by the Zeppelin concern. A larger hangar to accommodate the new construction is to be built for occupancy in the Fall on the site of the two present hangars, which will be razed at once.

Some of the reported characteristics of this proposed ocean passenger Zeppelin are: Length, 237 m. (same as Graf Zeppelin); diameter increased to 38 m., giving 150,000 cu. m. capacity; five 1,000-hp. engines, each fitted with tractor and pusher propellers; only four engine gondolas, if possible; cells for lifting and fuel gas arranged as in previous ships; covering of linen, and reserve steering cabin.

Particular attention is to be given to the passenger quarters which will be completely rearranged according to experience gleaned from the Graf Zeppelin and an inspection of the English R-100. All passenger quarters are to be arranged in such a way as to give as clear a view in all directions as possible, the idea of a promenade deck similar to the English scheme having been abandoned.

An appropriation of $480,000 for beginning the construction of the new dirigible has been approved by the Federal Council. The Reichstag is said to be cooperating with the Zeppelin concern in the financing of the project.

Rule on Smoking in Planes

LONDON, ENGLAND.—Smoking in passenger planes in Great Britain and Northern Ireland may or may not be indulged in, according to the wishes of the operator of the air line. It is automatically prohibited in some type planes by the specifications contained in the airworthiness certificate. In any case, smoking is allowed only if the operator displays a sign announcing permission.

Turkey Orders French Planes

PARIS, FRANCE—The Turkish Government has just concluded a contract with the Morane-Saulnier Plane Co. for 25 military planes to cost about $240,000. An order for 30 commercial and training planes, expected to be placed with French interests also, is reported to be pending.

Canada Has Helium

MONTREAL, CANADA—Resources of helium gas sufficient to fill the world's dirigibles for years to come may be had in Canada, according to a bulletin issued here by the Department of Colonization and Development of the Canadian Pacific Railway. It is estimated that about 15,000,000 cu. ft. of helium is available in the natural gas deposits at Bow Island, Alberta, which can be produced at a cost of about 25 cents per cubic foot. Gas wells at Inglewood, Ontario, furthermore, are capable of producing 100,000 cu. ft. annual for an indefinite period. The Dominion Government owns the deposits.

Trans-Ocean Airlines Planned by Germans

BERLIN, GERMANY—Luft Hansa reports plans to open regular trans-Atlantic service in May to Buenos Aires and before the end of this year to a point on the North American continent, using at first three Rohrbach Romar flying boats to be supplemented later by Dornier and Junkers machines.

Three huge boats are being given rigid tests under severe conditions in the Baltic Sea and one later will be taken to Iceland for further trials. Early in the spring the planes are to be flown to Rio de Janeiro and Buenos Aires by way of the Azores and Cape Verde Island and thence to Bermuda, New York, Azores, Hamburg, and back to this city.

Dominion Craft Totalled

OTTAWA, Canada.—On Jan. 1, 1929, there were 333 airplanes in operation in Canada, more than three times the total of 101 on the same date a year ago. Of these, 246 are commercial planes and 87 government craft. Airports in Canada have increased from 25 to 44 in the past year, the number of licensed commercial pilots has increased from 40 to 190.

Vote Hamburg Improvements

HAMBURG, GERMANY—The Hamburg airport is to be improved and a fund of more than $75,000 has been made available for the work. The changes include drainage, regrading, resurfacing and extension of the concrete surfaces.

To Open Bolivian Line

LA PAZ, BOLIVIA—Air mail service between Cobija and Riberalta, in the northeast section of the country, is to be opened soon.

Hawaiian Airline To Link Islands

Capt. Lowell Smith Announces He Will Manage Commercial System

HONOLULU, HAWAII.—An airline to link Oahu, Maui and Hawaii islands of the Hawaiian group is being planned. Capt. Lowell Smith, only member of the World Flight still in the Air Corps and now stationed at Wheeler Field, is planning to secure a year's leave of absence to serve as manager of the proposed line. It is intimated he may resign from the Army at the end of his leave if the project is successful.

Col. Perry Myers Smoot, chairman of the Territorial Aeronautical Commission, is now on the West Coast making a study of all recognized airports between San Diego and Seattle relative to building a commercial system in Hawaii. Most of the fields in the chain will be built on coral reefs or volcanic rock, as all fertile land is needed for cultivation. Colonel Smoot is making the tour in a Fokker Super-Universal piloted by Lieut. Paul Richter, Jr., of the Aero Corporation of Calif.

It was stated that five modern airports and six emergency fields are now under construction, $300,000 having been spent on this work during 1928. An appropriation of $500,000 for 1929 is to be asked of the next legislature. Because of the slow transportation afforded by small interisland steamers, Hawaii is said to be an exceedingly fertile field for the immediate development of commercial aviation in all phases.

Schneider Pilots Named

PARIS, FRANCE.—Two civilian pilots, Sadi Lecointe and Fernand Lasne, and two miltary pilots, Lieut. Louis Demougeot and Adjt. Florentine Bonnet, have been selected to fly French entries in the Schneider Cup Race. They are now in training and construction has been started on the four racing seaplanes to be used.

Fast Rescue Boat Planned

LONDON, ENGLAND.—A fast lifeboat, capable of a speed of about 20 m.p.h., is to be kept in readiness to rush to the aid of passenger planes forced down in the English Channel. Its special equipment includes a wireless telephone. The craft is to be stationed at Dover on the airway to the continent.

BUYER'S LOG BOOK

Millers Falls Valve Kits

THE MOTOR Service Kit No. 50, manufactured by the Millers Falls Co., Millers Falls, Mass., is made especially for valve grinding and carbon removing and includes the patented universal centering attachment and the No. 414 Electric Drill. The box is made of heavy pressed steel, and tools arranged to make it well balanced for carrying. The total weight is 32 lb.

The No. 50 Motor Service Kit.

This set contains two carbon cleaning brushes; 5/16 in. and 3/8 in. valve guide cleaning brushes; 4 in. wire wheel brush; hand brush; centering attachment complete with centering bar; 5/16 in., 11/32 in. and 3/8 in. pilots; "T" wrench; ball point; grinding wheel adapter; 1⅝ in., 1¼ in., and 2 in. grinding wheels; wheel truing mandrel; 45 deg. master reamer; 15 deg. and 75 deg narrowing reamers; grinding wheel, 4x½x½; arbor; bench stand, and No. 414-¼ in. electric drill.

The Motor Service Kit No. 25 is similar to No. 50 but without the No. 414 electric drill and the No. 1014 bench stand. The weight of this set is 20 lb.

Improved Welding Gloves

GAUNTLET GLOVES of a soft and pliable suede leather, specially treated to prevent heat from affecting it, to supersede the horsehide gloves formerly supplied, are announced by the Oxweld Acetylene Co., 30 East 42nd St., New York City.

A leather strip on the thumb seam and a semi-circular reinforcement on the inside seam adjoining the palm reinforce the glove. The left glove has a leather reinforcement, covering the entire back between the fingers and gauntlet, for protecting the back of the left hand during cutting operations. A close fitting gauntlet adequately protects the arms. The reinforcements make them very durable.

"Jack Frost" Goggles

TWO NEW types of goggles are now being manufactured by the Beck Distributing Corp., 68-70-72 East 131st St., New York City.

The Jack Frost "Navigator" is the same as the Lamoglas "Navigator" goggle excepting that there is a lining of chamois under the rubber mask for warmth. This lining extends to the tip of the nose.

The Jack Frost "Seesall" is the same as the Seesall goggle excepting that here, too, a warm chamois lining is placed beneath the rubber mask. A special model with tinted lenses is particularly suitable for flying over snow-covered country.

SIDE SLIPS

By Robert R. Osborn.

Someone sent us a clipping from the Philadelphia *Public Ledger* which shows that the old Philadelphia conservatism is still operating. The news article states that Dr. Hugo Eckener spoke very favorably of that city as a possible airport for future Zeppelin Atlantic service, and with this in mind the city fathers were not going to consider any field for the municipal airport which wasn't at least 4,000 *sq. ft. in area.* As the Graf Zeppelin, which Dr. Eckener found to be too small and suitable for training purposes only, covers an area of 65,000 sq. ft. approximately, we think that 4,000 sq. ft. should be the absolute minimum.

* * *

Mr. R. A. R. of Amsterdam, New York, sends in a picture from a local newspaper showing the operation of *"Defueling* the Question Mark and Its Crew" with the request that we explain just how that is done. Mr. R. A. R. probably remembers the old story about the man who put so many gas savers on his car that he had to stop every once in a while to siphon out the excess gasoline which accumulated. That's one possible solution of the "defueling" of the Question Mark but we haven't the slightest clue as to why defueling should be necessary for the crew.

* * *

The contributors seem to be running the column for us this week, which is a condition highly to be desired by any columnist, and probably desired by most of the readers. Mr. H. J. J. of Gloucester, Mass., mails in an interesting clipping from the New York *World*. Under the headlines "Stillman Plane Near Crash on L. I. When Take-Off Fails, Hempstead Watchers Get Shower of Gasoline as Pilot of Panama-Bound Plane Dumps Fuel," we find the statement "The North Star shot up to an altitude of about 200 ft. and headed over Hempstead for Atlantic City. Then the tachometer, which measures velocity changes, got bearish and dropped from 1,800 to 900 degrees."

The rest of the article states that no one could understand just what was the matter with the engine, but we think the headline explains it all very well. In our experience, whenever a plane gets "Panama-Bound," probably caused by the cold weather, the tachometer always falls off 500 to 1,000 degrees.

* * *

Mr. H. H. J. of Kansas City, Mo., calls our attention to the following item: "The growth of the airplane industry and flying has opened up two new avenues of fraud for racketeers, according to complaints filed here this week with C. E. Fleming, division traffic manager of the Transcontinental Air Transport, Inc., and Robert M. Burtt, aviation director of the Chamber of Commerce. One scheme is for imposters to use a flier's helmet and goggles to convince hotels he is a mail pilot and then leaving without paying his bill. The other is the selling of flying courses in small towns."

The Intrepid Aviator says that this news shows just how commonplace this flying business is getting to be, as he recalled, with tears in his eyes, the dear dead days when any aviator would be highly insulted if anyone asked him to pay for anything. Incidentally he asked us to withdraw the previously published offer of his to trade the cheap helmets and goggles he got for Christmas. He says that if he can get a week's board at a good hotel with each pair, he will have use for them.

PIONEER INSTRUMENTS
ARE STANDARD EQUIPMENT ON
STEARMAN AIRCRAFT

A STEARMAN IN FLIGHT OVER KANSAS

PASSENGER'S INSTRUMENT BOARD

PILOT'S INSTRUMENT BOARD

THE instrument boards here shown—a good example of adequate equipment—are a Pioneer installation on R. C. Durant's Stearman.

Excellent workmanship is characteristic of Stearman Aircraft. This is demonstrated by the Stearman record in commercial work—as well as by the satisfaction Stearman Airplanes have given a long list of wealthy owners well versed in aviation.

The Pioneer Instruments and equipment named below are standard equipment on all Stearman Airplanes.

Descriptive folders on request.

AIR SPEED INDICATOR · MAGNETIC COMPASS · STRAINER · ALTIMETER · TACHOMETER

PIONEER INSTRUMENT COMPANY
754 LEXINGTON AVE. BROOKLYN NEW YORK

THANK YOU *for mentioning* AVIATION

The "Question Mark"

P & A Photos

During the record breaking flight of the "Question Mark", more than 22 tons of gas, oil, food and supplies were transferred from a supply ship flying above.

Five men who have made aviation history. Left to right—Joe Nickrent of the National Air Association, official starter of the "Question Mark", shaking hands with Major Carl Spatz; Captain Ira Eaker; Lieutenant H. A. Halverson; Lieutenant Elwood Quesada; Sergeant Roy W. Hooe.

with PENNZOIL *in the* Motors shatters all sustained-flight Records

Over 6 days in the air—more than 150 hours—11,500 miles—42,522,000 engine revolutions—and safe lubrication.

Just before taking off. The tank truck has delivered its precious load of Pennzoil to assure safe lubrication for the three Wright Whirlwind Engines.

FIVE modest Army airmen, with hearts of steel, have done the most stupendous thing in aviation history.

Their spectacular feat is without a parallel. It turns to facts the things which yesterday were only dreams.

The history making flight of the "Question Mark" has definitely proved three things for aviation.

—that re-fueling and re-oiling in the air are entirely practical
—that minor motor adjustments can be made while a plane is in full flight
—that proper lubrication, with the best motor oil, increases tremendously the flying hours of the motor.

It was natural that Pennzoil was chosen to lubricate the motors of the "Question Mark"—the same oil that had kept the Bellanca plane "Columbia" in the air for a previous endurance record—the same oil that had taken Chamberlin to Germany—the same oil that carried Goebel-Tucker, Collyer-Tucker and Kelly-Macready on the only three successful non-stop flights across the country—the same oil that took Wilkins safely over the North Pole.

And this same Pennzoil is reducing costs, increasing flying hours and building profits for hundreds of planes in daily commercial service all over the country.

Pennzoil is 100% Pennsylvania Oil refined to perfection in the finished product. There is no better oil.

THE PENNZOIL COMPANY · ***Oil City, Pennsylvania; Los Angeles, California***

SUPREME PENNSYLVANIA QUALITY

PENNZOIL

SAFE LUBRICATION

REG. U.S. PAT. OFF.

THE BELLANCA CH — FIRST IN EFFICIENCY

Unequalled for Air Transport

BIG BUSINESS demands the maximum speed in the race for supremacy. Air Transport ties up the far flung outposts of great corporations into compact, swiftly functioning units.

By winning 4 annual American efficiency contests, including 1928; by a world's distance record in 1927, and many notable endurance flights, Bellancas have established an unsurpassed record for sterling performance under all conditions.



Design and construction have built into Bellancas the qualities of stability, sturdiness and ease of control which have made them at home in the air. It was said of Lincoln Beachey that he could fly a motored barn door but one does not need the skill of a Beachey to navigate a Bellanca.

The Bellanca plant is being enlarged to meet the demand for the Bellanca CH, a cabin ship with a Wright Whirlwind motor, carrying six persons at 128 miles per hour.

Illustrated Booklet Mailed on Request

BELLANCA AIRCRAFT CORPORATION
New Castle, Delaware

Flight of the "?"

Greatest demonstration of stamina in the air

SCINTILLA Aircraft Magnetos

produced 376,650,000 sparks

during nearly a week in the air

BY RE-FUELING in mid-air, the tri-motored Army Plane "Question Mark" recently set a record for sustained flight of 150 hours. The Fokker-Wright-Scintilla combination emphasized more than ever the meaning of the word "dependability." In addition to their reliability, Scintilla Magnetos are simple in construction and accessible for inspection and adjustment.

These characteristics apply to every type and size of Scintilla Magneto.

The record of the grueling flight of the "Question Mark" speaks convincingly of the thoroughness with which each Scintilla Magneto is inspected and tested before it leaves the plant.



The Wright Whirlwind, three of which carried the "Question Mark" to its epochal record of 150 hours. Scintilla Magnetos are standard on every class of Wright Engine.

SCINTILLA MAGNETO CO. INC.
SIDNEY – NEW YORK
Contractors to the U.S. Army and Navy

ENDURANCE

The famous NA-T4 aircraft carburetor used by the "Question Mark."

When the now famous "Question Mark" broke all records for continuous flying—Stromberg did its share to make that achievement possible.

"The Stromberg carburetors functioned perfectly—hardly any wear apparent," the crew reported.

Needless to say, we are proud of the part Stromberg played in this latest of endurance tests. For the aviation world this new record opens tremendous possibilities. To us, it corroborates the proof established by Lindbergh, Chamberlin, Byrd, and countless others—that our policy of building into our product the greatest possible degree of perfection, is the right one.

We aim to build into every Stromberg carburetor, whether it be for record flights, special service, or every-day flying usage, the same dependability of performance, efficiency of operation, the same ENDURANCE that has been demonstrated so remarkably by the flight of the "Question Mark."

W R O'Neill

VICE-PRESIDENT

Stromberg carburetors are used as standard equipment by:

U. S. Army
U. S. Navy
U. S. Marine Corps
Aircraft Engine Co.
Allison Engineering Co.
Axleson Machine Co.
Curtiss Aeroplane & Motor Co.
Fairchild Caminez Engine Co.
Kinner Aeroplane & Motor Co.
Packard Motor Car Co.
Pratt & Whitney Aircraft Co.
Warner Aircraft Co.
Wright Aeronautical Corp.

STROMBERG MOTOR DEVICES CO., 58-68 E. 25th ST., CHICAGO

OVER HALF A MILLION MILES

S-29

— and

Still Flying!

A Remarkable Record

1924—S-29 was built and was the first large commercial transport plane in the United States.

1925—Carried two baby grand pianos and six passengers from New York to Washington, D. C.

First successful radio broadcasting from the air made from this plane.

Carried fourteen passengers from New York to Yorktown, Va. and return.

1926—Made advertising trips over most of the area east of Mississipi River. Voice amplification from air first accomplished from S-29.

1927—Traveled as first flying cigar store.

1928—Acting the part of a German bomber for the movies in California.

1929—Still flying for the movies.

ABOVE is shown the famous Sikorsky S-29, of *fabric-covered all-metal Sikorsky construction,* which was built in 1924. This remarkable plane has flown more than 500,000 miles in the last five years and is still in active service.

The latest product of Sikorsky—the Sikorsky Amphibion S-38, which is pictured below—is of similar, but improved Sikorsky construction.

There could be no more conclusive evidence of the amazing qualities of endurance which are built into the Sikorsky planes.

SIKORSKY AMPHIBION



S-38

Illustrated literature upon request

CURTISS FLYING SERVICE

INCORPORATED

GARDEN CITY ~ NEW YORK

SOLE SALES AGENT IN THE UNITED STATES

Manufactured by the SIKORSKY AVIATION CORPORATION, *College Point, L. I., N. Y.*

the name

ALEXANDER

on an airplane means the same as STERLING on silver

The best testimony we have to offer is our list of hundreds of satisfied customers and our distributor-dealer national sales organization composed of 180 prosperous members.

One distributor informed us that from a bed-rock start he cleared $25,000.00 in nine months. Kysor, a Michigan pilot, formerly without sales experience, now has 11 money-making dealers adding to his own rapidly growing income. Aero Corporation of California in two short years has stretched shoe-string capital into the greatest aircraft distributorship in the world.—And so on through the list.

There will be more profits than ever before for our salesmen in 1929. If you are interested in an EAGLEROCK franchise write or wire—

Dept. 401 ALEXANDER AIRCRAFT CO., Colorado Springs, Colo.

EAGLEROCK

THANK YOU *for mentioning* AVIATION

NEW

"Van Dorn"

Electric Drill at

$25

For POWER specify "Van Dorn"

This new Quarter-Inch Van Dorn Electric Drill is ideal for the tool kits of men who go out on jobs and for a thousand and one odd drilling jobs around the shop.

THE VAN DORN ELECTRIC TOOL CO.
CLEVELAND, OHIO, U. S. A.

THANK YOU *for mentioning* AVIATION

"Aerovel"
for
Cabin
Interiors

◆

A new grouping of mohair fabrics for aeroplane interiors; on display at booth 246, New York Aviation Show.

The Shelton Looms
One Park Avenue
New York, N. Y.

The Keystone "Pirate" Bomber Also Uses Belden Airplane Wire

ON THE KEYSTONE "PIRATE" bombardment plane used by the U. S. Army Air Corps, Belden Wire and Cable is used throughout for ignition, lighting and power systems. Belden Wire is also used for bonding purposes throughout the wings and fuselage to form the antenna system.
The continued leadership of Belden Airplane Wire on so many outstanding planes is significant proof of its great superiority.
Write today for the Belden Aircraft Wire Catalog and complete information about the Belden Aircraft Wire Service.

Belden Manufacturing Co. 2308-B S. Western Ave. Chicago, Illinois

Specify Belden

Write today for the new Belden Aircraft Wire Catalog which tells about the Belden Service for airplane manufacturers

Safer!



A SAFER, more positive terminal—locks by compression—no tensile or torsional strains on the tie rod thread.

Made by
Macwhyte Company,
2907 Fourteenth Avenue,
Kenosha, Wis., *makers of*
Streamline and Round
TIE RODS

MACWHYTE
Safe Lock Terminals for Tie Rods

EXECUTIVE CONNECTION WANTED

Able organizer and administrator. Successful in modern production methods—sales director and personnel management. Knows advertising and merchandising. American—age 35—former pilot—flight leader Royal Air Force—extensive war flying. A man able to assume large responsibilities. An opportunity offering full scope to his initiative and ability is desired. Address Box 1172, Aviation.

In the NATIONAL AIR RACES, September, 1928,

B. G. MICA SPARK PLUGS

again showed their absolute

Reliability of Performance

The Transcontinental Races Classes A, B and C 1st, 2nd and 3rd places.

All the Closed Course Events with air-cooled Whirlwind and Wasp engines.

11 out of 11—1st place
11 out of 11—2nd place
8 out of 9—3rd place

The Mitchell Trophy Race Curtiss D-12 engines—1st and 2nd places.

The Mason M. Patrick Trophy Race Curtiss D-12 engines—1st, 2nd and 3rd places.

ALL WHIRLWIND, WASPS AND HORNETS IN THE TRANSCONTINENTAL NON-STOP RACE WERE EQUIPPED WITH B. G. MICA SPARK PLUGS.

Actual size of the B. G. "Hornet"

The B G Corporation

136 WEST 52ND STREET, NEW YORK, N. Y.



Bakelite Laminated parts used on airplanes made by Consolidated Aircraft Corporation, Buffalo, N. Y.

Bakelite Laminated— for airplane parts—Light— Strong—Non-corrosive

VITAL parts of the standard training planes for both the Army and the Navy are made of Bakelite Laminated. Cable pulleys and guides and wing spar bearing spools must be light but very strong, must resist erosion and corrosion and be non-absorbent. For all of these parts Bakelite Laminated has replaced other materials.

On these same planes the engine mount shims are of Bakelite Laminated because it is not affected by gasoline or oil, and is non-hygroscopic. The properties that make Bakelite Laminated so valuable a material for airplane parts, make it equally desirable for many automotive applications.

Bakelite Laminated is available in sheets, tubes and rods and is sold under the following trade-names:

FIBROC PHENOLITE Spaulding BAKELITE
FORMICA Micarta Textolite Dilecto

Manufacturers are invited to enlist the Cooperation of Bakelite Engineering Service

BAKELITE CORPORATION
247 Park Avenue...New York, N. Y.
Chicago Office...635 W. 22nd Street
BAKELITE CORP. OF CANADA, LTD.
163 Dufferin Street.....Toronto, Ontario

BAKELITE
THE MATERIAL OF A THOUSAND USES



POWERED by VELIE



A rapidly increasing number of airplane manufacturers strongly emphasize the fact that their planes are "Powered by Velie." They know that nothing finer could be said for their ship.

The dependability, economy and unmatched performance of the Velie M5 has been proven and is universally recognized.

The same uncompromising quality—the same thorough precision and the same engineering refinements have been built into the new Velie L9-180 H.P. nine-cylinder radial air-cooled engine.

Leading aeronautical engineers who have severely tested the new Velie L9, and have witnessed its superb performance, enthusiastically proclaim it to be an outstanding achievement in the progress of aviation.

Airplane manufacturers are cordially invited to enquire for further details.

VELIE MOTORS CORPORATION, *Moline, Illinois*

Long Life VELIE

OWNED AND OPERATED BY ITS FOUNDER
... 1908-1928 ...



Airport of Austin design, planned to serve two neighboring cities in Ohio

Airports and Aviation Buildings by Austin

COMPLETE *Airport Service*—preliminary surveys and reports, engineering surveys and studies, site selection.

Design and Construction—grading, drainage, lighting, all necessary airport buildings such as hangars, depots, etc. Also aircraft factory buildings.

Ask for approximate costs and booklet "Airports and Aviation Buildings."

THE AUSTIN COMPANY
Airport Engineers and Builders Cleveland
New York, Chicago, Philadelphia, Detroit, Cincinnati, Pittsburgh, St. Louis, Seattle, Portland, Los Angeles, San Francisco, Dallas

THE AUSTIN METHOD

GRUSS AERO STRUT
Shock Absorbers



Always in the AIR Yet on the GROUND

A 10 inch compressed air cushioned range of deflection absorbs all landing shock and also eliminates all jar when taxiing.

A positive hydraulic check governing recoil. These features make all landing soft and short and insure protection to all parts of the ship.

Safety, Economy and Efficiency

Manufactured by

GRUSS AIR SPRING CO. *of* **AMERICA**

San Francisco, California

Full information upon request

Approved by Department of Commerce

"How To Use Aviation Insurance Protection Economically and Advantageously"

Insurance Protection Available

aggregates over $1,000,000 per aircraft

Constructive total loss
Accidental Damage
Fire, Tornado, Theft
Cargo (direct and liability)
Damage to ground property
Airport and Airmeet liability
Life insurance
Public liability
Property Damage
Passenger liability
Personal Accident
Compensation
and
other forms constructed as required

An Open Market to all Insurance Companies, Reinsurers, Agents and Brokers. Standard conditions amended to meet special requirements.

• • • • **Is the title of our new brochure. Ask us for a copy. It explains also our free advisory service founded on 20 consecutive years' practical experience in aviation and supported by our corps of highly qualified aeronautical engineers and our staff of executives, each one of broad practical experience in flying besides long training in insurance.**

GOOD SERVICE COUNTS

More aviation claims paid by our organization than by all other organizations throughout the world.

Lowest Rates-Broadest Coverage-Highest Indemnities-Quickest Service

Policies have been issued over a long period of years and, among others, in favor of Federal and State Governments, Boeing Air Transport, Pacific Air Transport, Colonial Air Transport, Colonial Western Airways, National Air Transport, Western Air Express, Robertson Aircraft Corp., Colorado Airways, Northwest Airways, Walter T. Varney, Inc., Southern Dusting Co., Philadelphia Rapid Transit, Stout Air Service, Boston Airport Corp., American Railway Express, Ford Motor Company, Fairchild Aerial Surveys, Fairchild Flying Corp., Pacific Marine Airways, Pitcairn Aviation, United Cigar Stores Co., Royal Typewriter Co., Hamilton Maxwell, Inc., Pulitzer and other race meetings, Universal Motion Picture Corp., Fox Film Corp., American Airports, Inc., Jefferson Airways Corp., Midplane Sales & Transit Co., Stinson Aircraft Corp., Thompson Aeronautical Corp., Atlantic Aircraft Corp., Pratt & Whitney, Caddo Co., Chas. Rogers Productions, Canadian Transcontinental Airways, Ltd., Western Canada Airways, Ltd., S.C.A.D.T.A. of Colombia, S. A., Andian National Corp. of Colombia, S. A., Maddux Air Lines, Scenic Airways, Standard Oil Co. of Cal., Richfield Oil Co. of Cal., Trans-continental Air Transport, The Daniel Guggenheim Fund for the Promotion of Aeronautics, Gene Tunney, and many others including Col. Charles A. Lindbergh, Sir Hubert Wilkins, Anthony Fokker, and other leaders in aviation.

BARBER & BALDWIN, Inc., Graybar Bldg., New York City, *Tel.* Lexington 4316
Underwriting Agents for All-American Insurers and Reinsurers

B&B SERVICE

20 YEARS OF PRACTICAL EXPERIENCE IN AVIATION



Precision-built!

The precision standards to which every part is made indicate accurately the efficiency, strength, and light weight of Bendix-Laddon Wheels and Bendix 2-Shoe Servo Brakes for airplanes.

Now in production in all standard sizes

(Fully protected by patents and applications in U. S. and abroad)

BENDIX BRAKE COMPANY
General Offices and Plant: South Bend, Ind.
Division of Bendix Corporation, Chicago

BENDIX (4) BRAKES
FOR SAFETY

NEW YORK AVIATION SHOW

In the very heart of the World's greatest Aeronautical market.

FEBRUARY 6TH-13TH

EDUCATIONAL
INSPIRATIONAL
ENTERTAINING

GRAND CENTRAL PALACE

Held under the Auspices of Aviators' Post No. 743, American Legion

To Pass the

TRANSPORT PILOT'S EXAMINATION

you must know

Navigation and Meteorology

A book has been prepared which thoroughly covers the examination for any grade of license in these subjects, and if the candidate will spend a few hours studying it no difficulty will be experienced.

$2.50 Postpaid

Mail Order to:

Captain Lewis A. Yancey
427 West End Ave., New York City

CAPTAIN LEWIS A. YANCEY
427 West End Ave.
New York City

Enclosed please find check for $2.50 for which send me copy of *Aerial Navigation and Meteorology.*

NAME .....

ADDRESS .....

CITY ..... *STATE* .....

Aluminum Fuel and Oil Tanks

"Tank up with the leaders"

Lightest aluminum welded tank per gallon —most durable—highest safety factor. Prices in range with commercial aviation.

Streloff - Naughton
CORPORATION
50 William Street, Long Island City, N. Y.
Telephone: Hunters Point 10463

Flying Suits *and* Helmets

Winter Weight
New Low Prices

No. V-36 Moleskin cloth, waterproofed; lined with sheepskin, fleece, ½ to ¾ inch thick. Talon hookless fasteners in front and wrists; gussets and straps at ankles. Collar of good fur. (When ordering state height and chest size.)

$67.50

No. V-37 Khaki cloth, waterproofed, otherwise same as V-36.

$50.00

No. V-38 Khaki cloth, waterproofed, wool blanket lined, shearling collar.

$27.50

Send for catalog AV-3 for complete description

No. V-316 winter weight Helmet, chocolate color leather, sheepskin fleece lining. Each, $5.00.

IHLING BROS. EVERARD CO.

KALAMAZOO, MICHIGAN

Service
—*No End!*

THE
AERO SUPPLY MFG. CO., INC.

Original and only exclusive manufacturers of aircraft screw products and dependable supplies for aircraft construction.

OUR CREED

TIE AERO SUPPLY MFG. CO., Inc.
College Point, Long Island, N. Y.
Write for Catalog on
Airplane Accessories and Supplies

CYLINDERS MACHINED
Ready for Assembly



During our twenty-five years' experience in making air-cooled cylinders, we have developed not only an advanced foundry and metallurgical technique for handling difficult shapes and peculiar alloys, but we have also added modern pattern and machine shop facilities.

These added facilities enable us to furnish complete cylinders, machined ready for assembly, direct from your blue prints.

We shall be pleased to quote on castings only, on patterns and castings, or on machined cylinders.

S. Cheney and Son
MANLIUS, N.Y.

MILESTONES OF PROGRESS

They come from all over

FROM every part of the country, men come to the SWALLOW plant in Wichita to buy SWALLOWS.

Where we have a dealer in the territory, of course we turn the business over to him. Yet there are some places where there is no Swallow dealer as yet, and we are forced to sell direct to the customer.

It's "dollars to doughnuts" that before 1928 is over every state in the Union will be the home of a number of new 1928 Swallows. Somebody will get that nice business. Will it be you?

Better write or wire us today to see if YOUR territory is still open.

SWALLOW AIRPLANE CO.
WICHITA, KANSAS

HALL-ALUMINUM
AIRCRAFT CORPORATION

Strong, Light Weight

ALL-METAL

Airplanes, Seaplanes, Flying Boats and Floats

Standardized Drawn Sections and Stamped Parts Adaptable to Your Present Designs or New Designs Supplied

2050 ELMWOOD AVENUE
BUFFALO, NEW YORK

Contractors to U. S. Navy



Passenger Preference—too!

Every pilot who has flown a Challenger is quick with admiration and praise of Challenger's ease of control, immediate response, ability to land, take off and climb steeply out of the smallest fields.

Now passengers, too, at flying fields all over the country are voicing a preference to ride in Challenger planes. They, too, sense the sturdy construction, the absolutely safe flying features of Challenger. Challenger draws the paying rides!

Just off the press—this illustrated booklet on the construction and equipment of the Challenger—copy sent you on request.





Sh. 12

9 cylinder
125 h.p.
at 1800 r.p.m.

SIEMENS
The Engine with an International Reputation

Available for immediate delivery

K. G. FRANK
75 WEST ST., NEW YORK CITY
General Representative of
Siemens-Halske A.G.

Have you seen:

The 2 I — two passenger open
The 4 I — four passenger cabin
The 7 I — seven passenger cabin

FAIRCHILD
AIRPLANES

TITANINE
Registered Trade Mark
A Complete Range of
AIRPLANE FINISHING MATERIALS
Dope-proof paint, black, white, aluminum or grey;
Clear nitrate and acetate dopes;
Ti-Two colored one-material dope;
Pigmented nitrate dopes;
Flexible wing lacquer;
Wood and metal lacquer (for inside and outside finish)
TITANINE, Inc.
Union, Union County, New Jersey
Contractors to the United States Government

SITKA SPRUCE

All clear selected grain for Aircraft. Spars and rib stock ready for immediate shipment—all sizes—all lengths. Send your list for immediate quotation. Small express shipments made same day order is received. Our complete planing mill can run special sizes quick.

YOHO & HOOKER LUMBER CO.
Aircraft Department
240 Wing Building, Youngstown, Ohio

ABC of Flight
By W. Laurence LePage
with a foreword by Assistant Secretary of the Navy for Aeronautics Edward P. Warner.
An elementary volume in non-technical language on the fundamentals of flight, the airplane and the aircraft engine. It requires no previous knowledge of aeronautics, physics or mathematics. It is an excellent book to supplement flying instruction. $1.50 postpaid.

Book Department
AVIATION PUBLISHING CORPORATION
250 West 57th Street New York City

TIME PAYMENT SALES

WE are prepared to arrange a plan to meet your requirements for adequate insurance cover on airplanes sold on the time payment plan, protecting the interest of the manufacturer, finance company, or purchaser as may be required.

Aviation Protection, Inc.

Insurance Brokers to Aviation

110 William Street, New York, N, Y.

Telephones: Beekman 5267-4235

CURTISS



CHALLENGER

This new 170 H.P. air-cooled commercial engine is already a favorite among manufacturers, operators, and pilots. For detailed information concerning its advantages, address the

CURTISS AEROPLANE AND MOTOR COMPANY, INC., Garden City, N. Y.

Curtiss

the ideal **HANGAR for airplanes**



NO COLUMNS

NO TRUSSES

Arch Roof Construction offers the perfect building for all hangars, temporary or permanent. It gives perfect light and ventilation and is the most economical to erect. Spans up to 200 feet and over.

Further information on request. Our service department will co-operate with engineers, contractors and all others interested.

ARCH ROOF CONSTRUCTION CO. INC.

104 West 42nd St., New York City

Engineers and Contractors

G&O *Radiators*



for **AIRCRAFT**

EFFICIENT
LIGHT WEIGHT
DEPENDABLE

The G&O Mfg. Co., New Haven, Conn.

Type F, Star Pathfinder Compass

The modern Aircraft Compass

(flush mounting)

Type F, Star Pathfinder Compass has built-in compensating unit, eliminating troublesome loose magnets. Mounts flush with instrument board. Compensating unit is easily accessible by means of removable cover plate. Magnifying cover lens gives great visibility.

CONSOLIDATED Instrument Company of America, Inc.

41 East 42nd Street, New York

Altimeters, tachometers, oil pressure gauges, gasoline gauges, thermometers, inclinometers, clocks, air speed indicators, compasses, navigation lights, landing lights, dash lights, etc.

Acetate Nitrate

PERRY-AUSTEN DOPES

Clear Pigmented

Perry-Austen Clear Acetate Dope

The Lasting Undercoat

The Best Finish { Undercoats—Our Clear Acetate / Uppercoats—Our Pigmented Dopes

PERRY-AUSTEN MFG. CO.

Contractors to United States Government

Main Office and Works: Grasmere, Staten Island, N. Y.
Tel.: Dongan Hills 707

Chicago: 510 N. Dearborn St. Tel.: Superior 6948

THANK YOU *for mentioning* AVIATION

New Department of Commerce Approved Type Certificate No. 101

Another Step Toward
SAFETY AND PERFORMANCE

A Distinct Advance in Design . . . fly the

BIRD

Powered with OX5

High Speed ..... 120 m.p.h.
Landing Speed ..... 35 m.p.h.
Climb .....1000 ft. per min.
3 place and baggage compartment

Dealers Franchises Are Still Available in Some Territories

See Us at the N. Y. Show, Feb. 6-13

1-17 Haverkamp Street, Brooklyn, N. Y.

Brunner-Winkle Aircraft Corporation

Genuine Resistal Goggles $3.65

These are genuine Resistal N. A. K. goggles, regularly selling for $5.00 per pair. The goggle that made Resistal's reputation.

Resistal R. A. V. $3.95

These genuine Resistal R. A. V. goggles have sponge rubber binding. Regular price $6.00 per pair.

Terms, cash with order.

Buy now at these bargain prices for Spring Flying.

Guardian Aircraft Co.

Dept. A,
3008 S. Jefferson Ave. St. Louis, Mo.

BROWNBACK
AIRCRAFT ENGINES

MODEL C-400



80 HORSE POWER

TO BE EXHIBITED AT THE NEW YORK SHOW

BROWNBACK MOTOR LABORATORIES, Inc.

Office—Graybar Building, New York City Factory—Pottstown, Pa.

HAMILTON PROPELLERS ARE USED THE WORLD OVER

TRADE HAMILTON MARK

PROPELLERS

Hamilton Aero Mfg. Co., 60 Keefe Ave., Milwaukee, Wis.

All

Aeronautical Supplies

The largest stock of aeronautical supplies, parts and accessories—everything from propellor to tail skid; from goggles to mocassins.

Write for your copy of Catalogue F.

Nicholas-Beazley Airplane Company Inc.

Marshall -- Missouri



You Need This Book to Know Aircraft Engines

The Aircraft Engine Instructor by A. L. Dyke, the eminent gasoline engine authority, assisted by many aircraft engineers, manufacturers, aeronautical magazines and governmental departments, is complete training on aircraft engine construction, maintenance, and operation. 382 pages—400 illustrations, flexible binding, gold stamped.

$5.00 Postpaid

AVIATION PUBLISHING CORPORATION
Book Department
250 West 57th Street, New York

Every Pilot *and* Executive

SHOULD HAVE the facts on Aerol Shock Absorbing Struts.

—They make landing comfortable — always.

—They make forced landings less hazardous.

—They protect the plane and cut maintenance cost.

Write today for illustrated booklet.

CLEVELAND PNEUMATIC TOOL CO.
3737 E. 78th St., Cleveland, Ohio

AEROL shock absorbing STRUT

S.S.White Flexible Shafts *for* Tachometer Driving *and other* Power Transmission

Made by the largest producer of steel wire flexible shaft

The S.S.White Dental Mfg.Co.
Industrial Division
152 West 42nd St. New York, N.Y.



PILOTS — ADVERTISERS

Add to your income by dropping parachute advertising banners. Made to your specifications, by sketch, as to coloring and lettering. These banners advertising a merchant, product, theatre, etc., when dropped from 5,000 feet above a city, take five minutes or more to descend and can be seen and read for miles. Banners, 4x16 ft., $30; 16x16 ft., $40. Prices include parachute, banner, instructions, shipping—complete, ready to drop. Send cash or money order to

PARACHUTE SIGNS
623 Knickerbocker Bldg. New York City

HIGH GRADE

Gears and Machined Precision Parts



INDIANAPOLIS TOOL & MFG. COMPANY
INDIANAPOLIS, INDIANA

"IF WE SELL IT—IT'S RIGHT"

WE have yet a few choice, finely conditioned planes for sale. Waco's and Fairchilds, OX-5, Wright J-5 and Hisso powered, at attractive prices.

USED PLANE DEPT.

The EMBRY-RIDDLE Co.
AIRMAIL CONTRACTORS
Lunken Airport Cincinnati, Ohio

KITTY HAWK

Flies Like a Hawk — Lands Like a Kitten

Service? How shall we handle service? First let's build a safe ship and use a motor that requires minimum service. Then when minor damage is done, we'll replace or repair from the factory at once. KITTY HAWK always prefers a satisfied customer rather than a new customer.

BOURDON AIRCRAFT CORP.
Hillsgrove, R. I.

THANK YOU *for mentioning* AVIATION

We take pleasure

In announcing the appointment of J. E. Menaugh & Company, 4618 Kenmore Avenue, Chicago, Illinois, as Middle West distributors of

SOLOTEX
AIRCRAFT COVERING

WHITMAN-GOSNOLD MILLS
40 Worth Street, New York City

The Name
SOLOTEX
Guarantees
QUALITY



LOCKHEED
fuselage construction insures lowest maintenance cost--

—permanent alinement
—no recovering . . .
—easy to repair . . .
—fewer parts . . . .

DISTRIBUTORS

Air Associates, Inc. . . . . New York
Schlee-Brock Aircraft Corp. . . . . Detroit
Harry Sperl Aero Corp. . . . . Los Angeles

LOCKHEED AIRCRAFT COMPANY LOS ANGELES U.S.A.

NITRATE DOPE

NEW PRODUCTION **IMMEDIATE SHIPMENT**

Contractors to U. S. Army and Navy

VAN SCHAACK BROS. CHEMICAL WORKS
3358 AVONDALE AVE. CHICAGO, ILL.

SEAMLESS
STEEL TUBING

All Aircraft Grades

WAREHOUSE STOCKS for immediate shipment in any quantity.
MILL SHIPMENTS for substantial production requirements.

SERVICE STEEL COMPANY
32 E. Front St. CINCINNATI
1435 Franklin St. DETROIT
216 N. Alameda St. LOS ANGELES

RUSCO
Safety Belts

... include the proper type for *your plane*, in all-web ... all-leather ... or leather-web combinations. Widths from 2½ to 5 inches .... buckle or pull-pin release .... tensile strengths meet Army and Navy requirements.

Write for complete catalog of Rusco Aero Products

the RUSSELL Manufacturing Co.
Aeronautical Division — Sales and Engineering Offices
349 BROADWAY NEW YORK CITY

Keeping Abreast

of aeronautical activities is possible only by reading

AVIATION

each week. Yearly subscription rates: United States $4; Canada $5; Foreign $6.

AVIATION PUBLISHING CORP.
250 W. 57TH STREET, NEW YORK CITY

AIRCRAFT SERVICE DIRECTORY

See our Advertisement
on page 265 of this issue
PIONEER INSTRUMENT COMPANY
254 LEXINGTON AVE. BROOKLYN NEW YORK

TRIUMPH
MAGNETIC
FUEL GAGES FOR AIRCRAFT
NEW MODELS FOR COWL, WING, OR SPECIAL TANKS
Manufactured by
THE BOSTON AUTO GAGE COMPANY
PITTSFIELD, MASSACHUSETTS

STEARMAN, STINSON AND MONOCOUPE
GEO. A. WIES, Inc.
Hangar — *Curtiss Field*
12 Juniper Ave. — *Mineola, N. Y.*

AIR ASSOCIATES INC.
Eastern Distributors
LOCKHEED "VEGA"
Hangar: Curtiss Field, Long Island, N. Y.
City Office: 535 Fifth Ave., New York City
AIR ASSOCIATES, INC.
Aviation Supplies and Equipment

SHOWALTER-ASSOCIATES
INCORPORATED
Airport Planners Architects Engineers
2210 Park Ave.
DETROIT
Suite 247 — Write or Wire

SCULLY AIR MAIL HELMET
Designed and perfected after many tests by air mail pilots. Made from finest imported leathers.
SCULLY BROS, Inc.
Denver, East
Los Angeles, Calif.
Nicholas-Beazley Airplane Co., Marshall, Mo.
Sole Distributors for United States

Engineering Associates
Airplane Design, Stress Analysis, Performance Est., Flight Testing, Consulting — for — Landplanes, Seaplanes, Flying-Boats, Amphibians, Pontoons
FARMINGDALE, L. I., N. Y.

Everything for the Airplane
LARGEST AIRPLANE SUPPLY HOUSE IN THE WEST
A complete line of parts and accessories for aircraft at lowest prices. A money-back guarantee on everything sold.
WRITE OR WIRE US YOUR REQUIREMENTS.
CRAWFORD AIRPLANE COMPANY
"Masters of the Air"
850 Washington Blvd. — Venice, California

BLACK & BIGELOW, INC.
Air Transport Engineers
551 Fifth Avenue, . . New York, N.Y.

—Telephones—
GARDEN CITY 5529-W — CEDARHURST 1234
Addington Aircraft Co.
SWALLOW DISTRIBUTORS
Connecticut, New Jersey, New York, Maryland, Massachusetts
P. O. BOX 82 - MINEOLA, N. Y.
Hangar 60 — Curtiss Feld

AVIATION ENGINES REBUILT
Our equipment includes HEALD CYLINDER GRINDER, LANDIS CRANKSHAFT GRINDER, WADELL LINE REAMING FIXTURES for main and connecting rod bearings.
OX5'S A SPECIALTY
Can furnish all parts.
BRING YOUR ENGINE BACK TO FORMER EFFICIENCY
Write for information and prices.
Spencer-Turnbull Co., 278 Main St., Hartford, Conn.

ACCOUNTING — FINANCING
Carl David Oppenheimer, B.C.S.
Certified Public Accountant
742 South Hill Street, Los Angeles, Calif.
1440 Broadway, New York City, N. Y.
Former War Pilot, Reserve Officer Specializing in Aviation Accounting

LUDINGTON
LUDINGTON PHILADELPHIA FLYING SERVICE, Inc.
Operators of Philadelphia Airport
FAIRCHILD Distributors WACO
Most completely equipped airport in Pennsylvania
ALL SERVICES
Best and Quickest Repair Facilities in East

OLE FLOTTORP'S RECENTLY DEVELOPED PROPELLER
is very efficient and operates with less fluttering or vibration
For sale by all supply dealers or factory
Flottorp Propeller Company
1836 LINDEN AVE., S. E.
GRAND RAPIDS, MICHIGAN

PLYCOR
BIRCH AIRCRAFT PLYWOOD
Highest Standard of Quality
Standard thicknesses: 0.8 mm. (1/32"), 1.0 mm. (1/24"), 1.2 mm. (3/64"), 1.5 mm. (1/16"), 2.0 mm. (5/64")
Standard size sheets: 1000 mm. x 1200 mm. (40" x 48")
Prompt Shipment from Stock
THE PLYCOR COMPANY

FLYERS INCORPORATED
OX5 and Whirlwind overhauling, all types airplane rebuilding; most complete shop in central and northeastern New York.
ALBANY AIRPORT, N. Y.

STRESS ANALYSIS
AIRCRAFT DESIGN
AIRPORT CONSULTANTS
PRODUCTION ENGINEERING
HUGH L. THOMPSON CO.
1306 Waldheim Bldg. — Kansas City, Mo.

Northeaster Flying Togs
Helmets, goggles, flying suits.
Write for complete catalog.
BECK DISTRIBUTING CORP.
66 E. 131st St., New York City

AIRPLANE SPRUCE
Large assortment of kiln dried Spruce, graded in accordance with U. S. Specifications by Pacific Lumber Inspection Bureau. Write for prices on one piece or a carload.
FRANK PAXTON LUMBER CO.
KANSAS CITY, KANSAS

Edward A. Stalker, 302 Eng. Bldg.
AIRPLANE DESIGN
Stress Analysis
Performance Tests
Aerodynamic Investigations
Ann Arbor -:- Michigan

engine cowls
propeller noses
streamline wheel fairings
Spun and hand-hammered work in dural or aluminum to order.
MAGOSY & BUSCHER
120 WALKER STREET . NEW YORK CITY

CHOICE TERRITORY
STILL OPEN TO DEALERS!
Distributors for the American Eagle Airplanes in New York, New Jersey, Pennsylvania, Connecticut and Florida.
AMERICAN EAGLE AIRCRAFT DISTRIBUTORS
Incorporated
83 Huguenot Street — New Rochelle, N. Y.

Capital raised for going aeroplane companies. Especially interested in financing aeroplane motors.
J. MYRON MURPHY CO.
43 Exchange Place New York City

HASKELITE
PLYWOOD
Used by every important builder. Recognized as the standard plywood for airplane construction. Over 50 applications. Blue print data book on request.
HASKELITE MFG. CORPORATION
120 S. LaSalle Street — Chicago, Illinois

THANK YOU *for mentioning* AVIATION

AIRCRAFT SERVICE DIRECTORY

WIND CONES
Standard size. Government specification cloth. NON-FOULING (Will not wrap around mast). Complete with rust-proof standard pipe mounting.
PRICE: $6.00 each or two for $10.00.
ELECTRIC LIGHTED NIGHT WIND CONES
The light inside the cone turns with the wind. The latest rules require one. Very attractive. Advertise your field at night. Worth $50.00. PRICE only $15.00. Circular upon request. Immediate shipment anywhere.
AMERICAN EQUIPMENT CO.
5858-60 Washington Boulevard, Chicago, Ill.

Aviation Emblems
JOHNSON CO.
Emblems for Flying Schools—Clubs—Etc.
Souvenirs for Airport Openings—Passenger Flights
Wing Building
352 W. 13th St. New York, N. Y.
Write for Catalogue P

Patent Your Ideas
Send me a sketch or simple model of your invention. SATISFACTORY TERMS.
Free Confidential advice. Illustrated Literature.
DO IT NOW!
Z. H. POLACHEK 1234 BROADWAY PATENTS NEW YORK REG. PATENT ATTORNEY

WHERE TO FLY

California

PACIFIC TECHNICAL UNIVERSITY
SAN DIEGO CALIF.
HOME STUDY COURSES
IN
AIRPLANE DRAFTING
WEEMS SYSTEM OF NAVIGATION
AIRPORT MANAGEMENT
AERONAUTICAL ENGINEERING
GROUND SCHOOL OF AERONAUTICS
PRACTICAL SHOP WORK
FLIGHT INSTRUCTION
Affiliated · with · T. C. Ryan · Flying · School
Write for Catalog

California

Western College of Aeronautics
154 W. Slauson Ave.
Los Angeles, Calif.
One of the finest - technical and practical - air courses in the world
The Western Course equips you for positions of executive capacity
Engineering
Designing
Flying
Licensed Pilots
Send for catalog

Illinois

Learn to Fly at a Midwest Airways Corporation School
Under the direction of John H. Livingston
Three large Airports in the central west—at Aurora, Ill., Monmouth, Ill., and Waterloo, Iowa.
We are training students to fly because we need pilots for the planes we sell.
Largest distributors of commercial aircraft in the central states.
MIDWEST AIRWAYS CORPORATION
Waco and Ryan Distributors

California

MAHONEY-RYAN AIRCRAFT CORP'N
Owners of Ryan Airlines and Ryan Flying Co.
Builders of Col. Lindbergh's *"Spirit of St. Louis"* give complete flying instruction the entire year. Students have an opportunity to study factory, field and airline methods.
SAN DIEGO, CALIFORNIA

District of Columbia

Potomac Flying Service
School of Aviation
Hoover Field, Washington, D. C.
COMPLETE FLYING AND GROUND COURSES
Individual Attention—Easy Payment Plan — Modern Equipment — Military Trained Pilots—Washington's Oldest and Best Flying Field
Largest Passenger Carriers in U. S.

Louisiana

Be a Licensed Pilot

SOUTHERN AERONAUTICAL SERVICE
605-7-9 AUDUBON BLDG.
New Orleans, La.
The Best Aviation School in the South

California

LEARN AVIATION with RYAN
The ONE School that gives COMPLETE quality training. Specializing in long, thoro Ground & Air courses producing experts and commercial pilots.
San Diego has perfect flying weather year 'round. Greatest continuous flying activities of any city in the United States.
It Means Something to be a Ryan Graduate
Send for Descriptive Catalog.
T. C. RYAN FLYING SCHOOL
Gentlemen: Please send me your descriptive catalog.
NAME
ADDRESS
3566 BARNETT AVENUE SAN DIEGO CALIFORNIA

Florida

LEARN TO FLY in the South THIS WINTER!
The South's outstanding aviation school offers you ideal flying weather, latest type Travel Air Planes and a thorough course of instruction under recognized experts. Decide now to learn to fly—write for details and list of books recommended for preliminary study.
McMULLEN AVIATION SCHOOL
TAMPA, FLA.

Maryland

REDUCED RATES
For Flying Instructions Now
Offered to Prospective Students
Our price for complete course will enable you to save enough to pay for your board and lodging. Only modern equipment used. Wacos and Eaglerocks. School and field located near Baltimore.
THE STEINMETZ ENGINEERING CO.
717 W. North Ave. Baltimore, Md.

LEARN TO FLY
BY ENROLLING IN ONE
OF THE SCHOOLS LISTED ON
THESE PAGES

Maryland

Learn to Fly in Modern Planes
at
TRED AVON FLYING SERVICE, INC.
Easton, Maryland
THE PERFECT FLYING COUNTRY
Complete 10 hour course including solo and ground course, $200.00.
10 and 50 hour solo courses at reasonable rates.
Board and lodging near field for $10.00 a week.
Write for Details

WHERE TO FLY

Missouri



PARKS AIR COLLEGE

Complete flying and ground courses under licensed transport pilots. New Travel Airs with OX5, Whirlwind, and Caminez motors. Send for free copy of "Skyward Ho!" our profusely illustrated catalog.

PARKS AIR COLLEGE
284 Mo. Thos. Bldg.
St. Louis, Mo.

New York

AVIATION ENGINEERING SCHOOL
Tel. Circle 1010
225 West 57th St., New York City
Flying Instruction on New Planes

AVIATION:—If it is worth learning—learn it right. Complete, practical training in every branch of aeronautics. We train you for all government licenses. Day and Evening Classes.

New York

Learn to Fly Now
Have your license by spring

Solo	$150
Private Pilot time	250
Limited Commercial	450
Mfg. Design and Welding	150

Hogan-Moyer Aircraft Corp., Syracuse, N. Y.

Ohio

FLYING SCHOOL OF THE
EMBRY-RIDDLE
AIRMAIL - CONTRACTORS
LUNKEN AIRPORT, CINCINNATI, O.

Thorough, painstaking methods are responsible for this school's country-wide reputation. Leading figures in aviation send students here. Ten hours minimum instruction, 20 if necessary for 1 hour guaranteed solo. No bond, only modern planes. Noted pilot-designers conduct ground school.

Illustrated Folder on Request

- Distributors - FAIRCHILD

Nebraska

Nebraska's Largest Flying School
subsidiary
MORTON AIRCRAFT, INC.

Dealing with every phase of Aviation, Solo and Advanced Training, Ground Mechanics, with Factory Building and Repair advantages at Airport. Write for details.

GRAND ISLAND FLYING SCHOOL
GRAND ISLAND, NEBRASKA

The fact that schools advertising in the WHERE TO FLY section of AVIATION have done so over a period of years is one of the best testimonials to the efficiency of this type of advertising.

Pennsylvania

PITCAIRN AVIATION of PENNSYLVANIA, Inc.

10-HOUR FLYING COURSE. 4-way flying field, at Willow Grove, Pa., the largest in the East, in midst of ideal flying country. All-year-round school. Modern flying equipment, including Pitcairn Orowings. Reasonable board and lodging near field. No liability bond required.

Write for Illustrated Booklet
Land Title Building
PHILADELPHIA

New Jersey

NEWARK AIR SERVICE
INC.

LEARN TO FLY!

Six new ships. Students trained by expert instructors having at least 10 years' active flying experience. Rates moderate, no bond for solo. Most conveniently located air port in metropolitan area. 30 minutes from N. Y. C. Take tube to Newark and No. 4 bus to

NEWARK METROPOLITAN AIR PORT
Newark, N. J.
Write Capt. J. O. Donaldson at above address
Telephone: Mulberry 1310

Pennsylvania

KEYSTONE AIRPORT
"FLYING COLLEGE"

Where you really learn to Fly. Primary and Advanced Flying Instruction Accompanied by Ground School. We teach Navigation, Meteorology. New Production Planes. Instructors are Transport Pilots. Write for Particulars.

KEYSTONE AIRPORT
EBENSBURG, PA.

New York

CURTISS FLYING SERVICE, Inc.
Clinton Road Garden City, N. Y.

In 1927 this Company flew more than 365,000 miles, carried 10,700 passengers, and graduated 224 flying students.
Air fleet of sixteen planes; equipment and personnel licensed by Department of Commerce. Phone Garden City 2508.

Write for Flying School Booklet

Advertise Services and Products in the Aircraft Service Directory

New York

FLY!

Licensed Planes
Licensed Instructors
Modern Equipment

Write for Information and Catalogue

Barrett Airways, Inc.
BEDFORD ROAD (ROUTE 22)
Armonk, New York
Tel. Armonk Village 1564
N. Y. Office—Tel. JERome 7745
"In the Heart of Westchester County"

Ohio

LEARN TO FLY
RAVENROCK AIRPORT
PORTSMOUTH, OHIO

Where you will have the advantage of having competent instructors with long experience. Flying instruction under the supervision of "Pat" Love, veteran flier. Up-to-date equipment of "Waco" and "American Moth" planes.

We guarantee to teach you to fly—giving you at least ten hours in the air. No liability bond required for when we turn you loose we know you can fly.

Complete course, including ground school, $200 for 10 hours; $500 for 50 hours; $1500 for 200 hours.

PORTSMOUTH AERO CORPORATION

Texas

T. A. T. FLYING SCHOOL, Inc.
A Division of
TEXAS AIR TRANSPORT, Inc.
Air Mail Contractors, C. A. M. 21-22

All instructions under personal supervision
Licensed Transport Airmail Pilots

Instructions given on both open and closed types of airplanes. Complete ground course in all subjects required to pass Department of Commerce Examinations. We also include radio in our ground course for transport pilots. A year 'round training school under the sunny skies of Texas.

For information, address T. A. T. FLYING SCHOOL, INC., 604 Fort Worth National Bank Building, Fort Worth, Texas.

CLASSIFIED ADVERTISING

10 cents a word, minimum charge $2.50, payable in advance. 15 cents a word if box is used.
Address replies to box numbers, care AVIATION, 250 W. 57th St., New York

FOR SALE

FOR SALE: Waco Whirlwind with starter, air speed, bank and turn indicator, compass, Bendix wheels and brakes, aero struts, metal propellor, $6,500.00 Air Mail DH with new Allison rebuilt Liberty, $1,500.00. New Ford Liberty engines, $600.00 K-5 camera with 12 and 20 inch lenses and cones. Indianapolis Aviation Co., Indianapolis, Ind.

FOR SALE: Two OX-5 Eaglerocks, one Waco 10, never cracked. 75 hours each. $2,250.00 each. Skycraft, Inc., 143 E. 29th St., New York, N. Y.

STANDARD J-1, 180 Hisso, licensed, new covering, spare center section and tank, excellent condition, $1500.00. Curtiss JN with rebuilt OX-5, $700.00; ships ready to fly. Paul Rizzo, 9202 Denton Ave., Brooklyn, N. Y.

MACHINE SHOP service on OX-5's. Cylinders reground, new pistons, pins and rings. Graphite guides and inserted seats installed. Oversize pins installed in valve actions. Main and connecting rod bearings line reamed. All work guaranteed. New OX-5 parts. Write for complete circular. Heckman Machine Works, 4026 West Lake St., Chicago, Ill.

LARGE STOCK of brand new magnetos for sale: Original Robert Bosch eight cylinder magnetos, each $59.00; same six cylinder, $29.00; starter magnetos, $15.00; switches, $1.95. All f.o.b., New York. W. A. Gunther, 139 West 75th St., New York, N. Y.

REBUILT OX-5 motors like new, $375.00. Used OX-5 motors, $275.00. Like new cylinders $15.00. Slightly used, $10.00. OX parts cheap. Jostes Aircraft Supply Co., St. Louis, Mo.

FAST, HANDSOME cabin monoplane. New ship. New Hisso motor. Splendid performance. Carries three and pilot. Exceptional buy. Special job at much less than production type. Photos or demonstration to responsible buyer. Act quick. Box 1169, AVIATION.

ATTENTION, AVIATORS: Valve guides installed on OX cylinders, $1.50 per guide. Removable valve seats installed, $1.00. Descriptive literature upon request. All work guaranteed. Illinois Flying Co. New location, 4 West 4th St., Sterling, Ill.

FOR SALE: New Paragon and Star OX-5 propellers, $10.00. OX-5 motors, $400.00. Good Jenny ready to flyaway; like new, $1,000.00. Write for parts list. Southern Aeroplane & Supply Co., Knoxville, Tenn.

CYLINDERS REBUILT: Graphited guides and valve seats installed. OX-5 and OXX-6, $5.00 per cylinder. Discount to dealers. South Street Auto Parts Co., Iola, Kans.

FOKKER C-2, three-place cabin biplane, BMW motor 185 hp., perfect flying condition. Special job for photography. Priced reasonable for quick sale. W. A. Gunther, 139 W. 75th St., New York City.

THOMAS MORSE, tube control, new LeRhone, extra LeRhone, lots of spares, now flying. Just the ship to get your 200 hours. $550.00. Paul Neff, Iola, Kans.

FOR SALE: Sopwith Snipe, single place. This ship is complete; never been set up; just recovered. Has 130 hp., Clerget. Just overhauled. One extra Clerget. Have all diagrams for same. Sell all for $750.00. L. Langevin, 19 Charlotte St., Binghamton, N. Y.

FOR SALE: Two late model Ryan broughams used as demonstrators. Unusual opportunity. Midwest Airways Corp., Ryan Distributors, Aurora, Ill.

ONE WACO 9 cabin biplane, dual controls, guaranteed to have never been cracked-up, looks like new, OX-5 motor perfect, $1550.00; without motor, $1100.00. Four wings ailerons and tail surface for 1928 American Eagle in A1 condition at half price. One brand new Wright Hisso H, 300 hp., $650.00. Two genuine Wright E Hisso, 180 hp., complete with Hamilton propeller and oil radiators, in A1 condition, $750.00 each or will trade all for new or used OX-5 motors. Finklea Bros., Leland, Miss.

INCREASED MAIL loads requiring larger Boeing equipment, release for immediate cash sale: Fokker J-5C Universal, Boeing J-4 training, Travel Air J-4 three-place. Whirlwind steel propellers (new and used), miscellaneous parts and equipment all at greatly reduced figures. Price list on request. Pacific Air Transport, Oakland Municipal Airport, Oakland, Calif.

FOR SALE: Monocoupe used 20 hours, $2250.00; Waco 10 large wheels, used 130 hours, $2250.00; both in perfect condition. Knoxville Aero Corp., 211 W. Cumberland Ave., Knoxville, Tenn.

COMPLETELY REBUILT OXX-6, new magnetos, all new bearings, rings and overhead, $350.00. Electric starter and lots of new spares, $700.00. Box 1161, AVIATION.

FOR SALE: New Cessna monoplane, Whirlwind engine. Bought for trans-continental race but not entered. With special equipment sells for $9500.00. First $7500.00 takes it. Owen Haugland, Ranger, Texas.

FOR SALE: OX-5 Command-Aire 125 hours, with or without motor. Never cracked. Box 886, Laurel, Miss.

FOR SALE: Ryan brougham, Wright Whirlwind engine. Fine condition, only 200 hours. Privately owned. Price $9,000.00. Address C. F. Lytle, Mexia, Texas.

FOR SALE: OX-5 Hammondsport motor, brand new, $900.00. Thoroughly rebuilt OX-5, $550.00. Air King, less motor and propeller, $600.00. Waco 10, OXX-6 motor, Scintilla magneto, fine condition, $2150.00. New York Aircraft Distributors, Inc., Curtiss Field, Garden City, N. Y.

FOR SALE: One set complete Waco 9 wings including balanced ailerons in perfect condition. Will sell set complete or separate. E. A. Forner, 503 Madison St., Jackson, Mich.

$88.00 USED 120 LeRhone with new propeller. Grade A cotton 35c yard. Speed-I-Tex, 39c yard. Turnbuckles, 12c each. Joe Edeskuty Aircraft, 1727 11th Ave., So., Minneapolis, Minn.

FOR SALE: Super-Swallow in good condition, less motor, $750.00. Bennett Flying Association, 223 West 12th St., Kansas City, Mo.

FOR SALE: One Standard steel propeller for 225 h.p. motor. Slightly used, but in perfect condition, having been refinished, buffed and balanced, and in original shipping case as received from factory. Price $300.00 T. Hubbard Morgan, Kittanning, Pa.

MUST SACRIFICE new 50 h.p. Alco biplane, $465.00. Pictures on request. WANTED: 35 h.p. Anzani, Heath, Henderson or Irwin motor with propeller. Richards, 1470 Middleton Rd., Cleveland Heights, Ohio.

POSITIONS WANTED

LICENSED AIRPLANE and engine mechanic No. 2875 available April 1. Seven years' experience on military and commercial aircraft. Geo. J. Clingman, R.R. 16, Dayton, O.

POSITION WANTED by thoroughly experienced pilot. Can furnish excellent references as to character and ability. Box 1148, AVIATION.

YOUNG MAN (21 years) desires to learn aircraft construction and maintenance with some aircraft manufacturing company. Can do welding. Box 1170, AVIATION.

BANK CASHIER, 11 years' bank experience, desires connection with aircraft corporation. Good references. Married. Paul R. Berndt, Bridgman, Mich.

FIELD MANAGER, capable of laying out airports, long experienced in drainage, wants to change position. Paul Dewaal, 664 Hamilton St., Ridgefield, N. J.

TRANSPORT PILOT with 500 hours on cross country and instructing. References. 449 10 St. North, Apt. C, Lincoln, Nebr.

POSITION WANTED by transport pilot; 12 years; 4,000 hours' experience. Best of references. Box 1173, AVIATION.

LICENSED TRANSPORT pilot at liberty; 360 hours. Write or wire, Transport Pilot, 663 Lawn Ridge Ave., Huron, South Dakota.

EQUIPMENT WANTED

WANTED: 50 to 60 hp., air-cooled engine. State conditions and lowest price. Eugene A. Bussen, Jefferson Barracks, Mo., Route 9.

WANTED: LICENSED Waco 10 or Eaglerock. Will pay about $1500.00. Come Blanchette, 17204 Orleans, Detroit, Mich.

WANTED: IRWIN Meteorplane, Heath Parasol or other light plane. Also light air-cooled motors. Will buy in separate units or complete. State lowest price for cash. Clifford Bengston, Grand Canyon, Ariz.

WANTED: 50 used OX-5 motors and parts. State price, condition, first letter. Box 1171, AVIATION.

WANTED: OX-5 motors, also steel propellers with OX-5s and Hisso. Bennett Flying Association, 223 West 12th St., Kansas City, Mo.

WANTED: WRIGHT J-4 or J-5 motor; poor condition. Price must be right. Address, P. O. Box 247, Akron, Ohio.

WANTED: Three-place late production ship less motor. May be in need of recovering and minor repairs. Bill Reed, 237 Monroe Blvd., S., Dearborn, Mich.

WANTED: CRACKED new production ships, motors and parts; OX-5, OXX-6, C-6 and Hissos. Skycraft, Inc., 143 E. 29th St., New York, N. Y.

MISCELLANEOUS

$50.00 REWARD: Irving pongee seat pack parachute No. 10412 stolen. R. O. Bone Co., Inglewood, Calif.

FOR LOW rate flying instruction write P. O. Box 45, Moundesville, W. Va.

AIRPLANES COMPLETELY stress analyzed. Acceptance by Department of Commerce guaranteed. Box 1167, AVIATION.

COMMERCIAL OPERATOR to lease commercial rights, well developed airfield on trans-continental route. Fine opportunity for school, taxi, plane sales. Write Airport Corporation, Sterling, Ill.

HELP WANTED

WANTED: BY major mail contractor—pilot with cross country night and bad weather flying experience. Those with less than 2000 hours flying on larger equipment need not apply. Steady employment, good salary. Box 1091, AVIATION.

WANTED: STRESS analysis man with some drafting ability. An opportunity for a very broad experience to the right party. Ideal living conditions. State qualifications and salary expected. Aerial Service Corp., (Mercury Aircraft), Hammondsport, N. Y.

CHECKER: EXPERIENCED on airplane design work. State age, experience and salary. Apply Keystone Aircraft Corp., Bristol, Pa.

WANTED: LICENSED engine and airplane mechanic with small amount of capital to take active part in new Massachusetts flying corporation. Starting operations this spring. Box 1168, AVIATION.

DRAFTSMAN LAYOUT with several years' aircraft experience. Apply Keystone Aircraft Corp., Bristol, Pa.

MAN, FAIRLY conversant with aeroplane stock record keeping, routing and inventory. BOX 1166, AVIATION.

Classified
Advertisements
Inserted in
AVIATION
Will Bring Results

If you have a plane, accessories, parts for sale; if you wish to obtain equipment; if you need employment; if you are looking for someone to fill a position, the classified advertising columns will place you in touch with people who need what you have to offer.

Index to Advertisers

Addington Aircraft Co. 285
Advance Aircraft Co. 233
Aero Supply Co. 279
Air Associates, Inc. 285
Aircraft Service Directory 285-286
Alexander Aircraft Co. 272
American Eagle Aircraft Distributors, Inc. 285
American Equipment Co. 286
Arch Roof Construction Co. 281
Austin Co., The 276
Aviation Protection, Inc. 281
Aviators Post (American Legion) 277

B. G. Corporation 275
Bakelite Corp. 275
Barber & Baldwin, Inc. 277
Beck Distributing Corp. 285
Belden Mfg. Co. 274
Bellanca Aircraft Co. 268
Bendix Brake Co. 277
Black & Bigelow, Inc. 285
Bohn Aluminum & Brass Corp. 226
Boston Auto Gage Co., The 285
Bourdon Aircraft Corp. 283
Box 1172 275
Brownback Motor Laboratories, Inc. 282
Brunner Winkle Aircraft Co. 282
Buhl Aircraft Co. 230

Cheney & Son., S. 279
Classified Advertising 288-289
Cleveland Pneumatic Tool Co. 283
Consolidated Instrument Co. of America, Inc. 281
Crawford Aircraft Co. 285
Curtiss Aeroplane & Motor Co., Inc. 281

Embry-Riddle Co. 283
Engineering Associates 285

Fairchild Aerial Camera Corp. 234
Fairchild Aviation Corp. & Subsidiaries 280
Flottorp Propellor Co. 285
Flyers, Inc. 285
Frank, K. G. (Siemens & Halske) 280

G & O Mfg. Co. 281
Gruss Air Spring Co. 276
Guardian Aircraft Co. 282

Hall Aluminum Aircraft Corp. 279
Hamilton Aero Mfg. Co. 282
Haskelite Mfg. Co. 285

Ihling Bros. Everard Co. 278
Indianapolis Tool & Mfg. Co. 283

Johnson Company 286

Kreider-Reisner Aircraft Co., Inc. 280

Lockheed Aircraft Co. 284
Ludington Philadelphia Flying Serv., Inc. 285

Macwhyte Co. 274
Magosy & Buscher 285
Murphy, J. Myron & Co. 285

Naturaline Co. of America 225
Nicholas-Beazley Airplane Co., Inc. 282

Oppenheimer, Carl, David 285

Parachute Signs 283
Paxton, Frank Lumber Co. 285
Pennzoil Co., The 266-267
Perry-Austen Mfg. Co. 281
Pioneer Instrument Co. 265-285
Plycor Co., The 285
Polachek, Z. H. 286
Pratt & Whitney Aircraft Co. 292

Richfield Oil Co. 223
Russell Mfg. Co. 284

Scintilla Magneto Co. 269
Scully Bros., Inc. 285
Service Steel Co. 284
Shelton Looms 274
Showalter Associates 285
Sikorsky Mfg. Corp. 271
Spencer-Turnbull Co. 285
Staker, E. A. 285
Standard Steel & Bearings, Inc. 231
Stearman Aircraft Co. 232
Streloff-Naughton Corp. 278
Stromberg Motor Devices Co. 270
Swallow Airplane Mfg. Co. 279

Texas Pacific Coal & Oil Co. 223
Thompson, Hugh L. Co. 285
Titanine, Inc. 280
Travel Air Mfg. Co. 227

Van Dorn Electric Tool Co., The 273
Van Schaack Bros. Chemical Works, Inc. 284
Velie Motors Corp. 276

Westinghouse Electric & Mfg. Co. 290
Where to Fly 286-287
White Dental Mfg. Co., S. S. 283
Whitman-Gosnold Mills 284
Wies, Geo. A., Inc. 285
Wilkening Mfg. Co. 224
Wright Aeronautical Corp. 228-229-236
Wyman-Gordon 235

Yancey, Capt. Lewis A. 278
Yoho & Hooker Lumber Co. 280

The Question Mark.

. . . . and

MICARTA

REG. U. S. PAT. OFF.

PROPELLERS

ONCE more Micarta propellers have demonstrated their trustworthiness by carrying to a successful conclusion the endurance flight of the Question Mark.

Micarta propellers already are well known through the fame won by the flight of the Southern Cross to the Antipodes and also by two other planes that made the hop from San Francisco to Hawaii.

Micarta is a phenolic laminated material from which are made propellers that are strong, but of light weight; free from vibration and chatter; immune to damage from salt spray, moisture and oil, and of high efficiency.

Pulleys, fair-leads, aileron, elevator and rudder hinges, and tail wheels also are made of Micarta.

Ask our nearest office for complete information.

Westinghouse Electric and Manufacturing Co.
East Pittsburgh Pennsylvania
Sales Offices in All Principal Cities of the United States and Foreign Countries

MICARTA W WESTINGHOUSE ELECTRIC PROPELLER

T 30327



Look to Goodyear

Goodyear has always been air-minded. The history of Goodyear participation in aerial science parallels the development of the industry.

Here at Akron we have a large and veteran department devoted to the improvement of Goodyear's service to all types of aircraft. Here, there is available to you accurate data on airplane tires and other rubber equipment; here is the seat of America's lighter-than-air authority.

And all of this experience is available to you men who design, build, or operate aircraft. Look to Goodyear—any question, any suggestion, will get prompt attention here. Write, wire, telephone, or come personally.

Aeronautics Department
GOODYEAR, AKRON, OHIO,
OR LOS ANGELES, CALIFORNIA

EVERYTHING IN RUBBER FOR THE AIRPLANE

When the World's Crack Trains are too Slow!

Northwest Airways, Incorporated, in connection with three of the great western railroads, have selected Pratt & Whitney powered equipment to carry on the first air-rail route.

By the use of Ford tri-motor and Hamilton single-engine planes, now in daily operation between Chicago and St. Paul and Minneapolis, a full business day is saved the traveller on his trip to the East or West Coast.

Passengers have the assurance on this line that the Pratt & Whitney engines behind which they ride embody the finest in modern design and workmanship — engines with an international reputation for dependability.

PRATT & WHITNEY U.S.A. DEPENDABLE ENGINES

THE
PRATT & WHITNEY AIRCRAFT CO.
HARTFORD CONNECTICUT

TACOMA PUBLIC LIBRARY